

REFERENCES

- Aagaard, P., Simonsen, E.B., Trolle, M., et al., 1995. Isokinetic hamstring/quadriceps strength ratio: influence from joint angular velocity, gravity correction and contraction mode. *Acta Physiol. Scand.* 154 (4), 421–427.
- Abdel-Aziz, Y.I., Karara, H.M., 1971. Direct linear transformation from comparator coordinates into object space coordinates in close range photogrammetry. In: *ASP symposium on close range photogrammetry*. American Society of Photogrammetry, Urbana, IL, pp. 1–18.
- Alexander, E.J., Andriacchi, T.P., 2001. Correcting for deformation in skin-based marker systems. *J. Biomech.* 34, 355–361.
- Alfredson, H., Pietila, T., Jonsson, P., et al., 1998. Heavy-load eccentric calf muscle training for the treatment of chronic achilles tendinosis. *Am. J. Sports Med.* 26 (3), 360–366.
- Alimujaj, M., Fradet, L., Braatz, F., et al., 2009. Kinematics and kinetics with an adaptive ankle foot system during stair ambulation of transtibial amputees. *Gait Posture* 30, 356–363.
- Al-Majali, M., Solomonidis, S.E., Spence, W., et al., 1993. Design specification of a walk mat system for the measurement of temporal and distance parameters of gait. *Gait Posture* 1, 119–120.
- Andriacchi, T.P., Alexander, E.J., Toney, M.K., et al., 1998. A point cluster method for in vivo motion analysis: applied to a study of knee kinematics. *J. Biomech. Eng.* 120 (6), 743–749.
- Andriacchi, T.P., Anderson, G., Fermier, R.W., et al., 1980. A study of lower limb mechanics during stair climbing. *J. Bone Joint Surg. Am.* 62, 5–749.
- Andriacchi, T.P., Koo, S., Dyrby, C., et al. Rotational changes at the knee during walking are associated with cartilage thinning following ACL injury. In: *9th International Conference on Orthopaedics, Biomechanics, Sports Rehabilitation*. Assisi 2005(Nov 11–13); pp. 99–100.
- Andriacchi, T.P., Ogle, J.A., Galante, J.O., 1977. Walking speed as a basis for normal and abnormal gait measurements. *J. Biomech.* 10, 261–268.
- Anthony, R.J., 1991. *The manufacture and use of functional foot orthosis*. Karger, Basel, Switzerland.
- Antonsson, E.K., Mann, R.W., 1989. Automatic 6 DOF kinematic trajectory acquisition and analysis. *J. Dyn. Syst. Meas. Control* 111, 34–35.
- Antonsson, E.K., Mann, R.W., 1985. The frequency of gait. *J. Biomech.* 18 (1), 39–47.
- Archer, S.E., Winter, D.A., Prince, F., 1994. Initiation of gait: a comparison between young, elderly and Parkinson's disease subjects (abstract). *Gait Posture* 2.
- Areblad, M., Nigg, B.M., Ekstrand, J., et al., 1990. Three-dimensional measurement of rearfoot motion during running. *J. Biomech.* 23 (9), 933–940.
- Arenson, J.S., Ishai, G., Bar, A., 1983. A system for monitoring the position and time of feet contact during walking. *J. Med. Eng. Technol.* 7 (6), 280–284.
- Ariel, G., 1974. Method for biomechanical analysis of human performance. *Res. Q.* 45 (1), 72–79.
- Armand, S., Sangeux, M., Baker, R., 2014. Optimal markers' placement on the thorax for clinical gait analysis. *Gait Posture* 39 (1), 147–153. at <http://www.sciencedirect.com/science/article/pii/S0966636213002993>. (Accessed 2014).
- Armstrong, D.G., Peters, E.J., Athanasiou, K.A., et al., 1998. Is there a critical level of plantar foot pressure to identify patients at risk for neuropathic foot ulceration? *J. Foot Ankle Surg.* 37 (4), 303–307.
- Arts, M.L.J., Bus, S.A., 2011. Twelve steps per foot are recommended for valid and reliable in-shoe plantar pressure data in neuropathic diabetic patients wearing custom made footwear. *Clin. Biomech. (Bristol, Avon)* 26 (8), 880–884.
- Astrand, P., Ryhming, I., 1954. A nomogram for calculation of aerobic capacity (physical fitness) from pulse rate during sub-maximal work. *J. Appl. Physiol.* 7, 218–221.
- Au, S.K., Herr, H.M., 2008. Powered ankle-foot prosthesis – The importance of series and parallel motor elasticity. *IEEE Robot. Autom. Mag.* 15, 52–59.
- Bae, T.S., Choi, K., Mun, M., 2009. Level walking and stair climbing gait in above-knee amputees. *J. Med. Eng. Technol.* 33, 130–135.
- Bagg, S.D., Forrest, W.J., 1988. A biomechanical analysis of scapular rotation during arm abduction in the scapular plane. *Am. J. Phys. Med. Rehabil.* 67, 238–245.
- Baker, R., 2013. *Measuring Walking: A Handbook of Clinical Gait Analysis*. MacKeith Press, London.
- Baker, V., Bennell, K., Stillman, B., et al., 2002. Abnormal knee joint position sense in individuals with patellofemoral pain syndrome. *J. Orthop. Res.* 20 (2), 208–214.
- Ball, K.A., Pierrynowski, M.R., 1998. Modelling of the pliant surfaces of the thigh and leg during gait. *Proc. SPIE-Int. Bio. Opt. Symp.* 3254, 435–446.

- Ball, K.A., Pierrynowski, M.R. Modelling of the pliant surfaces of the thigh and leg during gait. In: Proc. SPIE-Int. Soc. Opt. Eng., BIOS 1998.
- Ball, P., Johnson, G.R., 1993. Reliability of hindfoot goniometry when using a flexible electrogoniometer. *Clin. Biomech.* (Bristol, Avon) 8, 13–19.
- Barnett, C., Vanicek, N., Polman, R., et al., 2009. Kinematic gait adaptations in unilateral transtibial amputees during rehabilitation. *Prosthet. Orthot. Int.* 33, 135–147.
- Barnett, C.T., Polman, R.C.J., Vanicek, N., 2014a. Longitudinal changes in transtibial amputee gait characteristics when negotiating a change in surface height during continuous gait. *Clin. Biomech.* (Bristol, Avon) 29, 787–793.
- Barnett, C.T., Polman, R.C.J., Vanicek, N., 2014b. Longitudinal kinematic and kinetic adaptations to obstacle crossing in recent lower limb amputees. *Prosthet. Orthot. Int.* 38, 437–446.
- Bartlett, R.M., Challis, J.H., Yeadon, M.R., 1992. Cine/video analysis. In: Bartlett, R.M. (Ed.), *Biomechanical Analysis of Performance in Sport*. British Association of Sports Sciences, Leeds, pp. 8–23.
- Batavia, M., Garcia, R.K., 1996. The concurrent validity of a dynamic movement measured by the Ariel Performance Analysis System, the Qualysis MacReflex motion analysis system, and an electrogoniometer (abstract). *Phys. Ther.* 76, S75.
- Batschelet, E., 1981. *Circular Statistics in Biology*. Academic Press, New York.
- Bell, A., Pederson, D., Brand, R., 1990. A comparison of the accuracy of several hip centre location predication methods. *J. Biomech.* 23 (6), 617–621.
- Bell, A.L., Brand, R.A., Pedersen, D.R., 1989. Prediction of hip joint centre location from external landmarks. *Hum. Mov. Sci.* 8 (1), 3–16.
- Bell, F., Ghasemi, M., Rafferty, D., et al., 1995. An holistic approach to gait analysis: Glasgow Caledonian University's CRC. *Gait Posture* 3, 185.
- Bell, F., Shaw, L., Rafferty, D., et al., 1996. Movement analysis technology in clinical practice. *Phys. Ther. Rev.* 1, 13–22.
- Bellmann, M., Schmalz, T., Ludwigs, E., et al., 2012. Immediate effects of a new microprocessor-controlled prosthetic knee joint: a comparative biomechanical evaluation. *Arch. Phys. Med. Rehabil.* 93, 541–549.
- Berjian, R.A., Douglass, H.O., Jr., Holyoke, E.D., et al., 1983. Skin pressure measurements on various mattress surfaces in cancer patients. *Am. J. Phys. Med.* 62 (5), 217–226.
- Bernstein, J., 2003. An overview of MEMS inertial sensing technology. *Sensors Weekly* 2003, Accessed online at: <http://www.sensormag.com/sensors/acceleration-vibration/an-overview-mems-inertial-sensing-technology-970>.
- Berry, D., Olson, M.D., Lartzt, K., 2009. Perceived stability, function, and satisfaction among transfemoral amputees using microprocessor and non-microprocessor controlled prosthetic knees: a multicenter survey. *J. Prosthet. Orthot.* 21, 32–42.
- Beynonn, B.D., Ryder, S.H., Konradsen, L., et al., 1999. The effect of anterior cruciate ligament trauma and bracing on knee proprioception. *Am. J. Sports Med.* 27 (2), 150–155.
- Birtane, M., Tuna, H., 2004. The evaluation of plantar pressure distribution in obese and non-obese adults. *Clin. Biomech.* (Bristol, Avon) 19 (10), 1055–1059.
- Blana, D., Hincapie, J.G., Chadwick, E.K., et al., 2008. A musculoskeletal model of the upper extremity for use in the development of neuroprosthetic systems. *J. Biomech.* 41 (8), 1714–1721.
- Bobbert, A.C., 1960. Energy expenditure in level and grade walking. *J. Appl. Physiol.* 15, 1015–1021.
- Bohannon, R.W., 1990. Hand-held compared with isokinetic dynamometry for measurement of static knee extension torque (parallel reliability of dynamometers). *Clin. Phys. Physiol. Meas.* 11 (3), 217–222.
- Bohannon, R.W., 1997. Comfortable and maximum walking speed of adults aged 20–79 years: Reference values and determinants. *Age. Ageing* 26, 15–19.
- Bolsterlee, B., Veeger, D.H.E.J., Chadwick, E.K., 2013. Clinical applications of musculoskeletal modelling for the shoulder and upper limb. *Med. Biol. Eng. Comput.* 51, 953–963.
- Bonacci, J., Vicenzino, B., Spratford, W., et al., 2014. Take your shoes off to reduce patellofemoral joint stress during running. *Br. J. Sports Med.* 48, 425.
- Brand, R.A., Crowninshield, R.D., 1981. Locomotion studies—caves to computers (abstract). *J. Biomech.* 14 (7), 497.
- Branthwaite, H., Chockalingam, N., Greenhalgh, A., 2013. The effect of shoe toe box shape and volume on forefoot interdigital and plantar pressures in healthy females. *J. Foot Ankle Res.* 6, 28.
- Branthwaite, H.R., Payton, C.J., Chockalingam, N., 2004. The effect of simple insoles on three-dimensional foot motion during normal walking. *Clin. Biomech.* (Bristol, Avon) 19 (9), 972–977.
- Braune, W., Fischer, O., 1889. *Über den Schwerpunkt des menschlichen Körpers, mit Rücksicht auf die Ausrüstung des deutschen Infanteristen*. *Abh. Math. Phys. Kl. Saechs. Ges. Wiss.* 26, 561–672.
- Bresler, B., Frankel, J., 1950. The forces and moments in the leg during level walking. *Trans. SME* 27–36.
- Brown, D.C., 1966. Decentering distortion of lenses. *Photometric Eng.* 32 (3), 444–462.
- Bruckner, J. *The gait workbook: a practical guide to clinical gait analysis*. SLACK Incorporated, 1998.
- Brunt, D., Liu, S.M., Trimble, M., et al., 1999. Principles underlying the organization of movement initiation from quiet stance. *Gait Posture* 10 (2), 121–128.
- Bryant, A., Newton, R., Steele, J., 2003. Is tibial acceleration related to knee functionality of ACL deficient and ACL reconstructed patients? *J. Sci. Med. Sport* 6 (4 Suppl. 1), 31.
- Burgess-Limerick, R., Abernethy, B., Neal, J., 1993. Relative phase quantifies interjoint co-ordination. *J. Biomech.* 26 (1), 91–94.
- Bus, S.A., de Lange, A., 2005. A comparison of the 1-step, 2-step, and 3-step protocols for obtaining barefoot plantar pressure data in the diabetic neuropathic foot. *Clin. Biomech.* (Bristol, Avon) 20 (9), 892–899.
- Callaghan, M.J., Selfe, J., 2012. Patellar taping for patellofemoral pain syndrome in adults. *Cochrane Library* (4), 1–41.

- Callaghan, M., Selfe, J., Bagley, P., et al., 2002. Effect of patellar taping on knee joint proprioception. *J. Athl. Train.* 37 (1), 19–24.
- Camomilla, V., Cereatti, A., Vannozzi, G., et al., 2006. An optimized protocol for hip joint centre determination using the functional method. *J. Biomech.* 39 (6), 1096–1106.
- Cappello, A., Cappozzo, A., La Palombara, P.F., et al., 1997. Multiple anatomical landmark calibration for optimal bone pose estimation. *Hum. Mov. Sci.* 16, 259–274.
- Cappozzo, A., Cappello, A., 1997. Surface-marker cluster design criteria for 3-d bone movement reconstruction. *IEEE Trans. Biomed. Eng.* 40 (12), 1165–1174.
- Cappozzo, A., Catani, F., Croce, U.D., et al., 1995. Position and orientation in space of bones during movement: anatomical frame definition and determination. *Clin. Biomech. (Bristol, Avon)* 10 (4), 171–178.
- Cappozzo, A., Catani, F., Leardini, A., et al., 1996. Position and orientation in space of bones during movement: experimental artefacts. *Clin. Biomech. (Bristol, Avon)* 11 (2), 90–100.
- Cappozzo, A., Della Croce, U., Leardini, A., et al., 2005. Human movement analysis using photogrammetry. Part 1: theoretical background. *Gait Posture* 21, 186–196.
- Cappozzo, A., 1983. The forces and couples in the human trunk during level walking. *J. Biomech.* 16 (4), 265–277. at: <http://www.ncbi.nlm.nih.gov/pubmed/6863342>. (Accessed 2016).
- Cappozzo, A., 1991. Three dimensional analysis of human walking: experimental methods and associated artefacts. *Hum. Mov. Sci.* 10, 589–602.
- Carson, M.C., Harrington, M.E., Thompson, N., et al. Kinematic analysis of a multi-segment foot model for research and clinical applications: a repeatability analysis. 2001.
- Cavagna, G.A., Saibene, F.P., Margaria, R., 1963. External work in walking. *J. Appl. Physiol.* 18, 1–9.
- Cavanagh, P.R., Sims, D.S., Sanders, L.J., 1991. Body mass is a poor predictor of peak pressure in diabetic men. *Diabetes Care* 14 (8), 750–755.
- Cerveri, P., Pedotti, A., Ferrigno, G., 2005. Kinematical models to reduce the effect of skin artifacts on marker-based human motion estimation. *J. Biomech.* 38 (11), 2228–2236.
- Chadwick, E.K., Blana, D., Kirsch, R.F., et al., 2014. Real-time simulation of three-dimensional shoulder girdle and arm dynamics. *IEEE Trans. Biomed. Eng.* 61 (7), 1947–1956. doi:10.1109/TBME.2014.2309727.
- Chandler, R.F., et al. Tech. Report AMRL-TR-74-137. Wright-Patterson Air Force Base, Aerospace Medical Research Laboratories, 1975.
- Charlton, I.W., Johnson, G., 2006. A model for the prediction of the forces at the glenohumeral joint. *Proc. Inst. Mech. Eng. H* 220, 801–812.
- Charteris, J., Taves, C., 1978. The process of habituation to treadmill walking: a kinematic analysis. *Percept. Mot. Skills* 47, 659–666.
- Chéze, L., Fregly, B.J., Dimnet, J., 1995. A solidification procedure to facilitate kinematic analyses based on video system data. *J. Biomech.* 28, 879–884.
- Chiari, L., Della Croce, U., Leardini, A., et al., 2005. Human movement analysis using stereophotogrammetry. Part 2: instrumental errors. *Gait Posture* 21, 197–211.
- Chockalingam, N., et al., 2008. Marker placement for movement analysis in scoliotic patients: a critical analysis of existing systems. *Stud. Health Technol. Inform.* 140, 166–169. at: <http://www.ncbi.nlm.nih.gov/pubmed/18810021>. (Accessed 2014).
- Chockalingam, N., et al., 2002. Study of marker placements in the back for opto-electronic motion analysis. *Stud. Health Technol. Inform.* 88, 105–109. at: <http://www.ncbi.nlm.nih.gov/pubmed/15456012>. (Accessed 2014).
- Chou, L.S., Draganich, L.F., 1998. Placing the trailing foot closer to an obstacle reduces flexion of the hip, knee, and ankle to increase the risk of tripping. *J. Biomech.* 31 (8), 685–691.
- Chou, R., et al., 2007. Diagnosis and treatment of low back pain: a joint clinical practice guideline from the American College of Physicians and the American Pain Society. *Ann. Intern. Med.* 147 (7), 478–491. at: <http://www.ncbi.nlm.nih.gov/pubmed/17909209>. (Accessed 2016).
- Chung, M.-J., Wang, M.-J., 2012. Gender and walking speed effects on plantar pressure distribution for adults aged 20–60 years. *Ergonomics* 55 (2), 194–200.
- Clauser, C.E., McConville, J.T., Young, J.W., 1969. Weight, volume, and centre of mass of segments of the human body. AMRL technical report. Wright-Patterson Air Force Base, Ohio.
- Cochrane, L., Fergus, K., Arnold, G.P., et al., 2008. A comparative study between two pressure mapping systems: FSA versus Novel Pliance. *Clin. Biomech. (Bristol, Avon)* 23 (5), 669–670.
- Codman, E.A., 1934. Tendinitis of the Short Rotators in the Shoulder: Rupture of the Supraspinatus Tendon and Other Lesions in or About the Subacromial Bursa. Thomas Todd and Co, Boston, MA.
- Consant, C.R., Murley, A.H.G., 1987. A clinical method of functional assessment of the shoulder. *Clin. Orthop. Relat. Res.* 214, 160–164.
- Cook, J., Khan, K., 2001. What is the most appropriate treatment for patellar tendinopathy. *Br. J. Sports Med.* 35 (5), 291–294.
- Cook, T.M., Zimmermann, C.L., Lux, K.M., et al., 1992. EMG comparison of lateral step up and stepping machine exercise. *J. Orthop. Sports Phys. Ther.* 16 (3), 108–113.
- Corcoran, P.J., Brengelmann, G.L., 1970. Oxygen uptake in normal and handicapped subjects, in relation to speed of walking beside velocity controlled cart. *Arch. Phys. Med. Rehabil.* 51, 78–87.
- Cotes, J.E., Meade, F., 1960. The energy expenditure and mechanical energy demand in walking. *Ergonomics* 3, 97–119.
- Cowan, S.M., Bennell, K., Hodges, P.W., 2000. The test-retest reliability of the onset of concentric and eccentric vastus medialis obliquus and vastus lateralis electromyographic activity in a stair stepping task. *Phys. Ther. Sport* 1, 129–136.
- Craik, R.L., Oatis, C.A., 1995. *Gait analysis theory and action*, 1 ed. Mosby, St Louis.
- Crosbie, J., Vachalathiti, R., Smith, R., 1997. Age, gender and speed effects on spinal kinematics during walking. *Gait Posture* 5 (1), 13–20. at: <http://www.gaitposture.com/article/S0966636296010685/fulltext>. (Accessed 2014).
- Crouse, J., Wall, J.C., Marble, A.E., 1987. Measurement of temporal and spatial parameters of gait using a microcomputer based system. *J. Biomed. Eng.* 9 (1), 64–68.

- Crouse, S., Lessard, C., Rhodes, J., et al., 1990. Oxygen consumption and cardiac response of short-leg and long-leg prosthetic ambulation in a patient with bilateral above knee amputation: comparisons with able-bodied men. *Arch. Phys. Med. Rehabil.* 71, 313–317.
- Cubo, E., Leurgans, S., Goetz, C.G., 2004. Short-term and practice effects of metronome pacing in Parkinson's disease patients with gait freezing while in the 'on' state: randomized single blind evaluation. *Parkinsonism Relat. Disord.* 10 (8), 507–510.
- Cutti, A.G., Giovanardi, A., Rocchi, L., et al., 2008. Ambulatory measurement of shoulder and elbow kinematics through inertial and magnetic sensors. *Med. Biol. Eng. Comput.* 46, 169–178.
- Dabnichki, P., Lauder, M., Aritan, S., et al., 1997. Accuracy evaluation of an on-line kinematic system via dynamic tests. *J. Med. Eng. Technol.* 53–66.
- Dahlkvist, N.J., Mayo, P., Seedhom, B.B., 1982. Forces during squatting and rising from a deep squat. *Eng. Med.* 11 (68), 76.
- Davids, J.R., Holland, W.C., Sutherland, D.H., 1993. Significance of the confusion test in cerebral palsy. *J. Pediatr. Orthop.* 13 (6), 717–721.
- Davis, R., Ounpuu, S., Tyburski, D., et al., 1991. A gait data collection and reduction technique. *Hum. Movement Sci.* 10, 575–587.
- De Asha, A.R., Buckley, J.G., 2015. The effects of walking speed on minimum toe clearance and on the temporal relationship between minimum clearance and peak swing-foot velocity in unilateral trans-tibial amputees. *Prosthet. Orthot. Int.* 39, 120–125.
- De Bruin, H., Russell, D.J., Latter, J.E., et al., 1982. Angle-angle diagrams in monitoring and quantification of gait patterns for children with cerebral palsy. *Am. J. Phys. Med.* 61 (4), 176–192.
- de Leva, P., 1996. Adjustments to Zatsiorsky-Seluyanov's segment inertia parameters. *J. Biomech.* 29 (9), 1223–1230.
- della Croce, U., Camomilla, V., Leardini, A., et al., 2003. Femoral anatomical frame: assessment of various definitions. *Med. Eng. Phys.* 25 (5), 425–431.
- della Croce, U., Cappozzo, A., Kerrigan, D.C., 1999. Pelvis and lower limb anatomical landmark calibration precision and its propagation to bone geometry and joint angles. *Med. Biol. Eng. Comput.* 37 (2), 155–161.
- Delp, S.L., Anderson, F.C., Arnold, A.S., et al., 2007. OpenSim: open-source software to create and analyze dynamic simulations of movement. *IEEE Trans. Biomed. Eng.* 54, 1940–1950.
- DeLuca, C.J., Forrest, W.J., 1973. Force Analysis of Individual Muscles Acting Simultaneously on the Shoulder Joint during Isometric Abduction. *J. Biomech.* 6, 385–393.
- Dempster, W.T., Gabel, W.C., Felts, W.J.L., 1959. The anthropometry of manual work space for the seated subject. *Am. J. Phys. Anthropol.* 17, 289–317.
- Dempster, W.T., 1955. Space requirements of the seated operator. WADC Technical Report 55–159. Wright-Patterson Air Force Base, Ohio.
- Department of Transport (2004). Inclusive mobility. <http://www.ukroads.org/webfiles/inclusivemobility.pdf>.
- Deutsch, A., Altchek, D., Schwartz, E., et al., 1996. Radiologic measurement of superior displacement of the humeral head in impingement syndrome. *J. Shoulder Elbow Surg.* 5 (3), 186–193.
- Dibble, L., Nicholson, D., Shultz, B., et al., 2004. Sensory cueing effects on maximal speed gait initiation in persons with Parkinson's disease and healthy elders. *Gait Posture* 19 (3), 215–225.
- Dickerson, C.R., Chaffin, D.B., Hughes, R.E., 2007. A mathematical musculoskeletal shoulder model for proactive ergonomic analysis. *Comput. Meth. Biomech. Biomed. Eng.* 10, 389–400.
- Donovan, S., Lim, C., Diaz, N., et al., 2011. Laser-light cues for gait freezing in Parkinson's disease: an open label study. *Parkinsonism Relat. Disord.* 17, 240–245.
- Doucette, S.A., Child, D.D., 1996. The effect of open and closed chain exercise and knee joint position on patellar tracking in lateral patellar compression syndrome. *J. Orthop. Sports Phys. Ther.* 23 (2), 104–110.
- Dowswell, T., Towner, E., Cryer, C., et al., 1999. Accidental falls: fatalities and injuries ad examination of the data sources and review of the literature on preventive strategies. Department of Trade and Industry, London, p. URN 99/805.
- Drezner, J., Staudt, L., Fowler, E., 1994. Examination of intersegmental coordination in spastic cerebral palsy patients before and after selective posterior rhizotomy. *Gait Posture* 2, 61.
- Drillis, R., Contini, R., 1966. Body segment parameters. Report no.1163–03. Office of Vocational Rehabilitation. Department of health, Education and Welfare, New York.
- Dumbleton, T., Buis, A.W., McFayden, A., et al., 2009. Dynamic interface pressure distributions of two transtibial prosthetic socket concepts. *J. Rehabil. Res. Dev.* 46 (3), 401–415.
- Dupes, B. Prosthetic Knee Systems [Online]. Amputee Coalition of America. 2005. Available: <http://www.amputee-coalition.org/military-instep/knees.html> [Accessed 22 August 2016].
- Durie, N.D., Farley, R.L., 1980. An apparatus for step length measurement. *J. Biomed. Eng.* 2 (1), 38–40.
- Dvir, Z., Berme, N., 1978. The shoulder complex in elevation of the arm: a mechanism approach. *J. Biomech.* 11, 219–225.
- Earl, J.E., Schmitz, R.J., Arnold, B.L., 2001. Activation of the VMO and VL during dynamic mini-squat exercises with and without isometric hip adduction. *J. Electromyogr. Kinesiol.* 11, 381–386.
- Eddison, N., Chockalingam, N., 2013. The effect of tuning ankle foot orthoses-footwear combination on the gait parameters of children with cerebral palsy. *Prosthet. Orthot. Int.* 37 (2), 95–107.
- Elble, R.J., Moody, C., Leffler, K., et al., 1994. The initiation of normal walking. *Mov. Disord.* 9, 139–146.
- Elftman, H., 1939. Forces and energy changes in the leg during walking. *Am. J. Physiol.* 125, 339–356.
- Elftman, H.O., 1939. The force exerted by the ground in walking. *Arbeitsphysiologie* 10, 485–491.
- Ellenbecker, S., Davies, G.J., 2001. Closed Kinetic Chain Exercise. Human Kinetics., IL, USA.
- Ellis, M., Seedhom, B.B., Wright, V., et al., 1980. An evaluation of the ratio between the tension along the quadriceps tendon and the patellar ligament. *Eng. Med.* 9 (4), 189–194.
- Endo, K., Ikata, T., Katoh, S., et al., 2001. Radiographic assessment of scapular rotational tilt in chronic shoulder impingement syndrome. *J. Orthop. Sci.* 6 (1), 3–10.
- Escamilla, R.F., Fleisig, G.S., Zheng, N., et al., 1998. Biomechanics of the knee during closed kinetic chain and open kinetic chain exercises. *Med. Sci. Sports Exerc.* 30 (4), 556–569.

- Escamilla, R.F., Fleisig, G.S., Zheng, N., et al., 2001. Effects of technique variations on knee biomechanics during the squat and leg press. *Med. Sci. Sports Exerc.* 33 (9), 1552–1566.
- Escamilla, R.F., 2001. Knee biomechanics of the dynamic squat. *Med. Sci. Sports Exerc.* 33 (1), 127–141.
- Eshraghi, A., Abu Osman, N.A., Karimi, M., et al., 2014. Gait biomechanics of individuals with transtibial amputation: effect of suspension system. *PLoS ONE* 9, 12.
- Fayad, F., Roby-Brami, A., Yazbeck, C., et al., 2008. Three-dimensional scapular kinematics and scapulohumeral rhythm in patients with glenohumeral osteoarthritis or frozen shoulder. *J. Biomech.* 41 (2), 326–332.
- Ferrigno, G., Pedotti, A., 1985. ELITE: a digital dedicated hardware system for movement analysis via real-time TV signal processing. *IEEE Trans. Biomed. Eng.* 32 (11), 943–950.
- Ferris, D.P., Czerniecki, J.M., Hannaford, B., 2005. An ankle-foot orthosis powered by artificial pneumatic muscles. *J. Appl. Biomech.* 21 (2), 189–197.
- Ferris, D.P., Gordon, K.E., Sawicki, G.S., et al., 2006. An improved powered ankle-foot orthosis using proportional myoelectric control. *Gait Posture* 23 (4), 425–428.
- Folkowski, P., Brunt, D., Bishop, M., et al., 2002. Does postural instability affect the initiation of human gait? *Neurosci. Lett.* 323 (3), 167–170.
- Fong, D.T.-P., Chan, Y.-Y., 2010. The use of wearable inertial motion sensors in human lower limb biomechanics studies: a systematic review. *Sensors (Basel)* 10, 11556–11565.
- Forte, F.C., de Castro, M.P., de Toledo, J.M., et al., 2009. Scapular kinematics and scapulohumeral rhythm during resisted shoulder abduction – Implications for clinical practice. *Phys. Ther. Sport* 10 (3), 105–111.
- Frazzitta, G., Maestri, R., Uccellini, D., et al., 2009. Rehabilitation treatment of gait in patients with Parkinson's disease with freezing: a comparison between two physical therapy protocols using visual and auditory cues with or without treadmill training. *Mov. Disord.* 24 (8), 1139–1143.
- Frigo, C., et al., 2003. The upper body segmental movements during walking by young females. *Clin. Biomech. (Bristol, Avon)* 18 (5), 419–425. at: <http://www.ncbi.nlm.nih.gov/pubmed/12763438>. (Accessed 2014).
- Fulkerson, J.P., Hungerford, D.S., 1990. Disorders of the Patellofemoral Joint, 2 ed. Williams and Wilkins, Baltimore.
- Fuller, J., Liu, L.-J., Murphy, M.C., et al., 1997. A comparison of lower-extremity skeletal kinematics measured using skin- and pin-mounted markers. *Hum. Mov. Sci.* 16, 219–242.
- Gage, J.R., 1994. The clinical use of kinetics for evaluation of pathological gait in cerebral palsy. *J. Bone Joint Surg. Am.* 76 (4), 622–631.
- Gage, J.R., 1994. The role of gait analysis in the treatment of cerebral palsy. *J. Pediatr. Orthop.* 4 (6), 701–702.
- Gardner, G.M., Murray, M.P., 1975. A method of measuring the duration of foot–floor contact during walking. *Phys. Ther.* 55 (7), 751–756.
- Garner, B., Pandy, M., 1999. A kinematic model of the upper limb based on the visible human project (VHP) image dataset. *Comput. Methods Biomech. Biomed. Engin.* 2 (2), 107–124.
- Gatt, A., Spiteri, M., Formosa, C., et al., 2014. Investigation of plantar pressures in overweight and non-overweight children with a neutral foot posture. *OA Musculoskeletal Med.* 2 (1), 8.
- Gerny, K., 1983. A clinical method of quantitative gait analysis. *Phys. Ther.* 63, 1125–1126.
- Giacomozzi, C., Leardini, A., Caravaggi, P., 2014. Correlates between kinematics and baropodometric measurements for an integrated in-vivo assessment of the segmental foot function in gait. *J. Biomech.* 47 (11), 2654–2659.
- Giladi, N., McMahon, D., Przedborski, S., et al., 1992. Motor blocks in Parkinson's disease. *Neurology* 42, 333–339.
- Giladi, N., Nieuwboer, A., 2008. Understanding and treating freezing of gait in Parkinsonism, proposed working definition, and setting the stage. *Mov. Disord.* 23, 423–425.
- Gill, H.S., O'Connor, J.J., 1996. Biarticulating two-dimensional computer model of the human patellofemoral joint. *Clin. Biomech. (Bristol, Avon)* 11 (2), 81–89.
- Goh, J.C., Bose, K., Khoo, B.C., 1993. Gait analysis study on patients with varus osteoarthritis of the knee. *Clin. Orthop. Relat. Res.* 294, 223–231.
- Goujon-Pillet, H., Sapin, E., Fode, P., et al., 2008. Three-dimensional motions of trunk and pelvis during transfemoral amputee gait. *Arch. Phys. Med. Rehabil.* 89, 87–94.
- Grabner, M., Owings, T., 2002. EMG differences between concentric and eccentric maximum voluntary contractions are evident prior to movement onset. *Exp. Brain Res.* 145 (4), 505–511.
- Grieve, D.W., 1968. Gait patterns and the speed of walking. *Biomed. Eng.* 3, 119–122.
- Grieve, D., Gear, J., 1966. The relationship between length of stride, step frequency, time of swing and speed of walking for children and adults. *Ergonomics* 5 (9), 379–399.
- Griffin, H.J., Greenlaw, R., Limousin, P., et al., 2011. The effect of real and virtual visual cues on walking in Parkinson's disease. *J. Neurol.* 258, 991–1000.
- Grood, E.S., Suntay, W.J., 1983. A joint coordinate system for the clinical description of three-dimensional motions: application to the knee. *J. Biomech. Eng.* 105, 136–144.
- Grownay, E., Cahalan, T., Meglan, D., 1994. Comparison of goniometry and video motion analysis for gait analysis. *J. Biomech.* 27, 624.
- Guido, J., Jr., Voight, M.L., Blackburn, T.A., et al., 1997. The effects of chronic effusion on knee joint proprioception: a case study. *J. Orthop. Sports Phys. Ther.* 25 (3), 208–212.
- Gussoni, M., Margonato, V., Ventura, R., et al., 1990. Energy cost of walking with hip joint impairment. *Phys. Ther.* 70, 195–301.
- Hallen, L.G., Lindahl, O., 1966. The 'screw-home' movement in the knee-joint. *Acta Orthop. Scand.* 37 (1), 97–106.
- Halliday, S.E., Winter, D.A., Frank, J.S., et al., 1998. The initiation of gait in young, elderly, and Parkinson's disease subjects. *Gait Posture* 8 (1), 8–14.
- Hamill, J., Haddad, J.M., McDermott, W.J., 2000. Issues in quantifying variability from a dynamical systems perspective. *J. Appl. Biomech.* 16, 407–418.
- Hammarlund, C.S., Carlstrom, M., Melchior, R., et al., 2011. Prevalence of back pain, its effect on functional ability and health-related quality of life in lower limb amputees secondary to

- trauma or tumour: a comparison across three levels of amputation. *Prosthet. Orthot. Int.* 35, 97–105.
- Haneline, M.T., et al., 2008. Determining spinal level using the inferior angle of the scapula as a reference landmark: a retrospective analysis of 50 radiographs. *J. Can. Chiropr. Assoc.* 52 (1), 24–29. at: pmc/articles/PMC2258239/?report=abstract. (Accessed 2016).
- Hanzlíková, I., Richards, J., Tomsa, M., et al., 2016. The effect of proprioceptive knee bracing on knee stability during three different sport related movement tasks in healthy subjects and the implications to the management of anterior cruciate ligament (ACL) injuries. *Gait Posture* 48, 165–170. doi:10.1016/j.gaitpost.2016.05.011. ISSN 0966-6362.
- Harrington, M.E., Zavatsky, A.B., Lawson, S.E., et al., 2007. Prediction of the hip joint centre in adults: children, and patients with cerebral palsy based on magnetic resonance imaging. *J. Biomech.* 40 (3), 595–602.
- Haskell, W., Yee, M., Evans, A., et al., 1993. Simultaneous measurement of heart rate and body motion to quantitate physical activity. *Med. Sci. Sports Exerc.* 25 (1), 109–115.
- Hattin, H.C., Pierrynowski, M.R., Ball, K.A., 1989. Effect of load cadence and fatigue on tibiofemoral joint force during a half squat. *Med. Sci. Sports Exerc.* 21, 613–618.
- Hazlewood, M.E., Brown, J.K., Rowe, P.J., et al., 1994. The use of therapeutic electrical stimulation in the treatment of hemiplegic cerebral palsy. *Dev. Med. Child Neurol.* 36 (8), 661–673.
- Hazlewood, M.E., Hillman, S.J., Lawson, A.M., et al., 1997. Marker attachment in gait analysis: on skin or lycra? *Gait Posture* 6, 265.
- Healy, A., Chatzistergos, P., Needham, R., et al., 2013. Comparison of design features in diabetic footwear and their effect on plantar pressure. *Footwear Sci.* 5 (1), S67–S69.
- Healy, A., Dunning, D.N., Chockalingam, N., 2012. Effect of insole material on lower limb kinematics and plantar pressures during treadmill walking. *Prosthet. Orthot. Int.* 36 (1), 53–62.
- Hebert, L.J., Moffet, H., McFadyen, B.J., et al., 2002. Scapular behavior in shoulder impingement syndrome. *Arch. Phys. Med. Rehabil.* 83 (1), 60–69.
- Hennig, E.M., Milani, T.L., 1995. In-shoe pressure distribution for running in various type of footwear. *J. Appl. Biomech.* 11 (3), 299–310.
- Hennig, E.M., Rosenbaum, D., 1991. Pressure distribution patterns under the feet of children in comparison with adults. *Foot Ankle* 11 (5), 306–311.
- Henriksson, M., Hirschfeld, H., 2005. Physically active older adults display alterations in gait initiation. *Gait Posture* 21 (3), 289–296.
- Hershler, C., Milner, M., 1980. Angle-angle diagrams in above-knee amputee and cerebral palsy gait. *Am. J. Phys. Med.* 59 (4), 165–183.
- Hewett, T.E., Noyes, F.R., Barber-Westin, S.D., et al., 1998. Decrease in knee joint pain and increase in function in patients with medial compartment arthrosis: a prospective analysis of valgus bracing. *Orthopedics* 21, 131–138.
- Hewitt, B.A., Refshauge, K.M., Kilbreath, S.L., 2002. Kinesthesia at the knee: the effect of osteoarthritis and bandage application. *Arthritis Rheum.* 47 (5), 479–483.
- Heyrman, L., et al., 2013. Reliability of head and trunk kinematics during gait in children with spastic diplegia. *Gait Posture* 37 (3), 424–429. at: <http://www.ncbi.nlm.nih.gov/pubmed/23062729>. (Accessed 2016).
- Heyrman, L., et al., 2014. Altered trunk movements during gait in children with spastic diplegia: compensatory or underlying trunk control deficit? *Res. Dev. Disabil.* 35 (9), 2044–2052. at: <http://www.ncbi.nlm.nih.gov/pubmed/24864057>. (Accessed 2016).
- Hills, A.P., Hennig, E.M., McDonald, M., et al., 2001. Plantar pressure differences between obese and non-obese adults: a biomechanical analysis. *Int. J. Obes.* 25 (11), 1674–1679.
- Hirokawa, S., Matsumura, K., 1987. Gait analysis using a measuring walkway for temporal and distance factors. *Med. Biol. Eng. Comput.* 25, 577–582.
- Hirokawa, S., 1989. Normal gait characteristics under temporal and distance constraints. *J. Biomed. Eng.* 11, 449–456.
- Hobara, H., Kobayashi, Y., Nakamura, T., et al., 2011. Lower extremity joint kinematics of stair ascent in transfemoral amputees. *Prosthet. Orthot. Int.* 35, 467–472.
- Hogfors, C., Peterson, B., Sigholm, G., et al., 1991. Biomechanical model of the human shoulder joint-II. The shoulder rhythm. *J. Biomech.* 24 (8), 699–709.
- Holden, J.P., Orsini, J.A., Lohmann Siegel, K., et al., 1997. Surface movement errors in shank kinematics and knee kinetics during gait. *Gait Posture* 5, 217–227.
- Holden, J.P., Stanhope, S.J., 1998. The effect of variation in knee center location estimates on net knee joint moments. *Gait Posture* 7 (1), 1–6.
- Holzbaun, K.R.S., Murray, W.M., Delp, S.L., 2005. A model of the upper extremity for simulating musculoskeletal surgery and analyzing neuromuscular control. *Ann. Biomed. Eng.* 33 (6), 829–840.
- Hortobagyi, T., Katch, F.I., 1990. Eccentric and concentric torque-velocity relationships during arm flexion and extension. Influence of strength level. *Eur. J. Appl. Physiol. Occup. Physiol.* 60 (5), 395–401.
- Houdijk, H., Hak, L., Beek, P.J., et al., 2014. Step length asymmetry in transtibial amputees: a strategy to regulate gait stability? *Gait Posture* 39, S84.
- Hullin, M.G., Robb, J.E., Loudon, I.R., 1992. Ankle-foot orthosis function in low-level myelomeningocele. *J. Pediatr. Orthop.* 12, 518–521.
- Hurley, G.R., McKenney, R., Robinson, M., et al., 1990. The role of the contralateral limb in below-knee amputee gait. *Prosthet. Orthot. Int.* 14 (1), 33–42.
- Hurmuzlu, Y., Basdogan, C., Carollo, J.J., 1994. Presenting joint kinematics of human locomotion using phase plane portraits and Poincare maps. *J. Biomech.* 27 (12), 1495–1499.
- Hurmuzlu, Y., Basdogan, C., Stoianovici, D., 1996. Kinematics and dynamic stability of the locomotion of post-polio patients. *J. Biomed. Eng.* 118 (3), 405–411.
- Illyés, A., Kiss, R.M., 2006. Kinematic and muscle activity characteristics of multidirectional shoulder joint instability during elevation. *Knee Surg. Sports Traumatol. Arthrosc.* 14, 673–685.

- Imms, F., MacDonald, I., Prestidge, S., 1976. Energy expenditure during walking in patients recovering from fractures of the leg. *Scand. J. Rehabil. Med.* 8, 1–9.
- Inman, V.T., Ralston, H.J., Todd, F., 1981. *Human Walking*. Williams and Wilkins Company, Baltimore, MD.
- Inman, V.T., 1967. Conservation of energy in ambulation. *Arch. Phys. Med. Rehabil.* 48.
- Inman, V.T., 1966. Human locomotion. *Can. Med. Assoc. J.* 94, 1047–1054.
- Inman, V.T., Saunders, J.B., Abbott, L.C., 1996. [1944]. Observations of the function of the shoulder joint. *Clin. Orthop. Relat. Res.* 330, 3–12.
- International Building Code, 2003. ISBN-13: 978-1892395566.
- Isaac Newton. *Philosophiae Naturalis Principia Mathematica*. 1687.
- Isakov, E., Burger, H., Krajnik, J., et al., 1996. Influence of speed on gait parameters and on symmetry in trans-tibial amputees. *Prosthet. Orthot. Int.* 20 (3), 153–158.
- JAMA, 1992. Evidence Based Practice or Evidenced Based Medicine. The users' guides to evidence-based medicine. *J. Am. Med. Assoc.*
- Jarrett, M.O., Andrews, B.J., Paul, J.P., 1974. Quantitative analysis of locomotion using television. ISPO World Congress, Montreux, Switzerland.
- Jerosch, J., Prymka, M., 1996. Knee joint proprioception in patients with posttraumatic recurrent patella dislocation. *Knee Surg. Sports Traumatol. Arthrosc.* 4, 14–18.
- Jevsevar, D.S., Riley, P.O., Hodge, W.A., et al., 1993. Knee kinematics and kinetics during locomotor activities of daily living in subjects with knee arthroplasty and in healthy control subjects. *Phys. Ther.* 73 (4), 229–242.
- Jian, Y., Winter, D.A., Ishac, M.G., et al., 1993. Trajectory of the body COG and COP during initiation and termination of gait. *Gait Posture* 1, 9–22.
- Jiang, Y., Norman, K.E., 2006. Effects of visual and auditory cues on gait initiation in people with Parkinson's disease. *Clin. Rehabil.* 20 (1), 36–45.
- Johnson, F., Leith, S., Waugh, W., 1980. The distribution of load across the knee. A comparison of static and dynamic measurements. *J. Bone Joint Surg. Br.* 62 (3), 346–349.
- Jones, R.K., Nester, C.J., Kim, W.Y., et al. Direct and indirect orthotic management of medial compartment osteoarthritis of the knee, ESMAC & GCMAS meeting, Amsterdam, 25–30 September, 2006.
- Jones, R.K., Nester, C.J., Richards, J.D., et al., 2013. A comparison of the biomechanical effects of valgus knee braces and lateral wedged insoles in patients with knee osteoarthritis. *Gait Posture* 37 (3), 368–372.
- Jones, S.F., Twigg, P.C., Scally, A.J., et al., 2006. The mechanics of landing when stepping down in unilateral lower-limb amputees. *Clin. Biomech. (Bristol, Avon)* 21, 184–193.
- Jonsson, P., Alfredson, H., 2005. Superior results with eccentric compared to concentric quadriceps training in patients with jumper's knee: a prospective randomised study. *Br. J. Sports Med.* 39, 847–850.
- Kadaba, M.P., Ramakrishnan, H.K., Wooten, M.E., et al., 1989. Repeatability of kinematic, kinetic, and electromyographic data in normal adult gait. *J. Orthop. Res.* 7 (6), 849–860.
- Kahle, J.T., Highsmith, M.J., Hubbard, S.L., 2008. Comparison of nonmicroprocessor knee mechanism versus C-Leg on Prosthesis Evaluation Questionnaire, stumbles, falls, walking tests, stair descent and knee preference. *J. Rehabil. Res. Dev.* 45, 1–13.
- Karlsson, D., Peterson, B., 1992. Towards a model for force predictions in the human shoulder. *J. Biomech.* 25 (2), 189–199.
- Kaufman, K.R., Levine, J.A., Brey, R.H., et al., 2007. Gait and balance of transfemoral amputees using passive mechanical and microprocessor-controlled prosthetic knees. *Gait Posture* 26, 489–493.
- Kaufman, K.R., Levine, J.A., Brey, R.H., et al., 2008. Energy expenditure and activity amputees using mechanical and of transfemoral microprocessor-controlled prosthetic knees. *Arch. Phys. Med. Rehabil.* 89, 1380–1385.
- Kavanagh, J.J., Menz, H.B., 2008. Accelerometry: a technique for quantifying movement patterns during walking. *Gait Posture* 28 (1), 1–15.
- Keemink, C.J., Hoek van Dijke, G.A., Snijders, C.J., 1991. Upgrading of efficiency in the tracking of body markers with video techniques. *Med. Biol. Eng. Comput.* 29 (1), 70–74.
- Kellis, E., Baltzopoulos, V., 1996. The effects of normalization on antagonistic activity patterns during eccentric and concentric isokinetic knee extension and flexion. *J. Electromyogr. Kinesiol.* 6 (4), 235.
- Kepple, T.M., Arnold, A.S., Stanhope, S.J., et al., 1994. Assessment of a method to estimate muscle attachments from surface landmarks: a 3D computer graphics approach. *J. Biomech.* 27 (3), 365–371.
- Khan, K., Maffulli, N., Coleman, B., et al., 1998. Patellar tendinopathy: some basic aspects of science and clinical management. *Br. J. Sports Med.* 32, 346–355.
- Kiernan, D., Malone, A., O'Brien, T., et al., 2015. The clinical impact of hip joint centre regression equation error on kinematics and kinetics during paediatric gait. *Gait Posture* 41 (1), 175–179. doi:10.1016/j.gaitpost.2014.09.026. <http://www.sciencedirect.com/science/article/pii/S0966636214007255>. ISSN 0966-6362.
- Kim, W.Y., Richards, J.D., Jones, R.K., et al., 2004. Single limb stance adduction moment in medial compartment osteoarthritis of the knee. *Knee* 11, 225–231.
- Kingma, I., Toussaint, H.M., Commissaris, D.A.C.M., et al., 1995. Optimising the determination of the body centre of mass. *J. Biomech.* 28 (9), 1137–1142.
- Kirkley, A., Webster-Bogaert, S., Litchfield, R., et al., 1999. The effect of bracing on varus gonarthrosis. *J. Bone Joint Surg. Am.* 81–A, 539–548.
- Klein, P.J., Gabusi, C.A., Brinn, M.B., 1992. Validation of linear and angular displacement estimation by computer-assisted motion analysis. *Phys. Ther.* 72.
- Kowalk, D.L., Duncan, J.A., Vaughan, C.L., 1996. Abduction-adduction moments at the knee during stair ascent and descent. *J. Biomech.* 29 (3), 383–388.
- Ladin, Z., Mansfield, P.K., Murphy, M.C., et al., 1990. Segmental analysis in kinesiological measurements. Image-based motion measurements. *SPIE* 1356, 110–120.
- Lafortune, M.A., 1991. Three-dimensional acceleration of the tibia during walking and running. *J. Biomech.* 24 (10), 877–886.

- Lafortune, M.A., Hennig, V., 1991. Contribution of angular motion and gravity to tibial acceleration. *Med. Sci. Sports Exerc.* 23 (3), 360–363.
- Lafortune, M.A., Hennig, V., Valiant, G.A., 1995. Tibial shock measured with bone and skin mounted transducers. *J. Biomech.* 28 (8), 989–993.
- Lamoth, C.J.C., et al., 2006. Effects of chronic low back pain on trunk coordination and back muscle activity during walking: changes in motor control. *Eur. Spine J.* 15 (1), 23–40. at: <http://www.ncbi.nlm.nih.gov/pubmed/15864670>. (Accessed 2016).
- Lamoth, C.J.C., et al., 2002. Pelvis-thorax coordination in the transverse plane during walking in persons with nonspecific low back pain. *Spine* 27 (4), E92–E99. at: <http://www.ncbi.nlm.nih.gov/pubmed/11840116>. (Accessed 2016).
- Larose Chevalier, T., Hodgins, H., Chockalingam, C., 2010. Plantar pressure measurements using an in-shoe system and a pressure platform: a comparison. *Gait Posture* 31 (3), 397–399.
- Laubenthal, K.N., Smidt, G.L., Kettlekamp, D.B., 1972. A quantitative analysis of knee motion during activities of daily living. *Phys. Ther.* 52 (1), 34–43.
- Laudner, K.G., Stanek, J.M., Meister, K., 2006. Assessing posterior shoulder contracture: the reliability and validity of measuring glenohumeral joint horizontal adduction. *J. Athl. Train.* 41 (4), 375–380.
- Leardini, A., Cappozzo, A., Catani, F., et al., 1999. Validation of a functional method for the estimation of hip joint centre location. *J. Biomech.* 32 (1), 99–103.
- Leardini, A., Chiari, L., Della Croce, U., et al., 2005. Human movement analysis using stereophotogrammetry. Part 3. Soft tissue artifact assessment and compensation. *Gait Posture* 21, 212–225.
- Leardini, A., et al., 2011a. Multi-segment trunk kinematics during locomotion and elementary exercises. *Clin. Biomech. (Bristol, Avon)* 26 (6), 562–571.
- Leardini, A., et al., 2011b. Multi-segment trunk kinematics during locomotion and elementary exercises. *Clin. Biomech. (Bristol, Avon)* 26 (6), 562–571. at: <http://www.ncbi.nlm.nih.gov/pubmed/21419535>. (Accessed 2014).
- Lebold, C., Almeida, Q.J. Evaluating the contributions of dynamic flow to freezing of gait in Parkinson's disease. Sage-Hindawi Access to Research Parkinson's Disease, 2010.
- Lee, V.S., Solomonidis, S.E., Spence, W.D., 1997. Stump-socket interface pressure as an aid to socket design in prostheses for transfemoral amputees—a preliminary study. *Proc. Inst. Mech. Eng. H* 211 (2), 167–180.
- Leiper, C.I., Craik, R.L., 1991. Relationship between physical activity and temporal-distance characteristics of walking in elderly women. *Phys. Ther.* 71 (11), 791–803.
- Lephart, S.M., Fu, F.H., 2000. Proprioception and Neuromuscular Control in Joint Stability. Human Kinetics, Champaign, IL, pp. xvii–xxiv.
- Lephart, S.M., Henry, T.J., 1995. Functional rehabilitation for the upper and lower extremity. *Orthop. Clin. North Am.* 26 (3), 579–592.
- Lesh, M.D., Mansour, J.M., Simon, S.R., 1979. A gait analysis subsystem for smoothing and differentiation of human motion data. *J. Biomech. Eng.* 101, 205–212.
- Levens, A.S., Inman, V.T., Blosser, J.A., 1948. Transverse rotation of the segments of the lower extremity in locomotion. *J. Bone Joint Surg. Am.* 30A, 859–872.
- Lim, E., Thong-Meng, T., Chee-Seong Seet, R., 2006. Laser assisted device for start hesitation and freezing in Parkinson's disease. *Case Rep. Clin. Pract. Rev.* 7, 92–95.
- Lin, H.C., Lu, T.W., Hsu, H.C., 2005. Comparisons of joint kinetics in the lower extremity between stair ascent and descent. *J. Mech.* 21, 41–50.
- Lin, J.-J., Lim, H.K., Yang, J.-L., 2006. Effect of shoulder tightness on glenohumeral translation, scapular kinematics, and scapulo-humeral rhythm in subjects with stiff shoulders. *J. Orthop. Res.* 24 (5), 1044–1051.
- Lindenfeld, T.N., Hewett, T.E., Andriacchi, T.P., 1997. Joint loading with valgus bracing in patients with varus gonarthrosis. *Clin. Orthop.* 344, 290–297.
- Lloyd, C.H., Stanhope, S.J., Davis, I.S., et al., 2010. Strength asymmetry and osteoarthritis risk factors in unilateral trans-tibial, amputee gait. *Gait Posture* 32, 296–300.
- Lockard, M.A., 1988. Foot orthoses. *Phys. Ther.* 68 (12), 1866–1873.
- Lough, J., 1995. Quantifying motor performance in patients with peripheral neuropathy undergoing treatment (abstract). *Physiotherapy* 81, 745.
- Low, J., Reid, A., 1992. *Electrotherapy explained*. Butterworth Heinemann, Oxford.
- Lu, T.W., O'Connor, J.J. Three dimensional computer graphics based modelling and mechanical analysis of the human locomotor system. In: Sixth International Symposium on the 3D Analysis of Human Movement. 1–4 May, 2000.
- Lucchetti, L., Cappozzo, A., Cappello, A., et al., 1998. Skin movement artefact assessment and compensation in the estimation of knee-joint kinematics. *J. Biomech.* 31, 977–984.
- Ludewig, P.M., Cook, T.M., 2000. Alterations in shoulder kinematics and associated muscle activity in people with symptoms of shoulder impingement. *Phys. Ther.* 80 (3), 276–291.
- Ludewig, P.M., Hassett, D.R., LaPrade, R.F., et al., 2010. Comparison of scapular local coordinate systems. *Clin. Biomech. (Bristol, Avon)* 25 (5), 415–421.
- Ludewig, P.M., Reynolds, J.R., 2009. The association of scapular kinematics and glenohumeral joint pathologies. *J. Orthop. Sports Phys. Ther.* 39 (2), 90–104.
- Lukaseiwicz, A.C., McClure, P., Michener, L., et al., 1999. Comparison of 3-dimensional scapular position and orientation between subjects with and without shoulder impingement. *J. Orthop. Sports Phys. Ther.* 29 (10), 574–583.
- Lundgren, P., Nester, C., Liu, A., et al., 2008. Invasive in vivo measurement of rear-, mid- and forefoot motion during walking. *Gait Posture* 28 (1), 93–100.
- MacGregor, J., 1979. Rehabilitation ambulatory monitoring. Disability, Strathclyde Bioengineering Seminars. MacMillan, London, pp. 159–172.
- MacGregor, J., 1981. The evaluation of patient performance using long-term ambulatory monitoring technique in the domiciliary environment. *Physiotherapy* 67 (2), 30–33.
- MacWilliams, B.A., Cowley, M., Nicholson, D.E., 2003. Foot kinematics and kinetics during adolescent gait. *Gait Posture* 17 (3), 214–224.

- MacWilliams, B.A., et al., 2013. Assessment of three-dimensional lumbar spine vertebral motion during gait with use of indwelling bone pins. *J. Bone Joint Surg. Am.* 95 (23), e1841–e1848. at: <http://www.ncbi.nlm.nih.gov/pubmed/24306707>. (Accessed 2014).
- Maly, M.R., Culham, E.G., Costigan, P.A., 2002. Static and dynamic biomechanics of foot orthoses in people with medial compartment knee osteoarthritis. *Clin. Biomech. (Bristol, Avon)* 17 (8), 603–610.
- Manal, K., McClay, I., Richards, J., et al., 2002. Knee moment profiles during walking: errors due to soft tissue movement of the shank and the influence of the reference coordinate system. *Gait Posture* 15, 10–17.
- Manal, K., McClay, I., Stanhope, S., et al., 2000. Comparison of surface mounted markers and attachment methods in estimating tibial rotations during walking: an in vivo study. *Gait Posture* 11, 38–45.
- Mann, R.A., Antonsson, E.K., 1983. Gait analysis—precise, rapid, automatic, 3-D position and orientation kinematics and dynamics. *Bull. Hosp. Joint Dis. Orthop. Inst.* 43 (2), 137–146.
- Mann, R.A., Hagey, J.L., White, V., et al., 1979. The initiation of gait. *J. Bone Joint Surg.* 61–a, 232–239.
- Mansour, J.M., Lesh, M.D., Nowak, M.D., et al., 1982. A three dimensional multi-segmental analysis of the energetics of normal and pathological gait. *J. Biomech.* 15 (1), 51–59.
- Marciniak, W., 1973. Design of an electrogoniometer for the examination of the movements of the knee and foot during walking. *Chir. Narzadow Ruchu Ortop. Pol.* 38 (5), 573–579.
- Marey, E.J., 1873. *Animal mechanism: a treatise on terrestrial and aerial locomotion*. Republished as Vol. XI of the International Scientific Series. Appleton, New York.
- Martin, M., Shinberg, M., Kuchibhatla, M., et al., 2002. Gait initiation in community-dwelling adults with Parkinson disease: comparison with older and younger adults without the disease. *Phys. Ther.* 82 (6), 566–577.
- Mason, D.L., et al., 2016. Reproducibility of kinematic measures of the thoracic spine, lumbar spine and pelvis during fast running. *Gait Posture* 43, 96–100.
- Matias, R., Pascoal, A.G., 2006. The unstable shoulder in arm elevation: a three-dimensional and electromyographic study in subjects with glenohumeral instability. *Clin. Biomech. (Bristol, Avon)* 21, S52–S58.
- Matsumo, H., Kadowaki, K., Tsuji, H., 1997. Generation II knee bracing for severe medial compartment osteoarthritis of the knee. *Arch. Phys. Med. Rehabil.* 78, 745–749.
- Mattes, S.J., Martin, P.E., Royer, T.D., 2000. Walking symmetry and energy cost in persons with unilateral transtibial amputations: matching prosthetic and intact limb inertial properties. *Arch. Phys. Med. Rehabil.* 81, 561–568.
- Maurel, W., Thalmann, D., 1999. A case study on human upper limb modelling for dynamic simulation. *Comput. Methods Biomech. Biomech. Engin.* 1 (2), 1–17.
- Maurel, W., Thalmann, D., 2000. Human shoulder modelling including scapulothoracic constraint and joint sinus cones. *Comput. Graphics* 24, 203–218.
- Mell, A.G., LaScalza, S., Guffey, P., et al., 2005. Effect of rotator cuff pathology on shoulder rhythm. *J. Shoulder Elbow Surg.* 14 (1 Suppl.S), S8S–64S.
- McCandless, P.J., Evans, B.J., Janssen, J., et al., 2016. Effect of three cueing devices for people with Parkinson's disease with gait initiation difficulties. *Gait Posture* 44, 7–11.
- McClay, I., Manal, K., 1998. A comparison of 3D lower extremity kinematics during running between excessive pronators and normals. *Clin. Biomech. (Bristol, Avon)* 13 (3), 195–203.
- McClure, P.W., Michener, L.A., Karduna, A.R., 2006. Shoulder function and 3-dimensional scapular kinematics in people with and without shoulder impingement syndrome. *Phys. Ther.* 86, 1075–1090.
- McConnell, J., 2002. The physical therapist's approach to patellofemoral disorders. *Clin. Sports Med.* 21 (3), 363–387.
- McDonough, A.L., Batavia, M., Chen, F.C., et al., 2001. The validity and reliability of the GAITRite system's measurements: a preliminary evaluation. *Arch. Phys. Med. Rehabil.* 82 (3), 419–425.
- McFadyen, B., Winter, D.A., 1988. An integrated biomechanical analysis of normal stair ascent and descent. *J. Biomech.* 21 (9), 733–744.
- McGinty, G., Irrgang, J.J., Pezullo, D., 2000. Biomechanical considerations for rehabilitation of the knee. *Clin. Biomech. (Bristol, Avon)* 15, 160–166.
- McGrath, D., Judkins, T.N., Pipinos, I.I., et al., 2012. Peripheral arterial disease affects the frequency response of ground reaction forces during walking. *Clin. Biomech. (Bristol, Avon)* 27 (10), 1058–1063. doi:10.1016/j.clinbiomech.2012.08.004. [Epub 2012 Sep 9].
- Medical Progress Through Technology, 1993. *Med. Prog. Technol.* 19 (2), 61–81.
- Messier, S.P., Loeser, R.F., Hoover, J.L., et al., 1992. Osteoarthritis of the knee: effects on gait, strength, and flexibility. *Arch. Phys. Med. Rehabil.* 73 (1), 29–36.
- Mian, O.S., Thom, J.M., Narici, M.V., et al., 2007. Kinematics of stair descent in young and older adults and the impact of exercise training. *Gait Posture* 25, 9–17.
- Mickelborough, J., van der Linden, M.L., Tallis, R.C., et al., 2004. Muscle activity during gait initiation in normal elderly people. *Gait Posture* 19 (1), 50–57.
- Miller, C., Verstraete, M., 1996. Determination of the step duration of gait ignition using a mechanical energy analysis. *J. Biomech.* 29 (9), 1195–1199.
- Mizahi, J., Suzak, Z., Heller, L., et al., 1982. Variation of the time distance parameters of the stride as related to clinical gait improvement in hemiplegics. *Scand. J. Rehabil. Med.* 14, 133–140.
- Moore, O., Peretz, C., Giladi, N., 2007. Freezing of gait affects quality of life of peoples with Parkinson's disease beyond its relationships with mobility and gait. *Mov. Disord.* 22, 2192–2195.
- Morag, E., Cavanagh, P.R., 1999. Structural and functional predictors of regional peak pressures under the foot during walking. *J. Biomech.* 32 (4), 359–370.
- Moritani, T., Muramatsu, S., Muro, M., 1987. Activity of motor units during concentric and eccentric contractions. *Am. J. Phys. Med.* 66 (6), 338–350.

- Morrison, J.B., 1970. The mechanics of the knee joint in relation to normal walking. *J. Biomech.* 3, 51–61.
- Muilenburg, A.L., Wilson, A.B., Jr. A manual for above-knee (Trans-Femoral) amputees [Online]. 1996. Available at <http://www.oandp.com/resources/patientinfo/manuals/akindex.htm> (Accessed 22 August 2016).
- Murray, M.P., Drought, A.B., Kory, R.C., 1964. Walking patterns of normal men. *J. Bone Joint Surg. Am.* 46A, 335–360.
- Murray, M.P., Kory, R.C., Clarkson, B.H., et al., 1966. Comparison of free and fast speed walking patterns of normal men. *Am. J. Phys. Med.* 45, 8–25.
- Murray, M.P., Kory, R.C., Sepic, S.B., 1970. Walking patterns of normal women. *Arch. Phys. Med. Rehabil.* 51 (11), 637–650.
- Murray, M.P., Sepic, S.B., Barnard, E.J., 1967. Patterns of sagittal rotation of the upper limbs in walking. *Phys. Ther.* 47 (4), 272–284.
- Murray, M.P., 1967. Gait as a total pattern of movement. *Am. J. Phys. Med.* 40, 290–333.
- Muybridge, E., 1957. Animal locomotion. In: Brown, L.S. (Ed.), *Animal in motion*. Dover, New York, p. 1887.
- Muybridge, E., 1901. *The human figure in motion*. Chapman and Hall, London.
- Nadler, R., Nadler, S., 2001. Assistive devices and lower extremity orthotics in the treatment of osteoarthritis. *Physical medicine and rehabilitation. State Art Rev.* 15 (1), 57–64.
- Naemi, R., Larose Chevalier, T., Healy, A., et al., 2012. The effect of the use of a walkway and the choice of the foot on plantar pressure assessment when using pressure platforms. *The Foot.* 22 (2), 100–104.
- National Amputee Statistical Database for the United Kingdom (NASDAB). 2009.
- Needham, R., Naemi, R., Chockalingam, N., 2015. A new coordination pattern classification to assess gait kinematics when utilising a modified vector coding technique. *J. Biomech.* 48 (12), 3506–3511.
- Needham, R., Naemi, R., Healy, A., et al., 2016. Multi-segment kinematic model to assess three-dimensional movement of the spine and back during gait. *Prosthet. Orthot. Int.* 40 (5), 624–635. at: <http://www.ncbi.nlm.nih.gov/pubmed/25991730>. (Accessed 2015).
- Needham, R., Stebbins, J., Chockalingam, N., 2016. Three-dimensional kinematics of the lumbar spine during gait using marker-based systems: a systematic review. *J. Med. Eng. Technol.* 40 (4), 172–185. at: <http://www.ncbi.nlm.nih.gov/pubmed/27011295>. (Accessed 2016).
- Needham, R., Naemi, R., Chockalingam, N., 2014. Quantifying lumbar–pelvis coordination during gait using a modified vector coding technique. *J. Biomech.* 47, 1020–1026.
- Needham, R., Naemi, R., Chockalingam, N., 2015. A new coordination pattern classification to assess gait kinematics when utilising a modified vector coding technique. *J. Biomech.* 48, 3506–3511.
- Nelson, R.M., Currier, D.P., 1991. *Clinical electrotherapy*, 2nd ed. Appleton & Lange, Connecticut.
- Nene, A.V., Patrick, J., 1989. Energy cost of paraplegic locomotion with the ORLAU parawalker. *Paraplegia* 27, 5–18.
- Nene, A.V., 1993. Physiological cost index of walking in able-bodied adolescents and adults. *Clin. Rehabil.* 7 (4), 319–326.
- Nester, C.J., van der Linden, M.L., Bowker, P., 2003. Effect of foot orthoses on the kinematics and kinetics of normal walking gait. *Gait Posture* 17 (2), 180–187.
- Ng, G.Y., Zhang, A.Q., Li, C.K., 2008. Biofeedback exercise improved the EMG activity ratio of the medial and lateral vasti muscles in subjects with patellofemoral pain syndrome. *J. Electromyogr. Kinesiol.* 18 (1), 128–133. [Epub 2006 Oct 27].
- Nguyen, T.C., Baker, R., 2004. Two methods of calculating thorax kinematics in children with myelomeningocele. *Clin. Biomech. (Bristol, Avon)* 19 (10), 1060–1065.
- Nicol, A.C., 1987. A flexible electrogoniometer with widespread applications. In: Jonsson, B. (Ed.), *Biomechanics XB. Human Kinetics Pub, Illinois*, pp. 1029–1033.
- Nicol, A.C., 1989. Measurement of joint motion. *Clin. Rehabil.* 3, 1–9.
- Nigg, B.M., Herzog, W., 1994. *Biomechanics of the musculo-skeletal system*. John Wiley & Sons Ltd.
- Nissel, R., Ekholm, J., 1985. Patellar forces during knee extension. *Scand. J. Rehabil. Med.* 17, 74.
- Nisell, R., Ekholm, J., 1986. Joint load during the parallel squat in powerlifting and force analysis of in vivo bilateral quadriceps tendon rupture. *Scand. J. Sports Sci.* 8, 63–70.
- Noyes, F.R., Schipplein, O.D., Andriacchi, T.P., et al., 1992. The anterior cruciate ligament-deficient knee with varus alignment. An analysis of gait adaptations and dynamic joint loadings. *Am. J. Sports Med.* 20 (6), 707–716.
- Ogston, J.B., Ludewig, P.M., 2007. Differences in 3-dimensional shoulder kinematics between persons with multidirectional instability and asymptomatic controls. *Am. J. Sports Med.* 35, 1361–1370.
- Ojima, H., Miyake, S., Kumashiro, M., et al., 1991. Dynamic analysis of wrist circumduction: a new application of the biaxial flexible electrogoniometer. *Clin. Biomech. (Bristol, Avon)* 6 (4), 221–229.
- Olney, S.J., Grondin, R.C., McBride, I.D., 1989. Energy and power considerations in slow walking (abstract). *J. Biomech.* 22, 1066.
- Olney, S.J., Monga, T.N., Costigan, P.A., 1986. Mechanical energy of walking of stroke patients. *Arch. Phys. Med. Rehabil.* 67, 92–98.
- Olney, S.J., Costigan, P.A., Hedden, D.M., 1987. Mechanical energy patterns in gait of cerebral palsied children with hemiplegia. *Phys. Ther.* 67, 1348–1354.
- Olree, K.S., Engsborg, J.R., White, D.K., 1996. Indices of effort and oxygen uptake in children with cerebral palsy. *Dev. Med. Child Neurol.* 38 (S74), 49–50.
- Onishi, H., Yagi, R., Akasaka, K., et al., 2000. Relationship between signals and force in human vastus lateralis muscle using multipolar wire electrodes. *J. Electromyogr. Kinesiol.* 10, 59–67.
- Orthopaedics, Biomechanics and Sports Rehabilitation edn, University of Perugia, 2005.
- Osternig, L.R., James, C.R., Bercades, D.T., 1996. Eccentric knee flexor torque following anterior cruciate ligament surgery. *Med. Sci. Sports Exerc.* 28 (10), 1229–1234.

2000. Outcome of nonoperative and operative management. *Am. J. Sports Med.* 28 (3), 392–397.
- Owen, E., 2010. The importance of being earnest about shank and thigh kinematics especially when using ankle-foot orthoses. *Prosthet. Orthot. Int.* 34 (3), 254–269.
- Owings, M., Kozak, L., 1998. Ambulatory and inpatient procedures in the United States, 1996. *Vital Health Stat.* 39, 1–119.
- Ozaki, J., Nakagawa, Y., Sakurai, G., et al., 1998. Recalcitrant chronic adhesive capsulitis of the shoulder. Role of contracture of the coracohumeral ligament and rotator interval in pathogenesis and treatment. *J. Bone Joint Surg. Am.* 71 (10), 1511–1515.
- Paletta, G.A., Jr., Warner, J.J., Warren, R.F., et al., 1997. Shoulder kinematics with two-plane x-ray evaluation in patients with anterior instability or rotator cuff tearing. *J. Shoulder Elbow Surg.* 6 (6), 516–527.
- Palmitier, R.A., An, K.N., Scott, S.G., et al., 1991. Kinetic chain exercise in knee rehabilitation. *Sports Med.* 11 (6), 402–413.
- Pandy, M.G., 1999. Moment arm of a muscle force. *Exerc. Sport Sci. Rev.* 27, 79–118.
- Panni, A., Tartarone, M., Maffulli, N., 2000. Tendinopathy in athletes. Outcome of nonoperative and operative management. *Am. J. Sports Med.* 28 (3), 392–397.
- Pascoal, A.G., van der Helm, F.F., Pezarat Correia, P., et al., 2000. Effects of different arm external loads on the scapulo-humeral rhythm. *Clin. Biomech. (Bristol, Avon)* 15, S21–S24.
- Passmore, R., Draper, M.H., 1965. Energy metabolism. In: Albance, A. (Ed.), *Newer methods of nutritional biochemistry*. Academic, New York.
- Passmore, R., Durnin, J., 1955. Human energy expenditure. *Phys. Rev.* 35, 801–840.
- Patrick, J., 1991. Gait laboratory investigations to assist decision making. *Br. J. Hosp. Med.* 45, 35–37.
- Paul, J.P., 1967. Forces transmitted by joints in the human body. *Proc. Inst. Mech. Eng.* 181 (3J), 8–15.
- Pearcy, M.J., et al., 1987. Dynamic back movement measured using a three-dimensional television system. *J. Biomech.* 20 (10), 943–949. at: <http://www.ncbi.nlm.nih.gov/pubmed/3693375>. (Accessed 2014).
- Perry, J., 1992. *Gait analysis: Normal and pathological function*. SLACK Incorporated, Thorofare, NJ.
- Perttunen, J.R., Anttila, E., Sodergard, J., et al., 2004. Gait asymmetry in patients with limb length discrepancy. *Scand. J. Med. Sci. Sports* 14 (1), 49–56.
- Peters, A., et al., 2010. Quantification of soft tissue artifact in lower limb human motion analysis: a systematic review. *Gait Posture* 31 (1), 1–8. at: <http://www.sciencedirect.com/science/article/pii/S0966636209006171>. (Accessed 2015).
- Petersen, W.A., Brookhart, J.M., Stone, S.A., 1965. A strain-gage platform for force measurements. *J. Appl. Physiol.* 20, 1095–1097, 8750–7587.
- Phadke, V., Braman, J.P., LaPrade, R.F., et al., 2011. Comparison of glenohumeral motion using different rotation sequences. *J. Biomech.* 44 (4), 700–705.
- Pierrynowski, M., Winter, D., Norman, R., 1980. Transfers of mechanical energy within the total body and mechanical efficiency during treadmill walking. *Ergonomics* 23, 1189–1200.
- Pierrynowski, M.R., Norman, R.W., Winter, D.A., 1981. Mechanical energy analyses of the human during local carriage on a treadmill. *Ergonomics* 24 (1), 1–14.
- Podsiadlo, D., Richardson, S., 1991. The timed up and go: a test of basic functional mobility for frail elderly persons. *J. Am. Geriatr. Soc.* 39, 142–148.
- Polcyn, A.F., Lipsitz, L.A., Kerrigan, C., et al., 1998. Age-related changes in the initiation of gait: degredation of central mechanisms for momentum generation. *Arch. Phys. Med. Rehabil.* 79, 1582–1589.
- Pollack, C.V., Kerstein, M.D., 1985. Prevention of postoperative complications in the lower-extremity amputee. *J. Cardiovasc. Surg.* 26, 287–290.
- Pollo, F.E., Otis, J.C., Backus, S.I., et al., 2002. Reduction of medial compartment loads with valgus bracing of the osteoarthritis knee. *Am. J. Sports Med.* 30, 414–421.
- Pollo, F.E., 1998. Bracing and heel wedging for unicompartmental osteoarthritis of the knee. *Am. J. Knee Surg.* 11, 47–50.
- Poppen, N.K., Walker, P.S., 1978. Force at the glcnohunieral joint in abduction. *Clin. Orthop.* 135, 165–170.
- Powers, C.M., 2003. The influence of altered lower extremity kinematics on patellofemoral joint dysfunction: a theoretical perspective. *J. Orthop. Sports Phys. Ther.* 33, 639–646.
- Powers, C.M., Boyd, L.A., Torburn, L., et al., 1997. Stair ambulation in persons with transtibial amputation: An analysis of the Seattle LightFoot(TM). *J. Rehabil. Res. Dev.* 34, 9–18.
- Powers, C.M., Rao, S., Perry, J., 1998. Knee kinetics in trans-tibial amputee gait. *Gait Posture* 8, 1–7.
- Prodromos, C.C., Andriacchi, T.P., Galante, J.O., 1985. A relationship between gait and clinical changes following high tibial osteotomy. *J. Bone Joint Surg. Am.* 67 (8), 1188–1194.
- Prymka, M., Schmidt, K., Jerosch, J., 1998. Proprioception in patients suffering from chondropathia patellae. *Int. J. Sports Med.* 19, S60.
- Purdam, C.R., Johnson, P., Alfredson, H., et al., 2004. A pilot study of the eccentric decline squat in the management of painful chronic patellar tendinopathy. *Br. J. Sports Med.* 38, 395–397.
- Putti, A.B., Arnold, G.P., Abboud, R.J., 2010. Foot pressure differences in men and women. *Foot Ankle Surg.* 16 (1), 21–24.
- Quanbury, A., Winter, D., Reimer, G., 1975. Instantaneous power and power flow in body segments during walking. *J. Hum. Mov. Stud.* 1, 59–67.
- Rab, G., Petuskey, K., Bagley, A., 2002. A method for determination of upper extremity kinematics. *Gait Posture* 15 (2), 113–119. at: <http://www.ncbi.nlm.nih.gov/pubmed/11869904>. (Accessed 2016).
- Rafferty, D., Bell, F., 1995. Gait analysis – a semiautomated approach. *Gait Posture* 3 (3), 184.
- Ralston, H., Lukin, L., 1969. Energy levels of human body segments during level walking. *Ergonomics* 12 (1), 39–46.
- Ralston, H.J., 1958. Energy speed relation and optimal speed during level walking. *Int. Z. Angew. Physiol.* 17, 277.
- Ramstrand, N., Nilsson, K.A., 2009. A comparison of foot placement strategies of transtibial amputees and able-bodied subjects during stair ambulation. *Prosthet. Orthot. Int.* 33, 348–355.
- Redhead, R.G., Davis, B.C., Robinson, K.P., et al., 1978. Post-amputation pneumatic walking aid. *Br. J. Surg.* 65, 611–612.

- Reilly, D.T., Martens, M., 1972. Experimental analysis of the quadriceps muscle force and patellofemoral joint reaction force for various activities. *Acta Orthop. Scand.* 43, 126–137.
- Reinschmidt, C., van den Bogert, T., Nigg, B.M., et al., 1997. Effect of skin movement on the analysis of skeletal knee joint motion during running. *J. Biomech.* 30 (7), 729–732.
- Reinschmidt, C. Three-dimensional tibiofemoral and tibiofemoral kinematics during human locomotion – measured with external bone markers. Ph.D. thesis. University of Calgary, Calgary, Alberta, 1996.
- Rennie, J., Bell, F., Rafferty, D., et al., 1997. Measurement of spatial parameters of gait and velocity in schools and centres for young adults with learning disabilities. *Physiotherapy* 83 (7), 364.
- Richards, J., Jones, R., Kim, W. Biomechanical changes in the conservative treatment of medial compartment osteoarthritis of the knee using valgus bracing. International Cartilage Repair Society, 2006a.
- Richards, J.D., Pramanik, A., Sykes, L., et al., 2003. A comparison of knee kinematic characteristics of stroke patients and age-matched healthy volunteers. *Clin. Rehabil.* 7 (5), 565–571.
- Richards, J.D., Sanchez-Ballester, J., Jones, R.K., et al., 2005. A comparison of knee braces during walking for the treatment of osteoarthritis of the medial compartment of the knee. *J. Bone Joint Surg. Br.* 87 (7), 937–939.
- Richards, J., Selfe, J., Kilmurray, S. The biomechanics of step descent under different treatment modalities used in patellofemoral pain. 9th International conference of.
- Richards, J., Thewlis, D., Selfe, J., et al. The biomechanics of single limb squats at different decline angles Enkle de Enkle congress 2006b. 2006b.
- Richards, J., Thewlis, D., Selfe, J., et al., 2008. A biomechanical investigation of a single-limb squat: implications for lower extremity rehabilitation exercise. *J. Athl. Train.* 43 (5), 477–482.
- Richardson, J.K., 1991. Rocker-soled shoes and walking distance in patients with calf claudication. *Arch. Phys. Med. Rehabil.* 72 (8), 554–558.
- Rigas, C., 1984. Spatial parameters of gait related to the position of the foot on the ground. *Prosthet. Orthot. Int.* 8 (3), 130–134.
- Rine, R.M., Ward, J., Lindeblad, S., 1992. Use of angle-angle diagrams to analyze effects of lower extremity in children with cerebral palsy. *Phys. Ther.* 72 (Suppl.), S57–S58.
- Roetenberg, D., Luinge, H., Slycke, P. Xsens MVN: Full 6DOF Human Motion Tracking Using Miniature Inertial Sensors. XSENS TECHNOLOGIES-VERSION APRIL 3, 2013. http://www.xsens.com/images/stories/PDF/MVN_white_paper.pdf.
- Roos, E., Engstrom, M., Lagerquist, A., et al., 2004. Clinical improvement after 6 weeks of eccentric exercise in patients with mid-portion Achilles tendinopathy – a randomized trial with 1-year follow up. *Scand. J. Med. Sci. Sports* 14, 286–295.
- Root, M.L., Orien, W.P., Weed, J.H., 1977. Normal and Abnormal Function of the Foot: Clinical Biomechanics, vol. 2. Clinical Biomechanics Co, Los Angeles.
- Rose, J., Gamble, J.G., 1994. Human walking. Williams and Wilkins, Baltimore.
- Rosenbaum, D., Hautmann, S., Gold, M., et al., 1994. Effects of walking speed on plantar pressure patterns and hindfoot angular motion. *Gait Posture* 2 (3), 191–197.
- Rosenbaum, D., Westhues, M., Bosch, K., 2013. Effect of gait speed changes on foot loading characteristics in children. *Gait Posture* 28 (4), 1058–1060.
- Rowe, P.J., Nicol, A.C., Kelly, I.G., 1989. Flexible goniometer computer system for the assessment of hip function. *Clin. Biomech. (Bristol, Avon)* 4, 68–72.
- Rowell, L., Taylor, H., Wang, Y., 1964. Limitations to prediction of maximal oxygen intake. *J. Appl. Physiol.* 19 (5), 919–927.
- Rozumalski, A., et al., 2008. The in vivo three-dimensional motion of the human lumbar spine during gait. *Gait Posture* 28 (3), 378–384. at: <http://www.ncbi.nlm.nih.gov/pubmed/18585041>. (Accessed 2014).
- Rundquist, P., 2007. Alterations in scapular kinematics in subjects with idiopathic loss of shoulder range of motion. *J. Orthop. Sports Phys. Ther.* 37 (1), 19–25.
- Rydell, N.W., 1966. Forces acting on the femoral head-prosthesis. A study on strain gauge supplied prostheses in living persons. *Acta Orthop. Scand.* 37 (Suppl. 88), 1–32.
- Salsich, G.B., Brechter, J.H., Farwell, D., et al., 2002. The effects of patellar taping on knee kinetics, kinematics, and vastus lateralis muscle activity during stair ambulation in individuals with patellofemoral pain. *J. Orthop. Sports Phys. Ther.* 32 (1), 3–10.
- Sanderson, D.J., Martin, P.E., 1997. Lower extremity kinematic and kinetic adaptations in unilateral below-knee amputees during walking. *Gait Posture* 6, 126–136.
- Saul, K.R., Vidt, M.E., Gold, G.E., et al., 2015. Upper limb strength and muscle volume in healthy middle-aged adults. *J. Appl. Biomech.* 31 (6), 484–491.
- Saunders, J.B.D.M., Inman, V.T., Eberhart, H.S., 1953. The major determinants in normal and pathological gait. *J. Bone Joint Surg.* 35A, 543–558.
- Schaafsma, J.D., Balash, Y., Gurevich, T., et al., 2003. Characterization of freezing of gait subtypes and the response of each to levodopa in Parkinson's disease. *Eur. J. Neurol.* 10 (4), 391–398.
- Schaarschmidt, M., Lipfert, S.W., Meier-Gratz, C., et al., 2012. Functional gait asymmetry of unilateral transfemoral amputees. *Hum. Mov. Sci.* 31, 907–917.
- Schache, A.G., et al., 2002. Intra-subject repeatability of the three dimensional angular kinematics within the lumbo-pelvic-hip complex during running. *Gait Posture* 15 (2), 136–145. at: <http://www.ncbi.nlm.nih.gov/pubmed/11869907>. (Accessed 2014).
- Schache, A.G., Wrigley, T.V., Blanch, P.D., et al., 2001. The effect of differing Cardan angle sequences on three dimensional lumbo-pelvic angular kinematics during running. *Med. Eng. Physiother.* 23 (7), 493–501.
- Schenkman, M., Riley, P.O., Pieper, C., 1996. Sit to stand from progressively lower seat heights – alterations in angular velocity. *Clin. Biomech. (Bristol, Avon)* 11 (3), 153–158.
- Schmalz, T., Blumentritt, S., Marx, B., 2007. Biomechanical analysis of stair ambulation in lower limb amputees. *Gait Posture* 25, 267–278.
- Schwartz, M.H., Rozumalski, A., 2005. A new method for estimating joint parameters from motion data. *J. Biomech.* 38 (1), 107–116.

- Scott, S.H., Winter, D.A., 1990. Internal forces of chronic running injury sites. *Med. Sci. Sports Exerc.* 22 (2), 357–369.
- Seay, J., Selbie, W.S., Hamill, J., 2008. In vivo lumbo-sacral forces and moments during constant speed running at different stride lengths. *J. Sports Sci.* 26 (14), 1519–1529. at: <http://www.ncbi.nlm.nih.gov/pubmed/18937134>. (Accessed 2016).
- Seay, J.F., Van Emmerik, R.E.A., Hamill, J., 2011. Influence of low back pain status on pelvis-trunk coordination during walking and running. *Spine* 36 (16), E1070–E1079. at: <http://www.ncbi.nlm.nih.gov/pubmed/21304421>. (Accessed 2014).
- Seedhom, B.B., Takeda, T., Tsubuku, M., et al., 1979. Mechanical factors and patellofemoral osteoarthritis. *Ann. Rheum. Dis.* 38, 307–316.
- Seel, T., Raisch, J., Schauer, T., 2014. IMU-based joint angle measurement for gait analysis. *Sensors (Basel)* 14 (4), 6891–6909.
- Segal, A.D., Orendurff, M.S., Mute, G.K., et al., 2006. Kinematic and kinetic comparisons of transfemoral amputee gait using C-Leg (R) and Mauch SNS (R) prosthetic knees. *J. Rehabil. Res. Dev.* 43, 857–869.
- Segal, A.D., Zelik, K.E., Klute, G.K., et al., 2012. The effects of a controlled energy storage and return prototype prosthetic foot on transtibial amputee ambulation. *Hum. Mov. Sci.* 31, 918–931.
- Selke, J., 2000. Peak 5 motion analysis of an eccentric step test performed by 100 normal subjects. *Physiotherapy* 86 (5), 241–247.
- Selke, J., 2004. The Patellofemoral joint: a review of primary research. *Crit. Rev. Phys. Rehabil. Med.* 16 (1), 1–30.
- Selke, J., Harper, L., Pedersen, I., et al., 2001a. Four outcome measures for patellofemoral joint problems: part 1 development and validity. *Physiotherapy* 87 (10), 507–515.
- Selke, J., Harper, L., Pedersen, I., et al., 2001b. Four outcome measures for patellofemoral joint problems: Part 2 reliability and clinical sensitivity. *Physiotherapy* 87 (10), 516–522.
- Selke, J., Janssen, J., Callaghan, M., et al., 2016. Are there three main subgroups within the patellofemoral pain population? A detailed characterisation study of 127 patients to help develop targeted intervention (TIPPs). *Br. J. Sports Med.* 50, 873–880.
- Selke, J., Richards, J., Thewlis, D., et al., 2008. The biomechanics of step descent under different treatment modalities used in patellofemoral pain. *Gait Posture* 27 (2), 258–263.
- Selke, J., Thewlis, D., Hill, S., et al., 2011. A clinical study of the biomechanics of step descent using different treatment modalities for patellofemoral pain. *Gait Posture* 34 (1), 92–96.
- Selles, R.W., et al., 2001. Disorders in trunk rotation during walking in patients with low back pain: a dynamical systems approach. *Clin. Biomech. (Bristol, Avon)* 6 (3), 175–181. at: <http://www.ncbi.nlm.nih.gov/pubmed/11240051>. (Accessed 2016).
- Seth, A., Matias, R., Veloso, A.P., et al., 2016. A biomechanical model of the scapulothoracic joint to accurately capture scapular kinematics during shoulder movements. *PLoS ONE* 11 (1), e0141028.
- Shaeffer, D.K., 2013. Mems inertial sensors: A tutorial overview. *Topics in integrated circuits for communications. IEEE Communications Magazine* 100–109.
- Shakoor, N., Lidtke, R.H., Wimmer, M.A., et al., 2013. Improvement in knee loading after use of specialized footwear for knee osteoarthritis: results of a six-month pilot investigation. *Arthritis Rheum.* 65, 1282–1289. doi:10.1002/art.37896.
- Sharma, L., Pai, Y.C., Holtkamp, K., et al., 1997. Is knee joint proprioception worse in the arthritic knee versus the unaffected knee in unilateral knee osteoarthritis? *Arthritis Rheum.* 40 (8), 1518–1525.
- Sherk, V., Bemben, M.G., Bemben, D.A., 2008. BMD and bone geometry in transtibial and transfemoral amputees. *J. Bone Miner. Res.* 23, 1449–1457.
- Shinno, N., 1971. Analysis of knee function in ascending and descending stairs. *Med. Sport* 6, 202–207.
- Shumway-Cook, A., Brauer, S., Woollacott, M., 2000. Predicting the probability for falls in community dwelling older adults using the timed up and go test. *Phys. Ther.* 80 (9), 896–903.
- Sidway, B., Heise, G., Schoenfelder-Zohdi, B., 1995. Quantifying the variability of angle-angle plots. *J. Hum. Mov. Stud.* 29, 181–197.
- Simonson, E., Keys, A. Working capacity in patients with orthopaedic handicaps from poliomyelitis, 1947.
- Sinclair, J.K., Selfe, J., Taylor, P.J., et al., 2016. Influence of a knee brace intervention on perceived pain and patellofemoral loading in recreational athletes. *Clin. Biomech. (Bristol, Avon)* 37, 7–12. doi:10.1016/j.clinbiomech.2016.05.002. ISSN 0268-0033.
- Singerman, R., Berilla, J., Archdeacon, M., et al., 1999. In vitro forces in the normal and cruciate deficient knee during simulated squatting motion. *Trans. ASME* 121, 234–242.
- Sojka, A.M., Stuber, W.A., Knutson, L.M., et al., 1995. Kinematic and electromyographic characteristics of children with cerebral palsy who exhibit genu recurvatum. *Arch. Phys. Med. Rehabil.* 76 (6), 558–565.
- Sparrow, W.A., Donovan, E., van Emmerik, R.E.A., et al., 1987. Using relative motion plots to measure changes in intra-limb and inter-limb coordination. *J. Mot. Behav.* 19, 115–129.
- Starholm, I.M., Mirtaheri, P., Kapetanovic, N., et al., 2016. Energy expenditure of transfemoral amputees during floor and treadmill walking with different speeds. *Prosthet. Orthot. Int.* 40, 336–342.
- Stebbins, J., Harrington, M., Thompson, N., 2006. Repeatability of a model for measuring multi-segment foot kinematics in children. *Gait Posture* 23 (4), 401–410.
- Steindler, A., 1955. *Kinesiology of the human body*. Charles Thomas, Springfield, IL.
- Stergiou, N., Giakas, G., Byrne, J.B., et al., 2002. Frequency domain characteristics of ground reaction forces during walking of young and elderly females. *Clin. Biomech. (Bristol, Avon)* 17 (8), 615–617.
- Struyf, F., Nijs, J., Baeyens, J.P., et al., 2011. Scapular positioning and movement in unimpaired shoulders, shoulder impingement syndrome, and glenohumeral instability. *Scand. J. Med. Sci. Sports* 21, 352–358.
- Stuart, M.J., Meglan, D.A., Lutz, G.E., et al., 1996. Comparison of intersegmental tibiofemoral joint forces and muscle activity during various closed kinetic chain exercise. *Am. J. Sports Med.* 24, 792–799.
- Sutherland, D.H., Cooper, L., 1978. The pathomechanics of progressive crouch gait in spastic diplegia. *Orthop. Clin. North Am.* 9, 143–154.

- Swinnen, E., et al., 2016. Thorax and pelvis kinematics during walking, a comparison between children with and without cerebral palsy: a systematic review. *Neurorehabilitation* 38 (2), 129–146. at: <http://www.medra.org/servelet/aliasResolver?alias=iospress&doi=10.3233/NRE-161303>. (Accessed 2016).
- Syczewska, M., Oberg, T., Karlsson, D., 1999. Segmental movements of the spine during treadmill walking with normal speed. *Clin. Biomech. (Bristol, Avon)* 14 (6), 384–388. at: <http://www.ncbi.nlm.nih.gov/pubmed/10521619>. (Accessed 2014).
- Tasi, R.Y. An efficient and accurate camera calibration technique for 3D machine vision. *Proceedings of the 1986 IEEE Computer Society Conference on Computer Vision and Pattern Recognition, 1986*; pp. 364–374.
- Tata, J.A., Quanbury, A.O., Steinke, T.G., et al., 1978. A variable axis electrogoniometer for the measurement of simple plane movement. *J. Biomech.* 11, 421–425.
- Taylor, A.J., Menz, H.B., Keenan, A.-M., 2004. The influence of walking speed on plantar pressure measurements using the two-step gait initiation protocol. *Foot* 14 (1), 49–55.
- Taylor, N.F., Evans, O.M., Goldie, P.A., 1996. Angular movements of the lumbar spine and pelvis can be reliably measured after 4 minutes of treadmill walking. *Clin. Biomech. (Bristol, Avon)* 11 (8), 484–486. at: <http://www.ncbi.nlm.nih.gov/pubmed/11415664>. (Accessed 2014).
- Taylor, W.R., Heller, M., Bergmann, G., et al., 2004. Tibio femoral loading during human gait and stair climbing. *J. Orthop. Res.* 22 (3), 625–632.
- Thewlis, D., Richards, J., Bower, J., 2008. Discrepancies in knee joint moments using common anatomical frames defined by different palpable landmarks. *J. Appl. Biomech.* 24 (2), 185–190.
- Thewlis, D., Richards, J., Bower, J. Discrepancies in knee joint moments using common anatomical frames defined by different palpable landmarks. *Journal of Applied Biomechanics (in press)*.
- Thorstensson, A., et al., 1984. Trunk movements in human locomotion. *Acta Physiol. Scand.* 121 (1), 9–22. at: <http://www.ncbi.nlm.nih.gov/pubmed/6741583>. (Accessed 2014).
- Thummerer, Y., et al., 2012. Is age or speed the predominant factor in the development of trunk movement in normally developing children? *Gait Posture* 35 (1), 23–28. at: <http://www.sciencedirect.com/science/article/pii/S0966636211002426>. (Accessed 2014).
- Thurston, A.J., 1982. Repeatability studies of a television/computer system for measuring spinal and pelvic movements. *J. Biomed. Eng.* 4 (2), 129–132. at: <http://www.ncbi.nlm.nih.gov/pubmed/7070066>. (Accessed 2014).
- Toutoungi, D.E., Lu, T.W., Leardini, A., et al., 2000. Cruciate ligament forces in the human knee during rehabilitation exercises. *Clin. Biomech. (Bristol, Avon)* 15, 176–187.
- Turcot, K., Aissaoui, R., Boivin, K., et al., 2008. Test-retest reliability and minimal clinical change determination for 3-dimensional tibial and femoral accelerations during treadmill walking in knee osteoarthritis patients. *Arch. Phys. Med. Rehabil.* 89 (4), 732–737.
- van der Helm, F., 1994a. A finite element musculoskeletal model of the shoulder mechanism. *J. Biomech.* 27 (5), 551–569.
- Van de Walle, P., et al., 2012. Increased mechanical cost of walking in children with diplegia: the role of the passenger unit cannot be neglected. *Res. Dev. Disabil.* 33 (6), 1996–2003. at: <http://www.ncbi.nlm.nih.gov/pubmed/22750355>. (Accessed 2016).
- Van Emmerik, R.E.A., et al., 2005. Age-related changes in upper body adaptation to walking speed in human locomotion. *Gait Posture* 22 (3), 233–239. at: <http://www.ncbi.nlm.nih.gov/pubmed/16214663>. (Accessed 2016).
- van Wegen, E., de Goede, C., Lim, I., et al., 2006. The effect of rhythmic somato-sensory cueing on gait in patients with Parkinson's disease. *J. Neurol. Sci.* 248 (1-2), 210–214.
- Vanicek, N., Strike, S., Mcnaughton, L., et al., 2009. Gait patterns in transtibial amputee fallers vs. non-fallers: Biomechanical differences during level walking. *Gait Posture* 29, 415–420.
- Vanicek, N., Strike, S.C., Mcnaughton, L., et al., 2010. Lower limb kinematic and kinetic differences between transtibial amputee fallers and non-fallers. *Prosthet. Orthot. Int.* 34, 399–410.
- Vanicek, N., Strike, S.C., Polman, R., 2015. Kinematic differences exist between transtibial amputee fallers and non-fallers during downwards step transitioning. *Prosthet. Orthot. Int.* 39, 322–332.
- Vermeulen, H.M., Stokdijk, M., Eilers, P.H., et al., 2002. Measurement of three dimensional shoulder movement patterns with an electromagnetic tracking device in patients with a frozen shoulder. *Ann. Rheum. Dis.* 61, 115–120.
- Viton, J.M., Timsit, M., Mesure, S., et al., 2000. Asymmetry of gait initiation in patients with unilateral knee arthritis. *Arch. Phys. Med. Rehabil.* 81 (2), 194–200.
- Von Eisenhart-Rothe, R., Matsen, F.A., Eckstein, F., et al., 2005. Pathomechanics in atraumatic shoulder instability: scapular positioning correlates with humeral head centering. *Clin. Orthop. Relat. Res.* 433, 82–89.
- Wagner, H., 1990. Pelvic tilt and leg length correction. *Orthopade.* 19 (5), 273–277.
- Wall, J.C., Ashburn, A., 1979. Assessment of gait disability in hemiplegics. *Scand. J. Rehabil. Med.* 11, 95–103.
- Wall, J.C., Charteris, J., Turnbull, G., 1987. Two steps equals one stride equals what? *Clin. Biomech. (Bristol, Avon)* 2, 119–125.
- Wang, J.W., Kuo, K.N., Andriacchi, T.P., et al., 1990. The influence of walking mechanics and time on the results of proximal tibial osteotomy. *J. Bone Joint Surg. Am.* 72 (6), 905–909.
- Warner, J.J., Micheli, L.J., Arslanian, L.E., et al., 1992. Scapulothoracic motion in normal shoulders and shoulders with glenohumeral instability and impingement syndrome: a study using moiré topographic analysis. *Clin. Orthop. Relat. Res.* 285, 191–199.
- Wentink, E.C., Prinsen, E.C., Rietman, J.S., et al., 2013. Comparison of muscle activity patterns of transfemoral amputees and control subjects during walking. *J. Neuroengineering Rehabil.* 10, 11.
- Wiberg, G., 1941. Roentgenographic and anatomic studies on the femoropatellar joint. *Acta Orthop. Scand.* 12, 319–410.
- Wilk, K., Dynamic Muscle strength testing. In: Amundsen, L.T. (Ed.), *Muscle strength testing instrumented and non-instrumented systems*. Churchill Livingstone, New York, (Chapter 5).

- Wilk, K.E., Escamilla, R.F., Fleisig, G.S., et al., 1996. A comparison of tibiofemoral joint forces and electromyographic activity during open and closed kinetic chain exercises. *Am. J. Sports Med.* 24, 518–527.
- Williams, G.N., Krishnan, C., 2007. Articular neurophysiology and sensorimotor control. In: Magee, D.J., Zachewski, J.E., Quillen, W.S. (Eds.), *Scientific Foundations and Principles of Practice in Musculoskeletal Rehabilitation*. Saunders, Missouri.
- Winter, D., 1995. Human balance and posture control during standing and walking. *Gait Posture* 3 (4), 193–214.
- Winter, D.A., 1993. Knowledge base for diagnostic gait assessments. *Med. Prog. Technol.* 19 (2), 61–81.
- Winter, D.A., 1978. Energy assessment in pathological gait. *Physiother. Can.* 30, 183–191.
- Winter, D.A. A. B. C. (Anatomy, Biomechanics, Control) of Balance during Standing and Walking. ISBN : 0-9699420-0-1, 1995.
- Winter, D.A. Knowledge base for diagnostic gait assessments.
- Winter, D.A., Quanbury, A.O., Reimer, G.D., 1976. Analysis of instantaneous energy of normal gait. *J. Biomech.* 9 (4), 253–257.
- Winter, D.A., Sienko, S.E., 1988. Biomechanics of below-knee amputee gait. *J. Biomech.* 21, 361–367.
- Wolf, E.J., Everding, V.Q., Linberg, A.L., et al., 2012. Assessment of transfemoral amputees using C-Leg and Power Knee for ascending and descending inclines and steps. *J. Rehabil. Res. Dev.* 49, 831–842.
- Wolff, S.L., 1978. Essential considerations in the use of EMG Biofeedback. *Phys. Ther.* 58, 25.
- Woltring, H.J., 1976. Calibration and measurement in 3-dimensional monitoring of human motion by optoelectronic means. II. Experimental results and discussion. *Biotelemetry* 3 (2), 65–97.
- Woltring, H.J., 1980. Planar control in multi-camera calibration for three-dimensional gait studies. *J. Biomech.* 13 (1), 39–48.
- Woltring, H.J., 1982. Estimation and precision of 3D kinematics by analytical photogrammetry. *Comput. Med.* 232–241.
- Woltring, H.J., Huiskes, R., de Lange, A., 1985. Finite centroid and helical axis estimation from noisy landmark measurements in the study of human joint kinematics. *J. Biomech.* 18 (5), 379–389.
- Wong, D.W.C., Lam, W.K., Yeung, L.F., et al., 2015. Does long-distance walking improve or deteriorate walking stability of transtibial amputees? *Clin. Biomech. (Bristol, Avon)* 30, 867–873.
- Wood, G.A., Jennings, L.S., 1979. On the use of spline functions for data smoothing. *J. Biomech.* 12, 477–479.
- Woodburn, J., Nelson, K.M., Siegel, K.L., et al., 2004. Multisegment foot motion during gait: proof of concept in rheumatoid arthritis. *J. Rheumatol.* 31 (10), 1918–1927.
- Wretenberg, P., Feng, Y., Arborelius, U.P., 1996. High and low bar squatting techniques during weight training. *Med. Sci. Sports Exerc.* 22, 218–224.
- Wright, F., 1994. Accident prevention and risk taking by elderly people: The need for advice. Age Concern, London.
- Wu, G., et al., 2005. ISB recommendation on definitions of joint coordinate systems of various joints for the reporting of human joint motion – Part II: shoulder, elbow, wrist and hand. *J. Biomech.* 38 (5), 981–992. at: <http://www.sciencedirect.com/science/article/pii/S002192900400301X>. (Accessed 2014).
- Wu, G., Siegler, S., Allard, P., et al., 2002. Standardization and Terminology Committee of the International Society of Biomechanics. ISB recommendation on definitions of joint coordinate system of various joints for the reporting of human joint motion – part I: ankle, hip, and spine. *International Society of Biomechanics. J. Biomech.* 35 (4), 543–548.
- Wu, G., van der Helm, F.C., Veeger, H.E., et al., 2005. International Society of Biomechanics. ISB recommendation on definitions of joint coordinate systems of various joints for the reporting of human joint motion – part II: shoulder, elbow, wrist and hand. *J. Biomech.* 38 (5), 981–992.
- Wunderlich, R.E., Cavanagh, P.R., 2001. Gender differences in adult foot shape: implications for shoe design. *Med. Sci. Sports Exerc.* 33 (4), 605–611.
- Wurdeman, S.R., Huisinga, J.M., Filipi, M., et al., 2011. Multiple sclerosis affects the frequency content in the vertical ground reaction forces during walking. *Clin. Biomech. (Bristol, Avon)* 26 (2), 207–212. doi:10.1016/j.clinbiomech.2010.09.021. [Epub 2010 Oct 29].
- Yack, H.J., Nielsen, D.H., Shurr, D.G., 1999. Kinetic patterns during stair ascent in patients with transtibial amputations using three different prostheses. *J. Prosthet. Orthot.* 11, 57–62.
- Young, M., Cook, J., Purdam, C., et al., 2005. Eccentric decline squat protocol offers superior results at 12 months compared with traditional eccentric protocol for patellar tendinopathy in volleyball players. *Br. J. Sports Med.* 39, 102–105.
- Zatsiorsky, V., Seluyanov, V., 1983. The mass and inertia characteristics of the main segments of the body. In: Matsui, H., Kobayashi, K. (Eds.), *Biomechanics VIII–B*. Human Kinetics Publishers, Champaign, IL, pp. 1152–1159.
- Ziegler-Graham, K., Mackenzie, E.J., Ephraim, P.L., et al., 2008. Estimating the prevalence of limb loss in the United States: 2005 to 2050. *Arch. Phys. Med. Rehabil.* 89, 422–429.