

REFERENCES

1. Herman CP, Mack D. Restrained and unrestrained eating. *J Pers.* Dec 1975;43(4):647–60. doi:10.1111/j.1467-6494.1975.tb00727.x
2. Westenhoefer J. Dietary restraint and disinhibition: is restraint a homogeneous construct? *Appetite.* Feb 1991;16(1):45–55. doi:10.1016/0195-6663(91)90110-e
3. Westenhoefer J, Stunkard AJ, Pudel V. Validation of the flexible and rigid control dimensions of dietary restraint. *Int J Eat Disord.* Jul 1999; 26(1):53–64. doi:10.1002/(sici)1098-108x(199907)26:1<53::aid-eat7>3.0.co;2-n
4. Shearin EN, Russ MJ, Hull JW, Clarkin JF, Smith GP. Construct validity of the Three-Factor Eating Questionnaire: flexible and rigid control subscales. *Int J Eat Disord.* Sep 1994;16(2):187–98. doi:10.1002/1098-108x(199409)16:2<187::aid-eat2260160210>3.0.co;2-u
5. Williamson DA, Lawson OJ, Brooks ER, et al. Association of body mass with dietary restraint and disinhibition. *Appetite.* Aug 1995;25(1):31–41. doi:10.1006/appe.1995.0039
6. Smith CF, Williamson DA, Bray GA, Ryan DH. Flexible vs. rigid dieting strategies: relationship with adverse behavioral outcomes. *Appetite.* Jun 1999;32(3):295–305. doi:10.1006/appe.1998.0204
7. Stewart TM, Williamson DA, White MA. Rigid vs. flexible dieting: association with eating disorder symptoms in nonobese women. *Appetite.* Feb 2002;38(1):39–44. doi:10.1006/appe.2001.0445
8. Conlin LA, Aguilar DT, Rogers GE, Campbell BI. Flexible vs. rigid dieting in resistance-trained individuals seeking to optimize their physiques: a randomized controlled trial. *J Int Soc Sports Nutr.* Jun 29 2021;18(1):52. doi:10.1186/s12970-021-00452-2
9. Tiggemann M. Dieting and cognitive style: the role of current and past dieting behaviour and cognitions. *J Health Psychol.* Jan 2000;5(1):17–24. doi:10.1177/135910530000500106
10. Byrne S, Cooper Z, Fairburn C. Weight maintenance and relapse in obesity: a qualitative study. *Int J Obes Relat Metab Disord.* Aug 2003;27(8):955–62. doi:10.1038/sj.ijo.0802305
11. Ramacciotti CE, Coli E, Bondi E, Burgalassi A, Massimetti G, Dell'osso L. Shared psychopathology in obese subjects with and without binge-eating disorder. *Int J Eat Disord.* Nov 2008;41(7):643–9. doi:10.1002/eat.20544
12. Lethbridge J, Watson HJ, Egan SJ, Street H, Nathan PR. The role of perfectionism, dichotomous thinking, shape and weight overvaluation, and conditional goal setting in

eating disorders. *Eat Behav.* Aug 2011;12(3):200–6. doi:10.1016/j.eatbeh.2011.04.003

13. Palascha A, van Kleef E, van Trijp HC. How does thinking in black and white terms relate to eating behavior and weight regain? *J Health Psychol.* May 2015;20(5):638–48. doi:10.1177/1359105315573440
14. Berg AC, Johnson KB, Straight CR, et al. Flexible eating behavior predicts greater weight loss following a diet and exercise intervention in older women. *J Nutr Gerontol Geriatr.* 2018 Jan–Mar 2018;37(1):14–29. doi:10.1080/21551197.2018.1435433
15. Fredricks SC. Is the word getting out? *J Acad Nutr Dietet.* 1997;Sep;97 (9):A113. doi:10.1016/S0002-8223(97)00708-6
16. Freeland-Graves J, Nitzke S. Position of the American Dietetic Association: total diet approach to communicating food and nutrition information. *J Am Diet Assoc.* Jan 2002;102(1):100–8. doi:10.1016/s0002-8223(02)90030-1
17. HHS, USDA. Dietary Guidelines for Americans, 2005. 6th Edition. Washington, DC: US Government Printing Office 2005.
18. Marton R. Science, advocacy, and quackery in nutritional books: an analysis of conflicting advice and purported claims of nutritional best-sellers. *Palgrave Communications.* 2020;6(43): 1–6. doi:10.1057/s41599-020-0415-6
19. Mogre V, Stevens FCJ, Aryee PA, Amalba A, Scherpbier AJJA. Why nutrition education is inadequate in the medical curriculum: a qualitative study of students’ perspectives on barriers and strategies. *BMC Med Educ.* Feb 2018; 18(1):26. doi:10.1186/s12909-018-1130-5
20. National Research Council (US). *National science education standards: observe, interact, change, learn.* National Academy Press; 1996:ix, 262 pp.
21. National Academy of Sciences. *Science, evolution, and creationism.* National Academies Press; 2008:xv, 70 pp.
22. Gormally C, Brickman P, Lutz M. Developing a Test of Scientific Literacy Skills (TOSLS): measuring undergraduates’ evaluation of scientific information and arguments. *CBE Life Sci Educ.* 2012;11(4):364–77. doi:10.1187/cbe.12-03-0026
23. Kreider RB, Kalman DS, Antonio J, et al. International Society of Sports Nutrition position stand: safety and efficacy of creatine supplementation in exercise, sport, and medicine. *J Int Soc Sports Nutr.* 2017;14:18. doi:10.1186/s12970-017-0173-z
24. Onakpoya IJ, Posadzki PP, Watson LK, Davies LA, Ernst E. The efficacy of long-term conjugated linoleic acid (CLA) supplementation on body composition in overweight and obese individuals: a systematic review and meta-analysis of randomized clinical trials. *Eur J Nutr.* Mar 2012;51(2):127–34. doi:10.1007/s00394-011-0253-9

25. National Academies of Sciences Engineering and Medicine (US). Committee on Reproducibility and Replicability in Science, National Academies of Sciences Engineering and Medicine (US). Committee on National Statistics, National Academies of Sciences Engineering and Medicine (US). Nuclear and Radiation Studies Board, National Academies of Sciences Engineering and Medicine (US). Committee on Applied and Theoretical Statistics, Committee on Science Engineering Medicine and Public Policy (US). *Reproducibility and replicability in science*. National Academies Press; 2019:1 online resource (1 PDF file (xxi, 234 pp.)).
www.ncbi.nlm.nih.gov/books/NBK547537/NLMBookshelfBooks
26. Shaughnessy JJ, Zechmeister EB. *Research Methods in Psychology*. McGraw-Hill; 1990.
27. Sackett DL, Rosenberg WM, Gray JA, Haynes RB, Richardson WS. Evidence based medicine: what it is and what it isn't. *BMJ*. Jan 1996;312(7023):71-2.
doi:10.1136/bmj.312.7023.71
28. Hill AB. The environment and disease: association or causation? 1965. *J R Soc Med*. Jan 2015;108(1):32-7. doi:10.1177/0141076814562718
29. Sylvetsky AC, Rother KI. Nonnutritive sweeteners in weight management and chronic disease: a review. *Obesity* (Silver Spring). Apr 2018;26(4):635-40. doi:10.1002/oby.22139
30. Laviada-Molina H, Molina-Segui F, Pérez-Gaxiola G, et al. Effects of nonnutritive sweeteners on body weight and BMI in diverse clinical contexts: systematic review and meta-analysis. *Obes Rev*. Jul 2020;21(7):e13020. doi:10.1111/obr.13020
31. Aragon AA, Schoenfeld BJ. Nutrient timing revisited: is there a post-exercise anabolic window? *J Int Soc Sports Nutr*. Jan 2013;10(1):5. doi:10.1186/1550-2783-10-5
32. Liberati A, Altman DG, Tetzlaff J, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. *J Clin Epidemiol*. Oct 2009;62(10):e1-34.
doi:10.1016/j.jclinepi.2009.06.006
33. Taubes G. Treat obesity as physiology, not physics. *Nature*. Dec 2012;492(7428):155.
doi:10.1038/492155a
34. Taubes G. The science of obesity: what do we really know about what makes us fat? An essay by Gary Taubes. *BMJ*. Apr 2013;346:f1050. doi:10.1136/bmj.f1050
35. Witard OC, Wardle SL, Macnaughton LS, Hodgson AB, Tipton KD. Protein considerations for optimising skeletal muscle mass in healthy young and older adults. *Nutrients*. Mar 2016;8(4):181. doi:10.3390/nu8040181
36. Burke LM, Hawley JA, Jeukendrup A, Morton JP, Stellingwerff T, Maughan RJ. Toward a common understanding of diet-exercise strategies to manipulate fuel availability for

training and competition preparation in endurance sport. *Int J Sport Nutr Exerc Metab.* Sep 2018;28(5):451–63. doi:10.1123/ijsnem.2018-0289

37. Schoenfeld BJ, Aragon AA. How much protein can the body use in a single meal for muscle-building? Implications for daily protein distribution. *J Int Soc Sports Nutr.* 2018;15:10. doi:10.1186/s12970-018-0215-1
38. Schardt C, Adams MB, Owens T, Keitz S, Fontelo P. Utilization of the PICO framework to improve searching PubMed for clinical questions. *BMC Med Inform Decis Mak.* Jun 2007;7:16. doi:10.1186/1472-6947-7-16
39. Methley AM, Campbell S, Chew-Graham C, McNally R, Cheraghi-Sohi S. PICO, PICOS and SPIDER: a comparison study of specificity and sensitivity in three search tools for qualitative systematic reviews. *BMC Health Serv Res.* Nov 2014;14:579. doi:10.1186/s12913-014-0579-0
40. Moore DR, Churchward-Venne TA, Witard O, et al. Protein ingestion to stimulate myofibrillar protein synthesis requires greater relative protein intakes in healthy older versus younger men. *J Gerontol A Biol Sci Med Sci.* Jan 2015;70(1):57–62. doi:10.1093/gerona/glu103
41. Jornayvaz FR, Jurczak MJ, Lee HY, et al. A high-fat, ketogenic diet causes hepatic insulin resistance in mice, despite increasing energy expenditure and preventing weight gain. *Am J Physiol Endocrinol Metab.* Nov 2010;299(5):E808–15. doi:10.1152/ajpendo.00361.2010
42. Nilsson J, Ericsson M, Joibari MM, et al. A low-carbohydrate high-fat diet decreases lean mass and impairs cardiac function in pair-fed female C57BL/6J mice. *Nutr Metab (Lond).* 2016;13:79. doi:10.1186/s12986-016-0132-8
43. Borghjid S, Feinman RD. Response of C57Bl/6 mice to a carbohydrate-free diet. *Nutr Metab (Lond).* Jul 2012;9(1):69. doi:10.1186/1743-7075-9-69
44. Jonas DE, Ferrari RM, Wines RC, Vuong KT, Cotter A, Harris RP. Evaluating evidence on intermediate outcomes: considerations for groups making healthcare recommendations. *Am J Prev Med.* Jan 2018;54(1S1):S38–52. doi:10.1016/j.amepre.2017.08.033
45. Ecker ED, Skelly AC. Conducting a winning literature search. *Evid Based Spine Care J.* May 2010;1(1):9–14. doi:10.1055/s-0028-1100887
46. Institute of Medicine (US). Committee on Military Nutrition Research. The role of protein and amino acids in sustaining and enhancing performance. National Academy Press; 1999:xv, 429 pp.
47. Liu Z, Long W, Fryburg DA, Barrett EJ. The regulation of body and skeletal muscle protein metabolism by hormones and amino acids. *J Nutr.* Jan 2006;136(1 Suppl):212S–

7S. doi:10.1093/jn/136.1.212S

48. Berryman CE, Lieberman HR, Fulgoni VL, Pasiakos SM. Protein intake trends and conformity with the dietary reference intakes in the United States: analysis of the National Health and Nutrition Examination Survey, 2001–2014. *Am J Clin Nutr*. Aug 2018;108(2):405–13. doi:10.1093/ajcn/nqy088
49. Manore M. Exercise and the Institute of Medicine recommendations for nutrition. *Curr Sports Med Rep*. 2005;4(4):193–8. doi: 10.1097/01.csmr.0000306206.72186.00
50. Devries MC, Sithamparapillai A, Brimble KS, Banfield L, Morton RW, Phillips SM. Changes in kidney function do not differ between healthy adults consuming higher- compared with lower- or normal-protein diets: a systematic review and meta-analysis. *J Nutr*. Nov 2018;148(11):1760–75. doi:10.1093/jn/nxy197
51. Antonio J, Ellerbroek A, Silver T, et al. A high protein diet (3.4 g/kg/d) combined with a heavy resistance training program improves body composition in healthy trained men and women—a follow-up investigation. *J Int Soc Sports Nutr*. 2015;12:39.
52. Antonio J, Ellerbroek A, Silver T, Vargas L, Peacock C. The effects of a high protein diet on indices of health and body composition—a crossover trial in resistance-trained men. *J Int Soc Sports Nutr*. 2016;13:3. doi:10.1186/s12970-016-0114-2
53. Antonio J, Ellerbroek A, Silver T, et al. A high protein diet has no harmful effects: a one-year crossover study in resistance-trained males. *J Nutr Metab*. 2016;2016:9104792. doi:10.1155/2016/9104792
54. Antonio J, Ellerbroek A, Evans C, Silver T, Peacock CA. High protein consumption in trained women: bad to the bone? *J Int Soc Sports Nutr*. 2018;15:6. doi:10.1186/s12970-018-0210-6
55. Groenendijk I, den Boeft L, van Loon LJC, de Groot LCPG. High versus low dietary protein intake and bone health in older adults: a systematic review and meta-analysis. *Comput Struct Biotechnol J*. 2019;17:1101–12. doi:10.1016/j.csbj.2019.07.005
56. Hevia-Larraín V, Gualano B, Longobardi I, et al. High-protein plant-based diet versus a protein-matched omnivorous diet to support resistance training adaptations: a comparison between habitual vegans and omnivores. *Sports Med*. Feb 2021;doi:10.1007/s40279-021-01434-9
57. Schoenfeld B, Aragon A. Magnitude and composition of the energy surplus for maximizing muscle hypertrophy: implications for bodybuilding and physique athletes. *Strength and Conditioning Journal*. 2020;42(5):79–86. doi:10.1519/SSC.0000000000000539
58. Phillips SM, Chevalier S, Leidy HJ. Protein “requirements” beyond the RDA: implications for optimizing health. *Appl Physiol Nutr Metab*. May 2016;41(5):565–72.

doi:10.1139/apnm-2015-0550

59. Aragon AA, Schoenfeld BJ, Wildman R, et al. International Society of Sports Nutrition position stand: diets and body composition. *J Int Soc Sports Nutr.* 2017;14:16. doi:10.1186/s12970-017-0174-y
60. Nowson C, O'Connell S. Protein requirements and recommendations for older people: a review. *Nutrients.* Aug 14 2015;7(8):6874–99. doi:10.3390/nu7085311
61. Xue QL. The frailty syndrome: definition and natural history. *Clin Geriatr Med.* Feb 2011;27(1):1–15. doi:10.1016/j.cger.2010.08.009
62. Cederholm T. Overlaps between frailty and sarcopenia definitions. *Nestle Nutr Inst Workshop Ser.* 2015;83:65–9. doi:10.1159/000382063
63. Tipton KD, Hamilton DL, Gallagher IJ. Assessing the role of muscle protein breakdown in response to nutrition and exercise in humans. *Sports Med.* Mar 2018;48(Suppl 1):53–64. doi:10.1007/s40279-017-0845-5
64. Rudrappa SS, Wilkinson DJ, Greenhaff PL, Smith K, Idris I, Atherton PJ. Human skeletal muscle disuse atrophy: effects on muscle protein synthesis, breakdown, and insulin resistance—a qualitative review. *Front Physiol.* 2016;7:361. doi:10.3389/fphys.2016.00361
65. Bauer J, Biolo G, Cederholm T, et al. Evidence-based recommendations for optimal dietary protein intake in older people: a position paper from the PROT-AGE Study Group. *J Am Med Dir Assoc.* Aug 2013;14(8):542–59. doi:10.1016/j.jamda.2013.05.021
66. Morton RW, Murphy KT, McKellar SR, et al. A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. *Br J Sports Med.* Mar 2018;52(6):376–84. doi:10.1136/bjsports-2017-097608
67. Nunes EA, Currier BS, Lim C, Phillips SM. Nutrient-dense protein as a primary dietary strategy in healthy ageing: please sir, may we have more? *Proc Nutr Soc.* Oct 2020:1–14. doi:10.1017/S0029665120007892
68. Burd NA, McKenna CF, Salvador AF, Paulussen KJM, Moore DR. Dietary protein quantity, quality, and exercise are key to healthy living: a muscle-centric perspective across the lifespan. *Front Nutr.* 2019;6:83. doi:10.3389/fnut.2019.00083
69. Tang JE, Moore DR, Kujbida GW, Tarnopolsky MA, Phillips SM. Ingestion of whey hydrolysate, casein, or soy protein isolate: effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. *J Appl Physiol* (1985). Sep 2009;107(3):987–92. doi:10.1152/jappphysiol.00076.2009
70. Yang Y, Churchward-Venne TA, Burd NA, Breen L, Tarnopolsky MA, Phillips SM. Myofibrillar protein synthesis following ingestion of soy protein isolate at rest and after

resistance exercise in elderly men. *Nutr Metab (Lond)*. Jun 2012;9(1):57. doi:10.1186/1743-7075-9-57

71. Gorissen SH, Horstman AM, Franssen R, et al. Ingestion of wheat protein increases in vivo muscle protein synthesis rates in healthy older men in a randomized trial. *J Nutr*. Sept 2016;146(9):1651–9. doi:10.3945/jn.116.231340
72. van Vliet S, Burd NA, van Loon LJ. The skeletal muscle anabolic response to plant- versus animal-based protein consumption. *J Nutr*. Sep 2015;145(9):1981–91. doi:10.3945/jn.114.204305
73. Duan Y, Li F, Li Y, et al. The role of leucine and its metabolites in protein and energy metabolism. *Amino Acids*. Jan 2016;48(1):41–51. doi:10.1007/s00726-015-2067-1
74. Gorissen SHM, Witard OC. Characterising the muscle anabolic potential of dairy, meat and plant-based protein sources in older adults. *Proc Nutr Soc*. Feb 2018;77(1):20–31. doi:10.1017/S002966511700194X
75. Berrazaga I, Micard V, Gueugneau M, Walrand S. The role of the anabolic properties of plant- versus animal-based protein sources in supporting muscle mass maintenance: a critical review. *Nutrients*. Aug 2019;11(8):1825. doi:10.3390/nu11081825
76. Brennan JL, Keerati-U-Rai M, Yin H, et al. Differential responses of blood essential amino acid levels following ingestion of high-quality plant-based protein blends compared to whey protein—a double-blind randomized, cross-over, clinical trial. *Nutrients*. Dec 2019;11(12):2987. doi:10.3390/nu11122987
77. Babault N, Païzis C, Deley G, et al. Pea proteins oral supplementation promotes muscle thickness gains during resistance training: a double-blind, randomized, placebo-controlled clinical trial vs. whey protein. *J Int Soc Sports Nutr*. 2015;12(1):3. doi:10.1186/s12970-014-0064-5
78. Banaszek A, Townsend JR, Bender D, Vantrease WC, Marshall AC, Johnson KD. The effects of whey vs. pea protein on physical adaptations following 8-weeks of high-intensity functional training (HIFT): a pilot study. *Sports (Basel)*. Jan 2019;7(1):12. doi:10.3390/sports7010012
79. Nieman DC, Zwetsloot KA, Simonson AJ, et al. Effects of whey and pea protein supplementation on post-eccentric exercise muscle damage: a randomized trial. *Nutrients*. Aug 2020;12(8): 2382. doi:10.3390/nu12082382
80. Messina M, Lynch H, Dickinson JM, Reed KE. No difference between the effects of supplementing with soy protein versus animal protein on gains in muscle mass and strength in response to resistance exercise. *Int J Sport Nutr Exerc Metab*. Nov 2018;28(6):674–85. doi:10.1123/ijsnem.2018-0071

81. Lim MT, Pan BJ, Toh DWK, Sutanto CN, Kim JE. Animal protein versus plant protein in supporting lean mass and muscle strength: a systematic review and meta-analysis of randomized controlled trials. *Nutrients*. Feb 2021;13(2):661. doi:10.3390/nu13020661
82. Wu G. Important roles of dietary taurine, creatine, carnosine, anserine and 4-hydroxyproline in human nutrition and health. *Amino Acids*. Mar 2020;52(3):329–60. doi:10.1007/s00726-020-02823-6
83. Kerksick CM, Wilborn CD, Roberts MD, et al. ISSN exercise & sports nutrition review update: research & recommendations. *J Int Soc Sports Nutr*. Aug 2018;15(1):38. doi:10.1186/s12970-018-0242-y
84. Zdzieblik D, Oesser S, Baumstark MW, Gollhofer A, König D. Collagen peptide supplementation in combination with resistance training improves body composition and increases muscle strength in elderly sarcopenic men: a randomised controlled trial. *Br J Nutr*. Oct 2015;114(8):1237–45. doi:10.1017/S0007114515002810
85. Jendricke P, Centner C, Zdzieblik D, Gollhofer A, König D. Specific collagen peptides in combination with resistance training improve body composition and regional muscle strength in premenopausal women: a randomized controlled trial. *Nutrients*. Apr 2019;11(4):892. doi:10.3390/nu11040892
86. Kirmse M, Oertzen-Hagemann V, de Marées M, Bloch W, Platen P. Prolonged collagen peptide supplementation and resistance exercise training affects body composition in recreationally active men. *Nutrients*. May 2019;11(5):1154. doi:10.3390/nu11051154
87. Bagheri R, Hooshmand Moghadam B, Ashtary-Larky D, et al. Whole egg vs. egg white ingestion during 12 weeks of resistance training in trained young males: a randomized controlled trial. *J Strength Cond Res*. Feb 2021;35(2):411–9. doi:10.1519/JSC.00000000000003922
88. Riechman SE, Andrews RD, Maclean DA, Sheather S. Statins and dietary and serum cholesterol are associated with increased lean mass following resistance training. *J Gerontol A Biol Sci Med Sci*. Oct 2007;62(10):1164–71. doi:10.1093/gerona/62.10.1164
89. Dinu M, Abbate R, Gensini GF, Casini A, Sofi F. Vegetarian, vegan diets and multiple health outcomes: a systematic review with meta-analysis of observational studies. *Crit Rev Food Sci Nutr*. Nov 2017;57(17):3640–9. doi:10.1080/10408398.2016.1138447
90. Rogerson D. Vegan diets: practical advice for athletes and exercisers. *J Int Soc Sports Nutr*. 2017;14:36. doi:10.1186/s12970-017-0192-9
91. Schüpbach R, Wegmüller R, Berguerand C, Bui M, Herter-Aeberli I. Micronutrient status and intake in omnivores, vegetarians and vegans in Switzerland. *Eur J Nutr*. Feb 2017;56(1):283–93. doi:10.1007/s00394-015-1079-7

92. Pinckaers P, Trommelen J, Snijders T, van Loo L. The anabolic response to plant-based protein ingestion. *Sports Med.* Sept 2021;51(Suppl 1): 59–74. doi: 10.1007/s40279-021-01540-8
93. Rondanelli M, Nichetti M, Peroni G, et al. Where to find leucine in food and how to feed elderly with sarcopenia in order to counteract loss of muscle mass: practical advice. *Front Nutr.* 2020;7:622391. doi:10.3389/fnut.2020.622391
94. Kraemer WJ, Solomon-Hill G, Volk BM, et al. The effects of soy and whey protein supplementation on acute hormonal responses to resistance exercise in men. *J Am Coll Nutr.* 2013;32(1): 66–74. doi:10.1080/07315724.2013.770648
95. Goodin S, Shen F, Shih WJ, et al. Clinical and biological activity of soy protein powder supplementation in healthy male volunteers. *Cancer Epidemiol Biomarkers Prev.* Apr 2007;16(4):829–33. doi:10.1158/1055-9965.EPI-06-0882
96. Reed KE, Camargo J, Hamilton-Reeves J, Kurzer M, Messina M. Neither soy nor isoflavone intake affects male reproductive hormones: an expanded and updated meta-analysis of clinical studies. *Reprod Toxicol.* Mar 2021;100:60–7. doi:10.1016/j.reprotox.2020.12.019
97. Messina M, Nagata C, Wu AH. Estimated Asian adult soy protein and isoflavone intakes. *Nutr Cancer.* 2006;55(1):1–12. doi:10.1207/s15327914nc5501_1
98. Siepmann T, Roofeh J, Kiefer FW, Edelson DG. Hypogonadism and erectile dysfunction associated with soy product consumption. *Nutrition.* 2011 Jul–Aug 2011;27(7–8):859–62. doi:10.1016/j.nut.2010.10.018
99. Tipton KD. Gender differences in protein metabolism. *Curr Opin Clin Nutr Metab Care.* Nov 2001;4(6):493–8. doi:10.1097/00075197-200111000-00005
100. Smith GI, Atherton P, Reeds DN, et al. No major sex differences in muscle protein synthesis rates in the postabsorptive state and during hyperinsulinemia-hyperaminoacidemia in middle-aged adults. *J Appl Physiol* (1985). Oct 2009;107(4):1308–15. doi:10.1152/jappphysiol.00348.2009
101. Dreyer HC, Fujita S, Glynn EL, Drummond MJ, Volpi E, Rasmussen BB. Resistance exercise increases leg muscle protein synthesis and mTOR signalling independent of sex. *Acta Physiol (Oxf).* May 2010;199(1):71–81. doi:10.1111/j.1748-1716.2010.02074.x
102. Smith GI, Atherton P, Villareal DT, et al. Differences in muscle protein synthesis and anabolic signaling in the postabsorptive state and in response to food in 65–80 year old men and women. *PLoS One.* Mar 26 2008;3(3):e1875. doi:10.1371/journal.pone.0001875
103. Phillips SM, Atkinson SA, Tarnopolsky MA, MacDougall JD. Gender differences in leucine kinetics and nitrogen balance in endurance athletes. *J Appl Physiol* (1985). Nov 1993;75(5):2134–41. doi:10.1152/jappl.1993.75.5.2134

104. Tarnopolsky LJ, MacDougall JD, Atkinson SA, Tarnopolsky MA, Sutton JR. Gender differences in substrate for endurance exercise. *J Appl Physiol* (1985). Jan 1990;68(1):302–8. doi:10.1152/jappl.1990.68.1.302
105. McKenzie S, Phillips SM, Carter SL, Lowther S, Gibala MJ, Tarnopolsky MA. Endurance exercise training attenuates leucine oxidation and BCOAD activation during exercise in humans. *Am J Physiol Endocrinol Metab*. Apr 2000;278(4):E580–7. doi:10.1152/ajpendo.2000.278.4.E580
106. Snijders T, Trommelen J, Kouw IWK, Holwerda AM, Verdijk LB, van Loon LJC. The impact of pre-sleep protein ingestion on the skeletal muscle adaptive response to exercise in humans: an update. *Front Nutr*. 2019;6:17. doi:10.3389/fnut.2019.00017
107. Macnaughton LS, Wardle SL, Witard OC, et al. The response of muscle protein synthesis following whole-body resistance exercise is greater following 40 g than 20 g of ingested whey protein. *Physiol Rep*. Aug 2016;4(15):e12893. doi:10.14814/phy2.12893
108. Park S, Jang J, Choi MD, et al. The anabolic response to dietary protein is not limited by the maximal stimulation of protein synthesis in healthy older adults: a randomized crossover trial. *Nutrients*. Oct 2020;12(11):3276. doi:10.3390/nu12113276
109. Burd NA, Beals JW, Martinez IG, Salvador AF, Skinner SK. Food-first approach to enhance the regulation of post-exercise skeletal muscle protein synthesis and remodeling. *Sports Med*. Feb 2019;49(Suppl 1):59–68. doi:10.1007/s40279-018-1009-y
110. Rynders CA, Thomas EA, Zaman A, Pan Z, Catenacci VA, Melanson EL. Effectiveness of intermittent fasting and time-restricted feeding compared to continuous energy restriction for weight loss. *Nutrients*. Oct 2019;11(10):2442. doi:10.3390/nu11102442
111. Williamson E, Moore DR. A muscle-centric perspective on intermittent fasting: a suboptimal dietary strategy for supporting muscle protein remodeling and muscle mass? *Front Nutr*. 2021;8:640621. doi:10.3389/fnut.2021.640621
112. Schoenfeld BJ, Aragon A, Wilborn C, Urbina SL, Hayward SE, Krieger J. Pre- versus post-exercise protein intake has similar effects on muscular adaptations. *PeerJ*. 2017;5:e2825. doi:10.7717/peerj.2825
113. Candow DG, Chilibeck PD, Facci M, Abeysekara S, Zello GA. Protein supplementation before and after resistance training in older men. *Eur J Appl Physiol*. Jul 2006;97(5):548–56. doi:10.1007/s00421-006-0223-8
114. Bird SP, Tarpenning KM, Marino FE. Liquid carbohydrate/essential amino acid ingestion during a short-term bout of resistance exercise suppresses myofibrillar protein degradation. *Metabolism*. May 2006;55(5):570–7. doi:10.1016/j.metabol.2005.11.011

115. Beelen M, Koopman R, Gijzen AP, et al. Protein coingestion stimulates muscle protein synthesis during resistance-type exercise. *Am J Physiol Endocrinol Metab.* Jul 2008;295(1):E70–7. doi:10.1152/ajpendo.00774.2007
116. Deldicque L, De Bock K, Maris M, et al. Increased p70s6k phosphorylation during intake of a protein-carbohydrate drink following resistance exercise in the fasted state. *Eur J Appl Physiol.* Mar 2010;108(4):791–800. doi:10.1007/s00421-009-1289-x
117. Ivy J, Portman R. *Nutrient Timing: The Future of Sports Nutrition*. Basic Health Publications; 2004.
118. Schoenfeld BJ, Aragon AA, Krieger JW. The effect of protein timing on muscle strength and hypertrophy: a meta-analysis. *J Int Soc Sports Nutr.* Dec 2013;10(1):53. doi:10.1186/1550-2783-10-53
119. Martens EA, Gonnissen HK, Gatta-Cherifi B, Janssens PL, Westerterp-Plantenga MS. Maintenance of energy expenditure on high-protein vs. high-carbohydrate diets at a constant body weight may prevent a positive energy balance. *Clin Nutr.* Oct 2015;34(5):968–75. doi:10.1016/j.clnu.2014.10.007
120. Bray GA, Redman LM, de Jonge L, et al. Effect of protein overfeeding on energy expenditure measured in a metabolic chamber. *Am J Clin Nutr.* Mar 2015;101(3):496–505. doi:10.3945/ajcn.114.091769
121. Hector AJ, Phillips SM. Protein recommendations for weight loss in elite athletes: a focus on body composition and performance. *Int J Sport Nutr Exerc Metab.* Mar 2018;28(2):170–7. doi:10.1123/ijsnem.2017-0273
122. Helms E, Zinn C, Rowlands D, Brown S. A systematic review of dietary protein during caloric restriction in resistance trained lean athletes: a case for higher intakes. *Int J Sport Nutr Exerc Metab.* 2014;24(2):127–38.
123. Mäestu J, Eliakim A, Jürimäe J, Valter I, Jürimäe T. Anabolic and catabolic hormones and energy balance of the male bodybuilders during the preparation for the competition. *J Strength Cond Res.* Apr 2010;24(4):1074–81. doi:10.1519/JSC.0b013e3181cb6fd3
124. Chappell AJ, Simper T, Barker ME. Nutritional strategies of high level natural bodybuilders during competition preparation. *J Int Soc Sports Nutr.* 2018;15:4. doi:10.1186/s12970-018-0209-z
125. Barakat C, Pearson J, Escalante G, Campbell B, De Souza E. Body recomposition: can trained individuals build muscle and lose fat at the same time? *Strength and Conditioning Journal.* Oct 2020;42(5):7–21. doi:10.1519/SSC.0000000000000584
126. Lee H, Kim K, Kim B, et al. A cellular mechanism of muscle memory facilitates mitochondrial remodelling following resistance training. *J Physiol.* Sept 2018;596(18):4413–26. doi:10.1113/JP275308

127. Bruusgaard JC, Johansen IB, Egner IM, Rana ZA, Gundersen K. Myonuclei acquired by overload exercise precede hypertrophy and are not lost on detraining. *Proc Natl Acad Sci USA*. Aug 2010;107(34):15111–6. doi:10.1073/pnas.0913935107
128. Leuchtmann AB, Mueller SM, Aguayo D, et al. Resistance training preserves high-intensity interval training induced improvements in skeletal muscle capillarization of healthy old men: a randomized controlled trial. *Sci Rep*. Apr 2020;10(1):6578. doi:10.1038/s41598-020-63490-x
129. Khan MA, Gannon MC, Nuttall FQ. Glucose appearance rate following protein ingestion in normal subjects. *J Am Coll Nutr*. Dec 1992; 11(6):701–6. doi:10.1080/07315724.1992. 10718270
130. Fromentin C, Tomé D, Nau F, et al. Dietary proteins contribute little to glucose production, even under optimal gluconeogenic conditions in healthy humans. *Diabetes*. May 2013;62(5):1435–42. doi:10.2337/db12-1208
131. Volek J, Phinney S. *The Art and Science of Low Carbohydrate Performance*. Beyond Obesity LLC; 2012.
132. Wilson JM, Lowery RP, Roberts MD, et al. Effects of ketogenic dieting on body composition, strength, power, and hormonal profiles in resistance training men. *J Strength Cond Res*. Dec 2020;34(12):3463–74. doi:10.1519/JSC.0000000000001935
133. Burke L, Ross M, Garvican-Lewis L, et al. Low carbohydrate, high fat diet impairs exercise economy and negates the performance benefit from intensified training in elite race walkers. *J Physiol*. May 2017;595(9):2785–807. doi:10.1113/JP273230
134. Volek JS, Freidenreich DJ, Saenz C, et al. Metabolic characteristics of keto-adapted ultra-endurance runners. *Metabolism*. Mar 2016;65(3): 100–10. doi:10.1016/j.metabol.2015.10.028
135. Schoenfeld BJ, Aragon AA, Krieger JW. Effects of meal frequency on weight loss and body composition: a meta-analysis. *Nutr Rev*. Feb 2015;73(2):69–82. doi:10.1093/nutrit/nuu017
136. Iwao S, Mori K, Sato Y. Effects of meal frequency on body composition during weight control in boxers. *Scand J Med Sci Sports*. Oct 1996;6(5):265–72. doi:10.1111/j.1600-0838.1996.tb00469.x
137. Arnal MA, Mosoni L, Boirie Y, et al. Protein feeding pattern does not affect protein retention in young women. *J Nutr*. Jul 2000;130(7):1700–4. doi:10.1093/jn/130.7.1700
138. Arnal MA, Mosoni L, Boirie Y, et al. Protein pulse feeding improves protein retention in elderly women. *Am J Clin Nutr*. Jun 1999;69(6):1202–8. doi:10.1093/ajcn/69.6.1202
139. Moro T, Tinsley G, Bianco A, et al. Effects of eight weeks of time-restricted feeding (16/8) on basal metabolism, maximal strength, body composition, inflammation, and

cardiovascular risk factors in resistance-trained males. *J Transl Med.* 2016;14(1):290.

140. Tinsley GM, Moore ML, Graybeal AJ, et al. Time-restricted feeding plus resistance training in active females: a randomized trial. *Am J Clin Nutr.* Sept 2019;110(3):628–40. doi:10.1093/ajcn/nqz126
141. Stratton MT, Tinsley GM, Alesi MG, et al. Four weeks of time-restricted feeding combined with resistance training does not differentially influence measures of body composition, muscle performance, resting energy expenditure, and blood biomarkers. *Nutrients.* Apr 2020;12(4):1126. doi:10.3390/nu12041126
142. Schoenfeld BJ, Aragon AA, Wilborn CD, Krieger JW, Sonmez GT. Body composition changes associated with fasted versus non-fasted aerobic exercise. *J Int Soc Sports Nutr.* 2014;11(1):54. doi:10.1186/s12970-014-0054-7
143. Hackett D, Hagstrom A. Effect of overnight fasted exercise on weight loss and body composition: a systematic review and meta-analysis. *J Funct Morphol Kinesiol.* 2017;2(4):43. <https://doi.org/10.3390/jfmk2040043>
144. Hackney KJ, Bruenger AJ, Lemmer JT. Timing protein intake increases energy expenditure 24 h after resistance training. *Med Sci Sports Exerc.* May 2010;42(5):998–1003. doi:10.1249/MSS.0b013e3181c12976
145. Wingfield HL, Smith-Ryan AE, Melvin MN, et al. The acute effect of exercise modality and nutrition manipulations on post-exercise resting energy expenditure and respiratory exchange ratio in women: a randomized trial. *Sports Med Open.* Jun 2015;11. doi:10.1186/s40798-015-0010-3
146. Jäger R, Kerksick CM, Campbell BI, et al. International Society of Sports Nutrition position stand: protein and exercise. *J Int Soc Sports Nutr.* 2017;14:20. doi:10.1186/s12970-017-0177-8
147. Thomas DT, Erdman KA, Burke LM. Position of the Academy of Nutrition and Dietetics, Dietitians of Canada, and the American College of Sports Medicine: nutrition and athletic performance. *J Acad Nutr Diet.* Mar 2016;116(3):501–28. doi:10.1016/j.jand.2015.12.006
148. Elango R, Ball RO, Pencharz PB. Recent advances in determining protein and amino acid requirements in humans. *Br J Nutr.* Aug 2012;108 (Suppl 2):S22–30. doi:10.1017/S0007114512002504
149. Kato H, Suzuki K, Bannai M, Moore DR. Protein requirements are elevated in endurance athletes after exercise as determined by the indicator amino acid oxidation method. *PLoS One.* Jun 2016;11(6):e0157406. doi:10.1371/journal.pone.0157406
150. Bandegan A, Courtney-Martin G, Rafii M, Pencharz PB, Lemon PWR. Indicator amino acid oxidation protein requirement estimate in endurance-trained men 24 h

postexercise exceeds both the EAR and current athlete guidelines. *Am J Physiol Endocrinol Metab.* May 2019;316(5):E741–8. doi:10.1152/ajpendo.00174.2018

151. Rowlands DS, Hopkins WG. Effect of high-fat, high-carbohydrate, and high-protein meals on metabolism and performance during endurance cycling. *Int J Sport Nutr Exerc Metab.* Sep 2002;12(3):318–35. doi:10.1123/ijsnem.12.3.318
152. Kloby Nielsen LL, Tandrup Lambert MN, Jeppesen PB. The effect of ingesting carbohydrate and proteins on athletic performance: a systematic review and meta-analysis of randomized controlled trials. *Nutrients.* May 2020;12(5):1483. doi:10.3390/nu12051483
153. Saunders MJ, Kane MD, Todd MK. Effects of a carbohydrate-protein beverage on cycling endurance and muscle damage. *Med Sci Sports Exerc.* Jul 2004;36(7):1233–8. doi:10.1249/01.mss.0000132377.66177.9f
154. Saunders MJ, Luden ND, Herrick JE. Consumption of an oral carbohydrate-protein gel improves cycling endurance and prevents postexercise muscle damage. *J Strength Cond Res.* Aug 2007;21(3):678–84. doi:10.1519/R-20506.1
155. Power O, Hallihan A, Jakeman P. Human insulinotropic response to oral ingestion of native and hydrolysed whey protein. *Amino Acids.* Jul 2009;37(2):333–9. doi:10.1007/s00726-008-0156-0
156. Craven J, Desbrow B, Sabapathy S, Bellinger P, McCartney D, Irwin C. The effect of consuming carbohydrate with and without protein on the rate of muscle glycogen re-synthesis during short-term post-exercise recovery: a systematic review and meta-analysis. *Sports Med Open.* Jan 2021;7(1):9. doi:10.1186/s40798-020-00297-0
157. Kerksick CM, Arent S, Schoenfeld BJ, et al. International Society of Sports Nutrition position stand: nutrient timing. *J Int Soc Sports Nutr.* 2017;14:33. doi:10.1186/s12970-017-0189-4
158. Holesh J, Aslam S, Martin A. Physiology, Carbohydrates. [Updated 2020 Aug 25]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 Jan–. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK459280/>
159. Reynolds A, Mann J, Cummings J, Winter N, Mete E, Te Morenga L. Carbohydrate quality and human health: a series of systematic reviews and meta-analyses. *Lancet.* Feb 2019;393(10170):434–45. doi:10.1016/S0140-6736(18)31809-9
160. Anderson JW, Baird P, Davis RH, et al. Health benefits of dietary fiber. *Nutr Rev.* Apr 2009;67(4):188–205. doi:10.1111/j.1753-4887.2009.00189.x
161. Dahl WJ, Stewart ML. Position of the Academy of Nutrition and Dietetics: health implications of dietary fiber. *J Acad Nutr Diet.* Nov 2015;115(11):1861–70. doi:10.1016/j.jand.2015.09.003

162. Behall KM, Howe JC. Contribution of fiber and resistant starch to metabolizable energy. *Am J Clin Nutr*. Nov 1995;62(5 Suppl):1158S–60S. doi:10.1093/ajcn/62.5.1158S
163. Mketinas DC, Bray GA, Beyl RA, Ryan DH, Sacks FM, Champagne CM. Fiber intake predicts weight loss and dietary adherence in adults consuming calorie-restricted diets: the POUNDS Lost (Preventing Overweight Using Novel Dietary Strategies) study. *J Nutr*. Oct 2019;149(10):1742–8. doi:10.1093/jn/nxz117
164. Jovanovski E, Mazhar N, Komishon A, et al. Can dietary viscous fiber affect body weight independently of an energy-restrictive diet? A systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr*. Feb 2020;111(2):471–85. doi:10.1093/ajcn/nqz292
165. Barr S, Wright J. Postprandial energy expenditure in whole-food and processed-food meals: implications for daily energy expenditure. *Food Nutr Res*. Jul 2010;54. doi:10.3402/fnr.v54i0.5144
166. Ordonio RL, Matsuoka M. Increasing resistant starch content in rice for better consumer health. *Proc Natl Acad Sci USA*. Nov 2016;113(45): 12616–8. doi:10.1073/pnas.1616053113
167. Sonia S, Witjaksono F, Ridwan R. Effect of cooling of cooked white rice on resistant starch content and glycemic response. *Asia Pac J Clin Nutr*. 2015;24(4):620–5. doi:10.6133/apjcn.2015.24.4.13
168. Yang CZ, Shu XL, Zhang LL, et al. Starch properties of mutant rice high in resistant starch. *J Agric Food Chem*. Jan 2006;54(2):523–8. doi:10.1021/jf0524123
169. White U, Peterson CM, Beyl RA, Martin CK, Ravussin E. Resistant starch has no effect on appetite and food intake in individuals with prediabetes. *J Acad Nutr Diet*. Jun 2020;120(6):1034–41. doi:10.1016/j.jand.2020.01.017
170. Guo J, Tan L, Kong L. Impact of dietary intake of resistant starch on obesity and associated metabolic profiles in human: a systematic review of the literature. *Crit Rev Food Sci Nutr*. 2021;61(6):889–905. doi:10.1080/10408398.2020.1747391
171. Knuiman P, Hopman MT, Mensink M. Glycogen availability and skeletal muscle adaptations with endurance and resistance exercise. *Nutr Metab (Lond)*. 2015;12:59. doi:10.1186/s12986-015-0055-9
172. Olsson KE, Saltin B. Variation in total body water with muscle glycogen changes in man. *Acta Physiol Scand*. Sep 1970;80(1):11–8. doi:10.1111/j.1748-1716.1970.tb04764.x
173. Spriet LL. Regulation of skeletal muscle fat oxidation during exercise in humans. *Med Sci Sports Exerc*. Sep 2002;34(9):1477–84. doi:10.1097/00005768-200209000-00013
174. Spriet LL, Watt MJ. Regulatory mechanisms in the interaction between carbohydrate and lipid oxidation during exercise. *Acta Physiol Scand*. Aug 2003;178(4):443–52.

doi:10.1046/j.1365-201X.2003.01152.x

175. Murray B, Rosenbloom C. Fundamentals of glycogen metabolism for coaches and athletes. *Nutr Rev.* Apr 2018;76(4):243–59. doi:10.1093/nutrit/nuy001
176. Jenkins DJ, Wolever TM, Taylor RH, et al. Glycemic index of foods: a physiological basis for carbohydrate exchange. *Am J Clin Nutr.* Mar 1981;34(3):362–6. doi:10.1093/ajcn/34.3.362
177. Hermansen ML, Eriksen NM, Mortensen LS, Holm L, Hermansen K. Can the glycemic index (GI) be used as a tool in the prevention and management of type 2 diabetes? *Rev Diabet Stud.* 2006;3(2):61–71. doi:10.1900/RDS.2006.3.61
178. Sacks FM, Carey VJ, Anderson CA, et al. Effects of high vs low glycemic index of dietary carbohydrate on cardiovascular disease risk factors and insulin sensitivity: the OmniCarb randomized clinical trial. *JAMA.* Dec 2014;312(23):2531–41. doi:10.1001/jama.2014.16658
179. Karl JP, Roberts SB, Schaefer EJ, et al. Effects of carbohydrate quantity and glycemic index on resting metabolic rate and body composition during weight loss. *Obesity* (Silver Spring). Nov 2015;23(11):2190–8. doi:10.1002/oby.21268
180. Clar C, Al-Khudairy L, Loveman E, et al. Low glycaemic index diets for the prevention of cardiovascular disease. *Cochrane Database Syst Rev.* Jul 2017;7:CD004467. doi:10.1002/14651858.CD004467.pub3
181. Khan TA, Sievenpiper JL. Controversies about sugars: results from systematic reviews and meta-analyses on obesity, cardiometabolic disease and diabetes. *Eur J Nutr.* Nov 2016;55(Suppl 2):25–43. doi:10.1007/s00394-016-1345-3
182. Khan TA, Tayyiba M, Agarwal A, et al. Relation of total sugars, sucrose, fructose, and added sugars with the risk of cardiovascular disease: a systematic review and dose-response meta-analysis of prospective cohort studies. *Mayo Clin Proc.* Dec 2019;94(12):2399–414. doi:10.1016/j.mayocp.2019.05.034
183. Yang Q, Zhang Z, Gregg EW, Flanders WD, Merritt R, Hu FB. Added sugar intake and cardiovascular diseases mortality among US adults. *JAMA Intern Med.* Apr 2014;174(4):516–24. doi:10.1001/jamainternmed.2013.13563
184. Erickson J, Sadeghirad B, Lytvyn L, Slavin J, Johnston BC. The scientific basis of guideline recommendations on sugar intake: a systematic review. *Ann Intern Med.* Feb 2017;166(4):257–67. doi:10.7326/M16-2020
185. Stellingwerff T, Cox GR. Systematic review: carbohydrate supplementation on exercise performance or capacity of varying durations. *Appl Physiol Nutr Metab.* Sep 2014;39(9):998–1011. doi:10.1139/apnm-2014-0027

186. Krogh A, Lindhard J. The relative value of fat and carbohydrate as sources of muscular energy: with appendices on the correlation between standard metabolism and the respiratory quotient during rest and work. *Biochem J*. Jul 1920;14(3–4):290–363. doi:10.1042/bj0140290
187. Jeukendrup A. A step towards personalized sports nutrition: carbohydrate intake during exercise. *Sports Med*. May 2014;44 (Suppl 1): S25–33. doi:10.1007/s40279-014-0148-z
188. Tarnopolsky MA. Sex differences in exercise metabolism and the role of 17-beta estradiol. *Med Sci Sports Exerc*. Apr 2008;40(4):648–54. doi:10.1249/MSS.0b013e31816212ff
189. Hausswirth C, Le Meur Y. Physiological and nutritional aspects of post-exercise recovery: specific recommendations for female athletes. *Sports Med*. Oct 2011;41(10):861–82. doi:10.2165/11593180-000000000-00000
190. Wismann J, Willoughby D. Gender differences in carbohydrate metabolism and carbohydrate loading. *J Int Soc Sports Nutr*. Jun 2006;3:28–34. doi:10.1186/1550-2783-3-1-28
191. Grgic J, Mclvenna LC, Fyfe JJ, et al. Does aerobic training promote the same skeletal muscle hypertrophy as resistance training? A systematic review and meta-analysis. *Sports Med*. Feb 2019;49(2):233–54. doi:10.1007/s40279-018-1008-z
192. Vargas S, Romance R, Petro JL, et al. Efficacy of ketogenic diet on body composition during resistance training in trained men: a randomized controlled trial. *J Int Soc Sports Nutr*. Jul 2018;15(1):31. doi:10.1186/s12970-018-0236-9
193. Greene DA, Varley BJ, Hartwig TB, Chapman P, Rigney M. A low-carbohydrate ketogenic diet reduces body mass without compromising performance in powerlifting and Olympic weightlifting athletes. *J Strength Cond Res*. Dec 2018;32(12):3373–82. doi:10.1519/JSC.0000000000002904
194. Kephart WC, Pledge CD, Roberson PA, et al. The three-month effects of a ketogenic diet on body composition, blood parameters, and performance metrics in CrossFit trainees: a pilot study. *Sports (Basel)*. Jan 2018;6(1):1. doi:10.3390/sports6010001
195. Vargas-Molina S, Petro JL, Romance R, et al. Effects of a ketogenic diet on body composition and strength in trained women. *J Int Soc Sports Nutr*. Apr 2020;17(1):19. doi:10.1186/s12970-020-00348-7
196. Paoli A, Cenci L, Pompei P, et al. Effects of two months of very low carbohydrate ketogenic diet on body composition, muscle strength, muscle area, and blood parameters in competitive natural body builders. *Nutrients*. Jan 2021;13(2):374. doi:10.3390/nu13020374

197. Ashtary-Larky D, Bagheri R, Bavi H, et al. Ketogenic diets, physical activity, and body composition: a review. *Br J Nutr.* Jul 2021;1–68. doi:10.1017/S0007114521002609
198. Ashtary-Larky D, Bagheri R, Asbaghi O, et al. Effects of resistance training combined with a ketogenic diet on body composition: a systematic review and meta-analysis. *Crit Rev Food Sci Nutr.* Feb 2021;1–16. doi:10.1080/10408398.2021.1890689
199. Lambert CP, Frank LL, Evans WJ. Macronutrient considerations for the sport of bodybuilding. *Sports Med.* 2004;34(5):317–27. doi:10.2165/00007256-200434050-00004
200. Slater G, Phillips SM. Nutrition guidelines for strength sports: sprinting, weightlifting, throwing events, and bodybuilding. *J Sports Sci.* 2011;29 (Suppl 1):S67–77. doi:10.1080/02640414.2011.574722
201. Spendlove J, Mitchell L, Gifford J, et al. Dietary intake of competitive bodybuilders. *Sports Med.* Jul 2015;45(7):1041–63. doi:10.1007/s40279-015-0329-4
202. Cholewa JM, Newmire DE, Zanchi NE. Carbohydrate restriction: friend or foe of resistance-based exercise performance? *Nutrition.* Apr 2019;60:136–46. doi:10.1016/j.nut.2018.09.026
203. Bin Naharudin MN, Yusof A, Shaw H, Stockton M, Clayton DJ, James LJ. Breakfast omission reduces subsequent resistance exercise performance. *J Strength Cond Res.* Jul 2019;33(7):1766–72. doi:10.1519/JSC.0000000000003054
204. Schoenfeld B, Aragon A. Is there a postworkout anabolic window of opportunity for nutrient consumption? Clearing up controversies. *J Orthop Sports Phys Ther.* 2018;48(12):911–4. doi:10.2519/jospt.2018.0615
205. Morton RW, McGlory C, Phillips SM. Nutritional interventions to augment resistance training-induced skeletal muscle hypertrophy. *Front Physiol.* 2015;6:245. doi:10.3389/fphys.2015.00245
206. Glynn EL, Fry CS, Drummond MJ, et al. Muscle protein breakdown has a minor role in the protein anabolic response to essential amino acid and carbohydrate intake following resistance exercise. *Am J Physiol Regul Integr Comp Physiol.* Aug 2010;299(2):R533–40. doi:10.1152/ajpregu.00077.2010
207. Greenhaff PL, Karagounis LG, Peirce N, et al. Disassociation between the effects of amino acids and insulin on signaling, ubiquitin ligases, and protein turnover in human muscle. *Am J Physiol Endocrinol Metab.* Sep 2008;295(3):E595–604. doi:10.1152/ajpendo.90411.2008
208. Hulmi JJ, Laakso M, Mero AA, Häkkinen K, Ahtiainen JP, Peltonen H. The effects of whey protein with or without carbohydrates on resistance training adaptations. *J Int Soc Sports Nutr.* 2015;12:48. doi:10.1186/s12970-015-0109-4

209. van Wyk HJ, Davis RE, Davies JS. A critical review of low-carbohydrate diets in people with type 2 diabetes. *Diabet Med.* Feb 2016;33(2):148–57. doi:10.1111/dme.12964
210. Huntriss R, Campbell M, Bedwell C. The interpretation and effect of a low-carbohydrate diet in the management of type 2 diabetes: a systematic review and meta-analysis of randomised controlled trials. *Eur J Clin Nutr.* Mar 2018;72(3):311–25. doi:10.1038/s41430-017-0019-4
211. Goldenberg JZ, Day A, Brinkworth GD, et al. Efficacy and safety of low and very low carbohydrate diets for type 2 diabetes remission: systematic review and meta-analysis of published and unpublished randomized trial data. *BMJ.* Jan 2021;372:m4743. doi:10.1136/bmj.m4743
212. Hall K, Guo J. Obesity energetics: body weight regulation and the effects of diet composition. *Gastroenterology.* Feb 2017;pii: S0016–5085(17)30152-X. doi: 10.1053/j.gastro.2017.01.052
213. Buga A, Kackley ML, Crabtree CD, et al. The effects of a 6-week controlled, hypocaloric ketogenic diet, with and without exogenous ketone salts, on body composition responses. *Front Nutr.* Mar 2021;8:618520. doi:10.3389/fnut.2021.618520
214. Crabtree CD, Kackley ML, Buga A, et al. Comparison of ketogenic diets with and without ketone salts versus a low-fat diet: liver fat responses in overweight adults. *Nutrients.* Mar 2021;13(3):966. doi:10.3390/nu13030966
215. Brown AW, Bohan Brown MM, Allison DB. Belief beyond the evidence: using the proposed effect of breakfast on obesity to show 2 practices that distort scientific evidence. *Am J Clin Nutr.* Nov 2013;98(5):1298–308. doi:10.3945/ajcn.113.064410
216. Sievert K, Hussain SM, Page MJ, et al. Effect of breakfast on weight and energy intake: systematic review and meta-analysis of randomised controlled trials. *BMJ.* Jan 2019;364:l42. doi:10.1136/bmj.l42
217. Keim NL, Van Loan MD, Horn WF, Barbieri TF, Mayclin PL. Weight loss is greater with consumption of large morning meals and fat-free mass is preserved with large evening meals in women on a controlled weight reduction regimen. *J Nutr.* Jan 1997;127(1):75–82. doi:10.1093/jn/127.1.75
218. Sofer S, Eliraz A, Kaplan S, et al. Greater weight loss and hormonal changes after 6 months diet with carbohydrates eaten mostly at dinner. *Obesity (Silver Spring).* Oct 2011;19(10):2006–14. doi:10.1038/oby.2011.48
219. Jakubowicz D, Barnea M, Wainstein J, Froy O. High caloric intake at breakfast vs. dinner differentially influences weight loss of overweight and obese women. *Obesity (Silver Spring).* Dec 2013;21(12):2504–12. doi:10.1002/oby.20460

220. Jakubowicz D, Froy O, Wainstein J, Boaz M. Meal timing and composition influence ghrelin levels, appetite scores and weight loss maintenance in overweight and obese adults. *Steroids*. Mar 2012;77(4):323–31. doi:10.1016/j.steroids.2011.12.006
221. Savikj M, Gabriel BM, Alm PS, et al. Afternoon exercise is more efficacious than morning exercise at improving blood glucose levels in individuals with type 2 diabetes: a randomised crossover trial. *Diabetologia*. Feb 2019;62(2):233–7. doi:10.1007/s00125-018-4767-z
222. Babraj JA, Vollaard NB, Keast C, Guppy FM, Cottrell G, Timmons JA. Extremely short duration high intensity interval training substantially improves insulin action in young healthy males. *BMC Endocr Disord*. Jan 2009;9:3. doi:10.1186/1472-6823-9-3
223. Richards JC, Johnson TK, Kuzma JN, et al. Short-term sprint interval training increases insulin sensitivity in healthy adults but does not affect the thermogenic response to beta-adrenergic stimulation. *J Physiol*. Aug 2010;588(Pt 15):2961–72. doi:10.1113/jphysiol.2010.189886
224. Murphy NE, Carrigan CT, Margolis LM. High-fat ketogenic diets and physical performance: a systematic review. *Adv Nutr*. Feb 2021;12(1):223–33. doi:10.1093/advances/nmaa101
225. Paoli A, Grimaldi K, D’Agostino D, et al. Ketogenic diet does not affect strength performance in elite artistic gymnasts. *J Int Soc Sports Nutr*. Jul 2012;9(1):34.
226. Escobar KA, VanDusseldorp TA, Kerkick CM. Carbohydrate intake and resistance-based exercise: are current recommendations reflective of actual need? *Br J Nutr*. Dec 2016;116(12):2053–65. doi:10.1017/S0007114516003949
227. McSwiney FT, Doyle L, Plews DJ, Zinn C. Impact of ketogenic diet on athletes: current insights. *Open Access J Sports Med*. Nov 2019;10:171–83. doi:10.2147/OAJSM.S180409
228. Havemann L, West S, Goedecke J, et al. Fat adaptation followed by carbohydrate loading compromises high-intensity sprint performance. *J Appl Physiol*. Jan 2006;100(1):194–202. doi: 10.1152/jappphysiol.00813.2005
229. Wroble KA, Trott MN, Schweitzer GG, Rahman RS, Kelly PV, Weiss EP. Low-carbohydrate, ketogenic diet impairs anaerobic exercise performance in exercise-trained women and men: a randomized-sequence crossover trial. *J Sports Med Phys Fitness*. Apr 2019;59(4):600–7. doi:10.23736/S0022-4707.18.08318-4
230. Burke LM. Ketogenic low-CHO, high-fat diet: the future of elite endurance sport? *J Physiol*. Feb 2021;599(3):819–43. doi:10.1113/JP278928
231. Burke LM, Sharma AP, Heikura IA, et al. Crisis of confidence averted: Impairment of exercise economy and performance in elite race walkers by ketogenic low carbohydrate,

high fat (LCHF) diet is reproducible. *PLoS One*. Jun 2020;15(6):e0234027. doi:10.1371/journal.pone.0234027

232. Burke LM, Whitfield J, Heikura IA, et al. Adaptation to a low carbohydrate high fat diet is rapid but impairs endurance exercise metabolism and performance despite enhanced glycogen availability. *J Physiol*. Feb 2021;599(3):771–90. doi:10.1113/JP280221
233. Cao J, Lei S, Wang X, Cheng S. The effect of a ketogenic low-carbohydrate, high-fat diet on aerobic capacity and exercise performance in endurance athletes: a systematic review and meta-analysis. *Nutrients*. Aug 2021;13(8):2896. doi:10.3390/nu13082896
234. Zajac A, Poprzecki S, Maszczyk A, Czuba M, Michalczyk M, Zydek G. The effects of a ketogenic diet on exercise metabolism and physical performance in off-road cyclists. *Nutrients*. Jul 2014;6(7):2493–508. doi: 10.3390/nu6072493
235. Bergström J, Hermansen L, Hultman E, Saltin B. Diet, muscle glycogen and physical performance. *Acta Physiol Scand*. Oct–Nov 1967;71(2): 140–50. doi:10.1111/j.1748-1716.1967.tb03720.x
236. Hawley JA, Schabort EJ, Noakes TD, Dennis SC. Carbohydrate-loading and exercise performance. An update. *Sports Med*. Aug 1997;24(2):73–81. doi:10.2165/00007256-199724020-00001
237. Ormsbee MJ, Bach CW, Baur DA. Pre-exercise nutrition: the role of macronutrients, modified starches and supplements on metabolism and endurance performance. *Nutrients*. Apr 2014; 6(5):1782–808. doi:10.3390/nu6051782
238. Hawley JA, Burke LM. Effect of meal frequency and timing on physical performance. *Br J Nutr*. Apr 1997;77 (Suppl 1):S91–103. doi:10.1079/bjn19970107
239. Burdon CA, Spronk I, Cheng HL, O'Connor HT. Effect of glycemic index of a pre-exercise meal on endurance exercise performance: a systematic review and meta-analysis. *Sports Med*. Jun 2017;47(6):1087–101. doi:10.1007/s40279-016-0632-8
240. Smith JW, Zachwieja JJ, Péronnet F, et al. Fuel selection and cycling endurance performance with ingestion of [13C]glucose: evidence for a carbohydrate dose response. *J Appl Physiol* (1985). Jun 2010;108(6):1520–9. doi:10.1152/japplphysiol.91394.2008
241. Smith JW, Pascoe DD, Passe DH, et al. Curvilinear dose-response relationship of carbohydrate (0-120 g·h⁻¹) and performance. *Med Sci Sports Exerc*. Feb 2013;45(2):336–41. doi:10.1249/MSS.0b013e31827205d1
242. Colombani PC, Mannhart C, Mettler S. Carbohydrates and exercise performance in non-fasted athletes: a systematic review of studies mimicking real-life. *Nutr J*. Jan 2013;12:16. doi:10.1186/1475-2891-12-16
243. Pöschmüller M, Schwingshackl L, Colombani PC, Hoffmann G. A systematic review and meta-analysis of carbohydrate benefits associated with randomized controlled

competition-based performance trials. *J Int Soc Sports Nutr.* Jul 2016;13:27.
doi:10.1186/s12970-016-0139-6

244. Rosset R, Egli L, Lecoultre V. Glucose-fructose ingestion and exercise performance: the gastrointestinal tract and beyond. *Eur J Sport Sci.* Aug 2017;17(7):874–84.
doi:10.1080/17461391.2017.1317035
245. Rowlands DS, Houltham S, Musa-Veloso K, Brown F, Paulionis L, Bailey D. Fructose-glucose composite carbohydrates and endurance performance: critical review and future perspectives. *Sports Med.* Nov 2015;45(11):1561–76. doi:10.1007/s40279-015-0381-0
246. Brietzke C, Franco-Alvarenga PE, Coelho-Júnior HJ, Silveira R, Asano RY, Pires FO. Effects of carbohydrate mouth rinse on cycling time trial performance: a systematic review and meta-analysis. *Sports Med.* Jan 2019;49(1):57–66. doi:10.1007/s40279-018-1029-7
247. Coyle EF. Fluid and fuel intake during exercise. *J Sports Sci.* Jan 2004;22(1):39–55.
doi:10.1080/0264041031000140545
248. Jeukendrup AE, Jentjens RL, Moseley L. Nutritional considerations in triathlon. *Sports Med.* 2005;35(2):163–81. doi:10.2165/00007256-200535020-00005
249. Vitale K, Getzin A. Nutrition and supplement update for the endurance athlete: review and recommendations. *Nutrients.* Jun 2019;11(6): 1289. doi:10.3390/nu11061289
250. Baker LB, Barnes KA, Anderson ML, Passe DH, Stofan JR. Normative data for regional sweat sodium concentration and whole-body sweating rate in athletes. *J Sports Sci.* 2016;34(4):358–68. doi:10.1080/02640414.2015.1055291
251. Ivy JL. Glycogen resynthesis after exercise: effect of carbohydrate intake. *Int J Sports Med.* Jun 1998;19 (Suppl 2):S142–5. doi:10.1055/s-2007-971981
252. Jentjens R, Jeukendrup A. Determinants of post-exercise glycogen synthesis during short-term recovery. *Sports Med.* 2003;33(2):117–44. doi:10.2165/00007256-200333020-00004
253. Conlee RK, Lawler RM, Ross PE. Effects of glucose or fructose feeding on glycogen repletion in muscle and liver after exercise or fasting. *Ann Nutr Metab.* 1987;31(2):126–32. doi:10.1159/000177259
254. Rosset R, Lecoultre V, Egli L, et al. Postexercise repletion of muscle energy stores with fructose or glucose in mixed meals. *Am J Clin Nutr.* Mar 2017;105(3):609–17.
doi:10.3945/ajcn.116.138214
255. Gonzalez JT, Fuchs CJ, Betts JA, van Loon LJ. Glucose plus fructose ingestion for post-exercise recovery—greater than the sum of its parts? *Nutrients.* Mar 2017;9(4):344.
doi:10.3390/nu9040344

256. Leiper JB, Aulin KP, Söderlund K. Improved gastric emptying rate in humans of a unique glucose polymer with gel-forming properties. *Scand J Gastroenterol*. Nov 2000;35(11):1143–9. doi:10.1080/003655200750056600
257. Piehl Aulin K, Söderlund K, Hultman E. Muscle glycogen resynthesis rate in humans after supplementation of drinks containing carbohydrates with low and high molecular masses. *Eur J Appl Physiol*. Mar 2000;81(4):346–51. doi:10.1007/s004210050053
258. Stephens FB, Roig M, Armstrong G, Greenhaff PL. Post-exercise ingestion of a unique, high molecular weight glucose polymer solution improves performance during a subsequent bout of cycling exercise. *J Sports Sci*. Jan 2008;26(2):149–54. doi:10.1080/02640410701361548
259. Oliver JM, Almada AL, Van Eck LE, et al. Ingestion of high molecular weight carbohydrate enhances subsequent repeated maximal power: a randomized controlled trial. *PLoS One*. Sep 2016;11(9):e0163009. doi:10.1371/journal.pone.0163009
260. Starling RD, Trappe TA, Parcell AC, Kerr CG, Fink WJ, Costill DL. Effects of diet on muscle triglyceride and endurance performance. *J Appl Physiol* (1985). Apr 1997;82(4):1185–9. doi:10.1152/jappl.1997.82.4.1185
261. Friedman JE, Neufer PD, Dohm GL. Regulation of glycogen resynthesis following exercise. Dietary considerations. *Sports Med*. Apr 1991;11(4):232–43. doi:10.2165/00007256-199111040-00003
262. Jeukendrup AE. Periodized nutrition for athletes. *Sports Med*. Mar 2017;47(Suppl 1):51–63. doi:10.1007/s40279-017-0694-2
263. Stellingwerff T, Spriet L, Watt M, et al. Decreased PDH activation and glycogenolysis during exercise following fat adaptation with carbohydrate restoration. *Am J Physiol Endocrinol Metab*. Feb 2006;290(2):E380–8. doi: 10.1152/ajpendo.00268.2005
264. Burke L. Re-examining high-fat diets for sports performance: did we call the “nail in the coffin” too soon? *Sports Med*. Nov 2015;45 (Suppl 1): S33–49. doi: 10.1007/s40279-015-0393-9
265. Marquet LA, Brisswalter J, Louis J, et al. Enhanced endurance performance by periodization of carbohydrate intake: “sleep low” strategy. *Med Sci Sports Exerc*. Apr 2016;48(4):663–72. doi:10.1249/MSS.0000000000000823
266. Impey SG, Hearn MA, Hammond KM, et al. Fuel for the work required: a theoretical framework for carbohydrate periodization and the glycogen threshold hypothesis. *Sports Med*. May 2018;48(5):1031–48. doi:10.1007/s40279-018-0867-7
267. Gejl KD, Thams LB, Hansen M, et al. No superior adaptations to carbohydrate periodization in elite endurance athletes. *Med Sci Sports Exerc*. Dec 2017;49(12):2486–97. doi:10.1249/MSS.0000000000001377

268. National Research Council (US) Committee on Diet and Health. Diet and Health: Implications for Reducing Chronic Disease Risk. Washington (DC): National Academies Press (US); 1989. 7, Fats and Other Lipids. Available from: www.ncbi.nlm.nih.gov/books/NBK218759/
269. Le HD, Meisel JA, de Meijer VE, Gura KM, Puder M. The essentiality of arachidonic acid and docosahexaenoic acid. *Prostaglandins Leukot Essent Fatty Acids*. Aug–Sep 2009;81(2–3):165–70. doi:10.1016/j.plefa.2009.05.020
270. Richard C, Lewis ED, Field CJ. Evidence for the essentiality of arachidonic and docosahexaenoic acid in the postnatal maternal and infant diet for the development of the infant's immune system early in life. *Appl Physiol Nutr Metab*. May 2016;41(5):461–75. doi:10.1139/apnm-2015-0660
271. Siguel E. Diagnosing essential fatty acid deficiency. *Circulation*. Jun 1998;97(25):2580–3. doi:10.1161/01.cir.97.25.2580
272. Whittaker J, Wu K. Low-fat diets and testosterone in men: systematic review and meta-analysis of intervention studies. *J Steroid Biochem Mol Biol*. Jun 2021;210:105878. doi:10.1016/j.jsbmb.2021.105878
273. Iraki J, Fitschen P, Espinar S, Helms E. Nutrition recommendations for bodybuilders in the off-season: a narrative review. *Sports* (Basel). Jun 2019;7(7):154. doi:10.3390/sports7070154
274. Ruiz-Castellano C, Espinar S, Contreras C, Mata F, Aragon A, Martínez-Sanz J. Achieving an optimal fat loss phase in resistance-trained athletes: a narrative review. *Nutrients*. 2021;13(9):3255. <https://doi.org/10.3390/nu13093255>
275. Wohlgemuth KJ, Arieta LR, Brewer GJ, Hoselton AL, Gould LM, Smith-Ryan AE. Sex differences and considerations for female specific nutritional strategies: a narrative review. *J Int Soc Sports Nutr*. Apr 2021;18(1):27. doi:10.1186/s12970-021-00422-8
276. Childs CE, Kew S, Finnegan YE, et al. Increased dietary α -linolenic acid has sex-specific effects upon eicosapentaenoic acid status in humans: re-examination of data from a randomised, placebo-controlled, parallel study. *Nutr J*. Dec 2014;13(1):113. doi:10.1186/1475-2891-13-113
277. Mumme K, Stonehouse W. Effects of medium-chain triglycerides on weight loss and body composition: a meta-analysis of randomized controlled trials. *J Acad Nutr Diet*. Feb 2015;115(2):249–63. doi:10.1016/j.jand.2014.10.022
278. Clegg ME. Medium-chain triglycerides are advantageous in promoting weight loss although not beneficial to exercise performance. *Int J Food Sci Nutr*. Nov 2010;61(7):653–79. doi:10.3109/09637481003702114

279. Burke LM, Collier GR, Beasley SK, et al. Effect of coingestion of fat and protein with carbohydrate feedings on muscle glycogen storage. *J Appl Physiol* (1985). Jun 1995;78(6):2187–92. doi:10.1152/jappl.1995.78.6.2187
280. Fox AK, Kaufman AE, Horowitz JF. Adding fat calories to meals after exercise does not alter glucose tolerance. *J Appl Physiol* (1985). Jul 2004;97(1):11–6. doi:10.1152/jappphysiol.01398.2003
281. Elliot TA, Cree MG, Sanford AP, Wolfe RR, Tipton KD. Milk ingestion stimulates net muscle protein synthesis following resistance exercise. *Med Sci Sports Exerc*. Apr 2006;38(4):667–74. doi:10.1249/01.mss.0000210190.64458.25
282. van Vliet S, Shy EL, Abou Sawan S, et al. Consumption of whole eggs promotes greater stimulation of postexercise muscle protein synthesis than consumption of isonitrogenous amounts of egg whites in young men. *Am J Clin Nutr*. Dec 2017;106(6):1401–12. doi:10.3945/ajcn.117.159855
283. Sacks FM, Lichtenstein AH, Wu JHY, et al. Dietary fats and cardiovascular disease: a presidential advisory from the American Heart Association. *Circulation*. Jul 2017;136(3):e1–23. doi:10.1161/CIR.0000000000000510
284. US Department of Agriculture and US Department of Health and Human Services. *Dietary Guidelines for Americans, 2020–2025*. 9th Edition. December 2020. Available at DietaryGuidelines.gov.
285. Lenighan YM, McNulty BA, Roche HM. Dietary fat composition: replacement of saturated fatty acids with PUFA as a public health strategy, with an emphasis on α -linolenic acid. *Proc Nutr Soc*. May 2019;78(2):234–45. doi:10.1017/S0029665118002793
286. Hooper L, Martin N, Jimoh OF, Kirk C, Foster E, Abdelhamid AS. Reduction in saturated fat intake for cardiovascular disease. *Cochrane Database Syst Rev*. Aug 2020;8:CD011737. doi:10.1002/14651858.CD011737.pub3
287. Lawrence GD. Dietary fats and health: dietary recommendations in the context of scientific evidence. *Adv Nutr*. May 2013;4(3):294–302. doi:10.3945/an.113.003657
288. Chowdhury R, Warnakula S, Kunutsor S, et al. Association of dietary, circulating, and supplement fatty acids with coronary risk: a systematic review and meta-analysis. *Ann Intern Med*. Mar 2014;160(6):398–406. doi:10.7326/M13-1788
289. Astrup A. A changing view on saturated fatty acids and dairy: from enemy to friend. *Am J Clin Nutr*. Dec 2014;100(6):1407–8. doi:10.3945/ajcn.114.099986
290. Heilesen JL. Dietary saturated fat and heart disease: a narrative review. *Nutr Rev*. Jun 2020;78(6):474–85. doi:10.1093/nutrit/nuz091
291. Shih CW, Hauser ME, Aronica L, Rigdon J, Gardner CD. Changes in blood lipid concentrations associated with changes in intake of dietary saturated fat in the context

of a healthy low-carbohydrate weight-loss diet: a secondary analysis of the Diet Intervention Examining The Factors Interacting with Treatment Success (DIETFITS) trial. *Am J Clin Nutr*. Feb 2019;109(2):433–41. doi:10.1093/ajcn/nqy305

292. Gardner CD, Trepanowski JF, Del Gobbo LC, et al. Effect of low-fat vs low-carbohydrate diet on 12-month weight loss in overweight adults and the association with genotype pattern or insulin secretion: the DIETFITS randomized clinical trial. *JAMA*. Feb 2018;319(7):667–79. doi:10.1001/jama.2018.0245
293. Liu AG, Ford NA, Hu FB, Zelman KM, Mozaffarian D, Kris-Etherton PM. A healthy approach to dietary fats: understanding the science and taking action to reduce consumer confusion. *Nutr J*. Aug 2017;16(1):53. doi:10.1186/s12937-017-0271-4
294. Duarte C, Boccardi V, Amaro Andrade P, Souza Lopes AC, Jacques PF. Dairy versus other saturated fats source and cardiometabolic risk markers: systematic review of randomized controlled trials. *Crit Rev Food Sci Nutr*. 2021;61(3):450–61. doi:10.1080/10408398.2020.1736509
295. Poppitt SD. Cow's milk and dairy consumption: is there now consensus for cardiometabolic health? *Front Nutr*. 2020;7:574725. doi:10.3389/fnut.2020.574725
296. O'Sullivan TA, Hafekost K, Mitrou F, Lawrence D. Food sources of saturated fat and the association with mortality: a meta-analysis. *Am J Public Health*. Sep 2013;103(9):e31–42. doi:10.2105/AJPH.2013.301492
297. Hirahatake KM, Astrup A, Hill JO, Slavin JL, Allison DB, Maki KC. Potential cardiometabolic health benefits of full-fat dairy: the evidence base. *Adv Nutr*. May 2020;11(3):533–47. doi:10.1093/advances/nmz132
298. Chen GC, Wang Y, Tong X, et al. Cheese consumption and risk of cardiovascular disease: a meta-analysis of prospective studies. *Eur J Nutr*. Dec 2017;56(8):2565–75. doi:10.1007/s00394-016-1292-z
299. Thorning TK, Raben A, Tholstrup T, Soedamah-Muthu SS, Givens I, Astrup A. Milk and dairy products: good or bad for human health? An assessment of the totality of scientific evidence. *Food Nutr Res*. Nov 2016;60:32527. doi:10.3402/fnr.v60.32527
300. Timon CM, O'Connor A, Bhargava N, Gibney ER, Feeney EL. Dairy consumption and metabolic health. *Nutrients*. Oct 2020;12(10):3040. doi:10.3390/nu12103040
301. Rosqvist F, Smedman A, Lindmark-Månsson H, et al. Potential role of milk fat globule membrane in modulating plasma lipoproteins, gene expression, and cholesterol metabolism in humans: a randomized study. *Am J Clin Nutr*. Jul 2015;102(1):20–30. doi:10.3945/ajcn.115.107045
302. Liting P, Guoping L, Zhenyue C. Apolipoprotein B/apolipoprotein A1 ratio and non-high-density lipoprotein cholesterol. Predictive value for CHD severity and prognostic utility

in CHD patients. *Herz*. Mar 2015;40 (Suppl 1):1–7. doi:10.1007/s00059-014-4147-5

303. Goswami B, Rajappa M, Mallika V, Kumar S, Shukla DK. Apo-B/apo-AI ratio: a better discriminator of coronary artery disease risk than other conventional lipid ratios in Indian patients with acute myocardial infarction. *Acta Cardiol*. Dec 2008;63(6):749–55. doi:10.2143/AC.63.6.2033393
304. Nurtazina A, Kozhakhmetova D, Dautov D, Shakhanova A, Chattu VK. Apolipoprotein B/A1 ratio as a diagnostic alternative to triglycerides and HDL-cholesterol for the prediction of metabolic syndrome among hypertensives in Kazakhstan. *Diagnostics* (Basel). Jul 2020; 10(8):510. doi:10.3390/diagnostics10080510
305. Kosmerl E, Rocha-Mendoza D, Ortega-Anaya J, Jiménez-Flores R, García-Cano I. Improving human health with milk fat globule membrane, lactic acid bacteria, and Bifidobacteria. *Microorganisms*. Feb 2021;9(2):341. doi:10.3390/microorganisms9020341
306. Beals E, Kamita SG, Sacchi R, et al. Addition of milk fat globule membrane-enriched supplement to a high-fat meal attenuates insulin secretion and induction of soluble epoxide hydrolase gene expression in the postprandial state in overweight and obese subjects. *J Nutr Sci*. Apr 2019;8:e16. doi:10.1017/jns.2019.11
307. Tokede OA, Gaziano JM, Djoussé L. Effects of cocoa products/dark chocolate on serum lipids: a meta-analysis. *Eur J Clin Nutr*. Aug 2011;65(8):879–86. doi:10.1038/ejcn.2011.64
308. Ried K, Sullivan T, Fakler P, Frank OR, Stocks NP. Does chocolate reduce blood pressure? A meta- analysis. *BMC Med*. Jun 28 2010;8:39. doi:10.1186/1741-7015-8-39
309. Yuan S, Li X, Jin Y, Lu J. Chocolate consumption and risk of coronary heart disease, stroke, and diabetes: a meta-analysis of prospective studies. *Nutrients*. Jul 2017;9(7):688. doi:10.3390/nu9070688
310. de Oliveira LN, de Jesus Coelho Castro R, de Oliveira MA, de Oliveira LF. Lipid characterization of white, dark, and milk chocolates by FT-Raman spectroscopy and capillary zone electrophoresis. *J AOAC Int*. 2015 Nov–Dec 2015;98(6):1598–607. doi:10.5740/jaoacint.15-083
311. Magrone T, Russo MA, Jirillo E. Cocoa and dark chocolate polyphenols: from biology to clinical applications. *Front Immunol*. Jun 2017;8:677. doi:10.3389/fimmu.2017.00677
312. Ebaditabar M, Djafarian K, Saeidifard N, Shab-Bidar S. Effect of dark chocolate on flow-mediated dilatation: systematic review, meta-analysis, and dose-response analysis of randomized controlled trials. *Clin Nutr ESPEN*. Apr 2020;36:17–27. doi:10.1016/j.clnesp.2019.10.017
313. Neelakantan N, Seah JYH, van Dam RM. The effect of coconut oil consumption on cardiovascular risk factors: a systematic review and meta-analysis of clinical trials.

Circulation. Mar 2020;141(10):803–14. doi:10.1161/circulationaha.119.043052

314. Wallace TC. Health effects of coconut oil—a narrative review of current evidence. *J Am Coll Nutr*. Feb 2019;38(2):97–107. doi:10.1080/07315724.2018.1497562
315. Harris M, Hutchins A, Fryda L. The impact of virgin coconut oil and high-oleic safflower oil on body composition, lipids, and inflammatory markers in postmenopausal women. *J Med Food*. Apr 2017;20(4):345–51. doi:10.1089/jmf.2016.0114
316. Khaw KT, Sharp SJ, Finikarides L, et al. Randomised trial of coconut oil, olive oil or butter on blood lipids and other cardiovascular risk factors in healthy men and women. *BMJ Open*. Mar 2018;8(3):e020167. doi:10.1136/bmjopen-2017-020167
317. Chinwong S, Chinwong D, Mangklabruks A. Daily consumption of virgin coconut oil increases high-density lipoprotein cholesterol levels in healthy volunteers: a randomized crossover trial. *Evid Based Complement Alternat Med*. 2017;2017:7251562. doi:10.1155/2017/7251562
318. Cardoso DA, Moreira AS, de Oliveira GM, Raggio Luiz R, Rosa G. A coconut extra virgin oil-rich diet increases HDL cholesterol and decreases waist circumference and body mass in coronary artery disease patients. *Nutr Hosp*. Nov 2015;32(5):2144–52. doi:10.3305/nh.2015.32.5.9642
319. Assunção ML, Ferreira HS, dos Santos AF, Cabral CR, Florêncio TM. Effects of dietary coconut oil on the biochemical and anthropometric profiles of women presenting abdominal obesity. *Lipids*. Jul 2009;44(7):593–601. doi:10.1007/s11745-009-3306-6
320. Valente FX, Cândido FG, Lopes LL, et al. Effects of coconut oil consumption on energy metabolism, cardiometabolic risk markers, and appetitive responses in women with excess body fat. *Eur J Nutr*. Jun 2018;57(4):1627–37. doi:10.1007/s00394-017-1448-5
321. Marina AM, Man YB, Nazimah SA, Amin I. Antioxidant capacity and phenolic acids of virgin coconut oil. *Int J Food Sci Nutr*. 2009;60 (Suppl 2):114–23. doi:10.1080/09637480802549127
322. World Cancer Research Fund, American Institute for Cancer Research. Limit red and processed meat. Accessed Oct 2021. www.wcrf.org/dietandcancer/limit-red-and-processed-meat/.
323. National Health Service (UK). Red meat and the risk of bowel cancer. Accessed October 2021. www.nhs.uk/live-well/eat-well/red-meat-and-the-risk-of-bowel-cancer/
324. O'Connor LE, Kim JE, Campbell WW. Total red meat intake of ≥ 0.5 servings/d does not negatively influence cardiovascular disease risk factors: a systemically searched meta-analysis of randomized controlled trials. *Am J Clin Nutr*. Jan 2017;105(1):57–69. doi:10.3945/ajcn.116.142521

325. Kruger C, Zhou Y. Red meat and colon cancer: a review of mechanistic evidence for heme in the context of risk assessment methodology. *Food Chem Toxicol.* Aug 2018;118:131–53. doi:10.1016/j.fct.2018.04.048
326. Maximova K, Khodayari Moez E, Dabravolskaj J, et al. Co-consumption of vegetables and fruit, whole grains, and fiber reduces the cancer risk of red and processed meat in a large prospective cohort of adults from Alberta's Tomorrow Project. *Nutrients.* Jul 2020;12(8):2265. doi:10.3390/nu12082265
327. McNeill SH. Inclusion of red meat in healthful dietary patterns. *Meat Sci.* Nov 2014;98(3):452–60. doi:10.1016/j.meatsci.2014.06.028
328. O'Connor LE, Paddon-Jones D, Wright AJ, Campbell WW. A Mediterranean-style eating pattern with lean, unprocessed red meat has cardiometabolic benefits for adults who are overweight or obese in a randomized, crossover, controlled feeding trial. *Am J Clin Nutr.* Jul 2018; 108(1):33–40. doi:10.1093/ajcn/nqy075
329. Roussell MA, Hill AM, Gaugler TL, et al. Beef in an optimal lean diet study: effects on lipids, lipoproteins, and apolipoproteins. *Am J Clin Nutr.* Jan 2012;95(1):9–16. doi:10.3945/ajcn.111.016261
330. Beauchesne-Rondeau E, Gascon A, Bergeron J, Jacques H. Plasma lipids and lipoproteins in hypercholesterolemic men fed a lipid-lowering diet containing lean beef, lean fish, or poultry. *Am J Clin Nutr.* Mar 2003;77(3):587–93. doi:10.1093/ajcn/77.3.587
331. Maki KC, Van Elswyk ME, Alexander DD, Rains TM, Sohn EL, McNeill S. A meta-analysis of randomized controlled trials that compare the lipid effects of beef versus poultry and/or fish consumption. *J Clin Lipidol.* Jul–Aug 2012;6(4):352–61. doi:10.1016/j.jacl.2012.01.001
332. Mah E, Chen CO, Liska DJ. The effect of egg consumption on cardiometabolic health outcomes: an umbrella review. *Public Health Nutr.* Apr 2020;23(5):935–55. doi:10.1017/S1368980019002441
333. Drouin-Chartier JP, Chen S, Li Y, et al. Egg consumption and risk of cardiovascular disease: three large prospective US cohort studies, systematic review, and updated meta-analysis. *BMJ.* Mar 2020;368:m513. doi:10.1136/bmj.m513
334. Krittanawong C, Narasimhan B, Wang Z, et al. Association between egg consumption and risk of cardiovascular outcomes: a systematic review and meta-analysis. *Am J Med.* Jan 2021;134(1):76–83.e2. doi:10.1016/j.amjmed.2020.05.046
335. Fuller NR, Sainsbury A, Caterson ID, et al. Effect of a high-egg diet on cardiometabolic risk factors in people with type 2 diabetes: the Diabetes and Egg (DIABEGG) Study—randomized weight-loss and follow-up phase. *Am J Clin Nutr.* Jun 2018;107(6):921–31. doi:10.1093/ajcn/nqy048

336. Sugano M, Matsuoka R. Nutritional viewpoints on eggs and cholesterol. *Foods*. Feb 2021;10(3):494. doi:10.3390/foods10030494
337. Zhang X, Lv M, Luo X, et al. Egg consumption and health outcomes: a global evidence mapping based on an overview of systematic reviews. *Ann Transl Med*. Nov 2020;8(21):1343. doi:10.21037/atm-20-4243
338. Khalighi Sikaroudi M, Soltani S, Kolahdouz-Mohammadi R, et al. The responses of different dosages of egg consumption on blood lipid profile: an updated systematic review and meta-analysis of randomized clinical trials. *J Food Biochem*. Aug 2020;44(8):e13263. doi:10.1111/jfbc.13263
339. DiMarco DM, Missimer A, Murillo AG, et al. Intake of up to 3 eggs/day increases HDL cholesterol and plasma choline while plasma trimethylamine-N-oxide is unchanged in a healthy population. *Lipids*. Mar 2017;52(3):255–63. doi:10.1007/s11745-017-4230-9
340. DiMarco DM, Norris GH, Millar CL, Blesso CN, Fernandez ML. Intake of up to 3 eggs per day is associated with changes in HDL function and increased plasma antioxidants in healthy, young adults. *J Nutr*. Mar 2017;147(3):323–9. doi:10.3945/jn.116.241877
341. Lemos BS, Medina-Vera I, Blesso CN, Fernandez ML. Intake of 3 eggs per day when compared to a choline bitartrate supplement, downregulates cholesterol synthesis without changing the LDL/HDL ratio. *Nutrients*. Feb 2018;10(2):258. doi:10.3390/nu10020258
342. Buzzard IM, McRoberts MR, Driscoll DL, Bowering J. Effect of dietary eggs and ascorbic acid on plasma lipid and lipoprotein cholesterol levels in healthy young men. *Am J Clin Nutr*. Jul 1982;36(1):94–105. doi:10.1093/ajcn/36.1.94
343. Flynn MA, Nolph GB, Osio Y, et al. Serum lipids and eggs. *J Am Diet Assoc*. Nov 1986;86(11): 1541–8.
344. Clark RM, Herron KL, Waters D, Fernandez ML. Hypo- and hyperresponse to egg cholesterol predicts plasma lutein and beta-carotene concentrations in men and women. *J Nutr*. Mar 2006;136(3):601–7. doi:10.1093/jn/136.3.601
345. Mutungi G, Ratliff J, Puglisi M, et al. Dietary cholesterol from eggs increases plasma HDL cholesterol in overweight men consuming a carbohydrate-restricted diet. *J Nutr*. Feb 2008;138(2):272–6. doi:10.1093/jn/138.2.272
346. Mutungi G, Waters D, Ratliff J, et al. Eggs distinctly modulate plasma carotenoid and lipoprotein subclasses in adult men following a carbohydrate-restricted diet. *J Nutr Biochem*. Apr 2010;21(4):261–7. doi:10.1016/j.jnuthbio.2008.12.011
347. Blesso CN, Andersen CJ, Barona J, Volek JS, Fernandez ML. Whole egg consumption improves lipoprotein profiles and insulin sensitivity to a greater extent than yolk-free

egg substitute in individuals with metabolic syndrome. *Metabolism*. Mar 2013;62(3):400–10. doi:10.1016/j.metabol.2012.08.014

348. Wright CS, Zhou J, Sayer RD, Kim JE, Campbell WW. Effects of a high-protein diet including whole eggs on muscle composition and indices of cardiometabolic health and systemic inflammation in older adults with overweight or obesity: a randomized controlled trial. *Nutrients*. Jul 2018;10(7):946. doi:10.3390/nu10070946
349. Wallace SK, Mozaffarian D. Trans-fatty acids and nonlipid risk factors. *Curr Atheroscler Rep*. Nov 2009;11(6):423–33. doi:10.1007/s11883-009-0064-0
350. Gayet-Boyer C, Tenenhaus-Aziza F, Prunet C, et al. Is there a linear relationship between the dose of ruminant trans-fatty acids and cardiovascular risk markers in healthy subjects: results from a systematic review and meta-regression of randomised clinical trials. *Br J Nutr*. Dec 2014;112(12):1914–22. doi:10.1017/S0007114514002578
351. Allen BC, Vincent MJ, Liska D, Haber LT. Meta-regression analysis of the effect of trans fatty acids on low-density lipoprotein cholesterol. *Food Chem Toxicol*. Dec 2016;98(Pt B):295–307. doi:10.1016/j.fct.2016.10.014
352. Hu Y, Hu FB, Manson JE. Marine omega-3 supplementation and cardiovascular disease: an updated meta-analysis of 13 randomized controlled trials involving 127,477 participants. *J Am Heart Assoc*. Oct 2019;8(19):e013543. doi:10.1161/JAHA.119.013543
353. Bowman L, Mafham M, Wallendszus K, et al. Effects of n-3 fatty acid supplements in diabetes mellitus. *N Engl J Med*. Oct 2018;379(16):1540–50. doi:10.1056/NEJMoa1804989
354. Manson JE, Cook NR, Lee IM, et al. Marine n-3 fatty acids and prevention of cardiovascular disease and cancer. *N Engl J Med*. Jan 2019; 380(1):23–32. doi:10.1056/NEJMoa1811403
355. Bhatt DL, Steg PG, Miller M, et al. Cardiovascular risk reduction with icosapent ethyl for hypertriglyceridemia. *N Engl J Med*. Jan 2019; 380(1):11–22. doi:10.1056/NEJMoa1812792
356. Kris-Etherton PM, Harris WS, Appel LJ, Committee AHA. Fish consumption, fish oil, omega-3 fatty acids, and cardiovascular disease. *Circulation*. Nov 19 2002;106(21):2747–57. doi:10.1161/01.cir.0000038493.65177.94
357. Kris-Etherton PM, Richter CK, Bowen KJ, et al. Recent clinical trials shed new light on the cardiovascular benefits of omega-3 fatty acids. *Methodist Debaquey Cardiovasc J*. 2019 Jul–Sep 2019;15(3):171–8. doi:10.14797/mdcj-15-3-171
358. Baker EJ, Miles EA, Burdge GC, Yaqoob P, Calder PC. Metabolism and functional effects of plant-derived omega-3 fatty acids in humans. *Prog Lipid Res*. Oct 2016;64:30–56. doi:10.1016/j.plipres.2016.07.002

359. Lane K, Derbyshire E, Li W, Brennan C. Bioavailability and potential uses of vegetarian sources of omega-3 fatty acids: a review of the literature. *Crit Rev Food Sci Nutr*. 2014;54(5):572–9. doi:10.1080/10408398.2011.596292
360. Craddock JC, Neale EP, Probst YC, Peoples GE. Algal supplementation of vegetarian eating patterns improves plasma and serum docosahexaenoic acid concentrations and omega-3 indices: a systematic literature review. *J Hum Nutr Diet*. Dec 2017;30(6):693–9. doi:10.1111/jhn.12474
361. Simopoulos AP. The importance of the ratio of omega-6/omega-3 essential fatty acids. *Biomed Pharmacother*. Oct 2002;56(8):365–79. doi:10.1016/s0753-3322(02)00253-6
362. Simopoulos AP. The omega-6/omega-3 fatty acid ratio, genetic variation, and cardiovascular disease. *Asia Pac J Clin Nutr*. 2008;17 (Suppl 1):131–4.
363. Johnson GH, Fritsche K. Effect of dietary linoleic acid on markers of inflammation in healthy persons: a systematic review of randomized controlled trials. *J Acad Nutr Diet*. Jul 2012; 112(7):1029–41, 1041.e1–15. doi:10.1016/j.jand.2012.03.029
364. Ramsden CE, Hibbeln JR, Majchrzak SF, Davis JM. n-6 fatty acid-specific and mixed polyunsaturate dietary interventions have different effects on CHD risk: a meta-analysis of randomised controlled trials. *Br J Nutr*. Dec 2010;104(11):1586–600. doi:10.1017/S0007114510004010
365. Ramsden CE, Zamora D, Leelarthaepin B, et al. Use of dietary linoleic acid for secondary prevention of coronary heart disease and death: evaluation of recovered data from the Sydney Diet Heart Study and updated meta-analysis. *BMJ*. Feb 2013;346:e8707. doi:10.1136/bmj.e8707
366. Ramsden CE, Zamora D, Majchrzak-Hong S, et al. Re-evaluation of the traditional diet-heart hypothesis: analysis of recovered data from Minnesota Coronary Experiment (1968–73). *BMJ*. Apr 2016;353:i1246. doi:10.1136/bmj.i1246
367. Hooper L, Al-Khudairy L, Abdelhamid AS, et al. Omega-6 fats for the primary and secondary prevention of cardiovascular disease. *Cochrane Database Syst Rev*. Nov 2018;11:CD011094. doi:10.1002/14651858.CD011094.pub4
368. Farvid MS, Ding M, Pan A, et al. Dietary linoleic acid and risk of coronary heart disease: a systematic review and meta-analysis of prospective cohort studies. *Circulation*. Oct 2014;130(18):1568–78. doi:10.1161/CIRCULATIONAHA.114.010236
369. Li J, Guasch-Ferré M, Li Y, Hu FB. Dietary intake and biomarkers of linoleic acid and mortality: systematic review and meta-analysis of prospective cohort studies. *Am J Clin Nutr*. Jul 2020;112(1):150–67. doi:10.1093/ajcn/nqz349
370. Marangoni F, Agostoni C, Borghi C, et al. Dietary linoleic acid and human health: focus on cardiovascular and cardiometabolic effects. *Atherosclerosis*. Jan 2020;292:90–8.

doi:10.1016/j.atherosclerosis.2019.11.018

371. Schwingshackl L, Bogensberger B, Benčić A, Knüppel S, Boeing H, Hoffmann G. Effects of oils and solid fats on blood lipids: a systematic review and network meta-analysis. *J Lipid Res.* Sept 2018;59(9):1771–82. doi:10.1194/jlr.P085522
372. Kamil A, Chen CY. Health benefits of almonds beyond cholesterol reduction. *J Agric Food Chem.* Jul 2012;60(27):6694–702. doi:10.1021/jf2044795
373. Alexiadou K, Katsilambros N. Nuts: anti-atherogenic food? *Eur J Intern Med.* Apr 2011; 22(2):141–6. doi:10.1016/j.ejim.2010.11.008
374. Vadivel V, Kunyanga CN, Biesalski HK. Health benefits of nut consumption with special reference to body weight control. *Nutrition.* Nov–Dec 2012;28(11–12):1089–97. doi:10.1016/j.nut.2012.01.004
375. Ros E. Nuts and CVD. *Br J Nutr.* Apr 2015; 113 (Suppl 2):S111–20. doi:10.1017/S0007114514003924
376. de Souza RGM, Schincaglia RM, Pimentel GD, Mota JF. Nuts and human health outcomes: a systematic review. *Nutrients.* Dec 2017; 9(12):1311. doi:10.3390/nu9121311
377. Harris WS. The omega-6:omega-3 ratio: a critical appraisal and possible successor. *Prostaglandins Leukot Essent Fatty Acids.* May 2018;132:34–40. doi:10.1016/j.plefa.2018.03.003
378. Forouhi NG, Krauss RM, Taubes G, Willett W. Dietary fat and cardiometabolic health: evidence, controversies, and consensus for guidance. *BMJ.* Jun 2018;361:k2139. doi:10.1136/bmj.k2139
379. Swann JP. The history of efforts to regulate dietary supplements in the USA. *Drug Test Anal.* Mar–Apr 2016;8(3–4):271–82. doi:10.1002/dta.1919
380. Dickinson A. History and overview of DSHEA. *Fitoterapia.* Jan 2011;82(1):5–10. doi:10.1016/j.fitote.2010.09.001
381. Lordan R. Dietary supplements and nutraceuticals market growth during the coronavirus pandemic—implications for consumers and regulatory oversight. *PharmaNutrition.* Dec 2021;18:100282. doi:10.1016/j.phanu.2021.100282
382. Benito PJ, Cupeiro R, Ramos-Campo DJ, Alcaraz PE, Rubio-Arias J. A systematic review with meta-analysis of the effect of resistance training on whole-body muscle growth in healthy adult males. *Int J Environ Res Public Health.* Feb 2020;17(4):1285. doi:10.3390/ijerph17041285
383. Aguiar AF, Grala AP, da Silva RA, et al. Free leucine supplementation during an 8-week resistance training program does not increase muscle mass and strength in untrained

young adult subjects. *Amino Acids*. Jul 2017;49(7):1255–62. doi:10.1007/s00726-017-2427-0

384. Marcon M, Zanella PB. The effect of branched-chain amino acids supplementation in physical exercise: a systematic review of human randomized controlled trials. *Science & Sports*. 2022;(January [in press]) <https://doi.org/10.1016/j.scispo.2021.05.006>
385. Manore MM. Dietary supplements for improving body composition and reducing body weight: where is the evidence? *Int J Sport Nutr Exerc Metab*. Apr 2012;22(2):139–54. doi:10.1123/ijsnem.22.2.139
386. Stohs SJ, Badmaev V. A review of natural stimulant and non-stimulant thermogenic agents. *Phytother Res*. May 2016;30(5):732–40. doi:10.1002/ptr.5583
387. Watanabe M, Risi R, Masi D, et al. Current evidence to propose different food supplements for weight loss: a comprehensive review. *Nutrients*. Sep 2020;12(9):2873. doi:10.3390/nu12092873
388. Clark JE, Welch S. Comparing effectiveness of fat burners and thermogenic supplements to diet and exercise for weight loss and cardiometabolic health: systematic review and meta-analysis. *Nutr Health*. Dec 2021;27(4):445–59. doi:10.1177/0260106020982362
389. Tabrizi R, Saneei P, Lankarani KB, et al. The effects of caffeine intake on weight loss: a systematic review and dose-response meta-analysis of randomized controlled trials. *Crit Rev Food Sci Nutr*. 2019;59(16):2688–96. doi:10.1080/10408398.2018.1507996
390. Kamangar F, Emadi A. Vitamin and mineral supplements: do we really need them? *Int J Prev Med*. Mar 2012;3(3):221–6.
391. Kim J, Choi J, Kwon SY, et al. Association of multivitamin and mineral supplementation and risk of cardiovascular disease: a systematic review and meta-analysis. *Circ Cardiovasc Qual Outcomes*. Jul 2018;11(7):e004224. doi:10.1161/CIRCOUTCOMES.117.004224
392. Sesso HD, Christen WG, Bubes V, et al. Multivitamins in the prevention of cardiovascular disease in men: the Physicians' Health Study II randomized controlled trial. *JAMA*. Nov 2012;308(17):1751–60. doi:10.1001/jama.2012.14805
393. Hercberg S, Galan P, Preziosi P, et al. The SUVI.MAX study: a randomized, placebo-controlled trial of the health effects of antioxidant vitamins and minerals. *Arch Intern Med*. Nov 2004;164(21):2335–42. doi:10.1001/archinte.164.21.2335
394. USDA, USDHHS. *2015–2020 Dietary Guidelines for Americans*, 8th Edition. US Government Printing Office. https://health.gov/dietaryguidelines/2015/resources/2015-2020_Dietary_Guidelines.pdf

395. Huang HY, Caballero B, Chang S, et al. Multivitamin/mineral supplements and prevention of chronic disease. *Evid Rep Technol Assess (Full Rep)*. May 2006;(139):1–117.
396. Bird JK, Murphy RA, Ciappio ED, McBurney MI. Risk of deficiency in multiple concurrent micronutrients in children and adults in the United States. *Nutrients*. Jun 2017;9(7):655. doi:10.3390/nu9070655
397. Calton JB. Prevalence of micronutrient deficiency in popular diet plans. *J Int Soc Sports Nutr*. Jun 2010;7:24. doi:10.1186/1550-2783-7-24
398. G Engel M, J Kern H, Brenna JT, H Mitmesser S. Micronutrient gaps in three commercial weight-loss diet plans. *Nutrients*. Jan 2018;10(1):108. doi:10.3390/nu10010108
399. Kleiner SM, Bazzarre TL, Litchford MD. Metabolic profiles, diet, and health practices of championship male and female bodybuilders. *J Am Diet Assoc*. Jul 1990;90(7):962–7.
400. Kleiner SM, Bazzarre TL, Ainsworth BE. Nutritional status of nationally ranked elite bodybuilders. *Int J Sport Nutr*. Mar 1994;4(1):54–69. doi:10.1123/ijns.4.1.54
401. Misner B. Food alone may not provide sufficient micronutrients for preventing deficiency. *J Int Soc Sports Nutr*. Jun 2006;3:51–5. doi:10.1186/1550-2783-3-1-51
402. Ward E. Addressing nutritional gaps with multivitamin and mineral supplements. *Nutr J*. Jul 15 2014;13:72. doi:10.1186/1475-2891-13-72
403. Joncquel-Chevalier Curt M, Voicu PM, Fontaine M, et al. Creatine biosynthesis and transport in health and disease. *Biochimie*. Dec 2015;119:146–65. doi:10.1016/j.biochi.2015.10.022
404. Kreider RB. Effects of creatine supplementation on performance and training adaptations. *Mol Cell Biochem*. Feb 2003;244(1-2):89–94.
405. Persky AM, Brazeau GA. Clinical pharmacology of the dietary supplement creatine monohydrate. *Pharmacol Rev*. Jun 2001;53(2):161–76.
406. Cooper R, Naclerio F, Allgrove J, Jimenez A. Creatine supplementation with specific view to exercise/sports performance: an update. *J Int Soc Sports Nutr*. Jul 2012;9(1):33. doi:10.1186/1550-2783-9-33
407. Brosnan ME, Brosnan JT. The role of dietary creatine. *Amino Acids*. Aug 2016;48(8):1785–91. doi:10.1007/s00726-016-2188-1
408. Riesberg LA, Weed SA, McDonald TL, Eckerson JM, Drescher KM. Beyond muscles: The untapped potential of creatine. *Int Immunopharmacol*. Aug 2016;37:31–42. doi:10.1016/j.intimp.2015.12.034

409. Roschel H, Gualano B, Ostojic SM, Rawson ES. Creatine supplementation and brain health. *Nutrients*. Feb 2021;13(2):586. doi:10.3390/nu13020586
410. Naderi A, de Oliveira EP, Ziegenfuss TN, Willems MT. Timing, optimal dose and intake duration of dietary supplements with evidence-based use in sports nutrition. *J Exerc Nutrition Biochem*. Dec 2016;20(4):1–12. doi:10.20463/jenb.2016.0031
411. Antonio J, Ciccone V. The effects of pre versus post workout supplementation of creatine monohydrate on body composition and strength. *J Int Soc Sports Nutr*. Aug 2013;10:36. doi:10.1186/1550-2783-10-36
412. Candow DG, Vogt E, Johannsmeyer S, Forbes SC, Farthing JP. Strategic creatine supplementation and resistance training in healthy older adults. *Appl Physiol Nutr Metab*. Jul 2015;40(7):689–94. doi:10.1139/apnm-2014-0498
413. Candow DG, Zello GA, Ling B, et al. Comparison of creatine supplementation before versus after supervised resistance training in healthy older adults. *Res Sports Med*. 2014;22(1):61–74. doi:10.1080/15438627.2013.852088
414. Ribeiro F, Longobardi I, Perim P, et al. Timing of creatine supplementation around exercise: a real concern? *Nutrients*. Aug 2021;13(8):2844. doi:10.3390/nu13082844
415. Buford TW, Kreider RB, Stout JR, et al. International Society of Sports Nutrition position stand: creatine supplementation and exercise. *J Int Soc Sports Nutr*. Aug 2007;4:6. doi:10.1186/1550-2783-4-6
416. Rawson ES, Persky AM, Price TB, Clarkson PM. Effects of repeated creatine supplementation on muscle, plasma, and urine creatine levels. *J Strength Cond Res*. Feb 2004;18(1):162–7. doi:10.1519/1533-4287(2004)0182.0.co;2
417. Jäger R, Purpura M, Shao A, Inoue T, Kreider RB. Analysis of the efficacy, safety, and regulatory status of novel forms of creatine. *Amino Acids*. May 2011;40(5):1369–83. doi:10.1007/s00726-011-0874-6
418. Antonio J, Candow DG, Forbes SC, et al. Common questions and misconceptions about creatine supplementation: what does the scientific evidence really show? *J Int Soc Sports Nutr*. Feb 2021;18(1):13. doi:10.1186/s12970-021-00412-w
419. Trexler ET, Smith-Ryan AE. Creatine and caffeine: considerations for concurrent supplementation. *Int J Sport Nutr Exerc Metab*. Dec 2015;25(6):607–23. doi:10.1123/ijsnem.2014-0193
420. Marinho AH, Gonçalves JS, Araújo PK, Lima-Silva AE, Ataíde-Silva T, de Araujo GG. Effects of creatine and caffeine ingestion in combination on exercise performance: a systematic review. *Crit Rev Food Sci Nutr*. Nov 2021:1–14. doi:10.1080/10408398.2021.2007470

421. van der Merwe J, Brooks NE, Myburgh KH. Three weeks of creatine monohydrate supplementation affects dihydrotestosterone to testosterone ratio in college-aged rugby players. *Clin J Sport Med*. Sep 2009;19(5):399–404. doi:10.1097/JSM.0b013e3181b8b52f
422. Kaufman KD. Androgens and alopecia. *Mol Cell Endocrinol*. Dec 2002;198(1-2):89–95. doi:10.1016/s0303-7207(02)00372-6
423. Artioli GG, Gualano B, Smith A, Stout J, Lancha AH. Role of beta-alanine supplementation on muscle carnosine and exercise performance. *Med Sci Sports Exerc*. Jun 2010;42(6):1162–73. doi:10.1249/MSS.0b013e3181c74e38
424. Everaert I, Mooyaart A, Baguet A, et al. Vegetarianism, female gender and increasing age, but not CNDP1 genotype, are associated with reduced muscle carnosine levels in humans. *Amino Acids*. Apr 2011;40(4):1221–9. doi:10.1007/s00726-010-0749-2
425. Hobson RM, Saunders B, Ball G, Harris RC, Sale C. Effects of β -alanine supplementation on exercise performance: a meta-analysis. *Amino Acids*. Jul 2012;43(1):25–37. doi:10.1007/s00726-011-1200-z
426. Saunders B, Elliott-Sale K, Artioli GG, et al. β -alanine supplementation to improve exercise capacity and performance: a systematic review and meta-analysis. *Br J Sports Med*. Apr 2017;51(8):658–69. doi:10.1136/bjsports-2016-096396
427. Brisola GMP, Zagatto AM. Ergogenic effects of β -alanine supplementation on different sports modalities: strong evidence or only incipient findings? *J Strength Cond Res*. Jan 2019;33(1):253–82. doi:10.1519/JSC.0000000000002925
428. Harris RC, Tallon MJ, Dunnnett M, et al. The absorption of orally supplied beta-alanine and its effect on muscle carnosine synthesis in human vastus lateralis. *Amino Acids*. May 2006;30(3):279–89. doi:10.1007/s00726-006-0299-9
429. Saunders B, DE Salles Painelli V, DE Oliveira LF, et al. Twenty-four weeks of β -alanine supplementation on carnosine content, related genes, and exercise. *Med Sci Sports Exerc*. May 2017;49(5):896–906. doi:10.1249/MSS.0000000000001173
430. Stegen S, Bex T, Vervaeke C, Vanhee L, Achten E, Derave W. β -alanine dose for maintaining moderately elevated muscle carnosine levels. *Med Sci Sports Exerc*. Jul 2014;46(7):1426–32. doi:10.1249/MSS.0000000000000248
431. Dolan E, Swinton PA, Painelli VS, et al. A systematic risk assessment and meta-analysis on the use of oral β -alanine supplementation. *Adv Nutr*. May 2019;10(3):452–63. doi:10.1093/advances/nmy115
432. Sale C, Saunders B, Harris RC. Effect of beta-alanine supplementation on muscle carnosine concentrations and exercise performance. *Amino Acids*. Jul 2010;39(2):321–33. doi:10.1007/s00726-009-0443-4

433. Décombaz J, Beaumont M, Vuichoud J, Bouisset F, Stellingwerff T. Effect of slow-release β -alanine tablets on absorption kinetics and paresthesia. *Amino Acids*. Jul 2012;43(1):67–76. doi:10.1007/s00726-011-1169-7
434. de Salazar L, Segarra I, López-Román FJ, Torregrosa-García A, Pérez-Piñero S, Ávila-Gandía V. Increased bioavailability of β -alanine by a novel controlled-release powder blend compared to a slow-release tablet. *Pharmaceutics*. Sep 2021;13(9):1517. doi:10.3390/pharmaceutics13091517
435. Blancquaert L, Everaert I, Missinne M, et al. Effects of histidine and β -alanine supplementation on human muscle carnosine storage. *Med Sci Sports Exerc*. Mar 2017;49(3):602–9. doi:10.1249/MSS.0000000000001213
436. Grgic J, Rodriguez RF, Garofolini A, et al. Effects of sodium bicarbonate supplementation on muscular strength and endurance: a systematic review and meta-analysis. *Sports Med*. Jul 2020;50(7):1361–75. doi:10.1007/s40279-020-01275-y
437. Calvo JL, Xu H, Mon-López D, Pareja-Galeano H, Jiménez SL. Effect of sodium bicarbonate contribution on energy metabolism during exercise: a systematic review and meta-analysis. *J Int Soc Sports Nutr*. Feb 2021;18(1):11. doi:10.1186/s12970-021-00410-y
438. Peart DJ, Siegler JC, Vince RV. Practical recommendations for coaches and athletes: a meta-analysis of sodium bicarbonate use for athletic performance. *J Strength Cond Res*. Jul 2012;26(7):1975–83. doi:10.1519/JSC.0b013e3182576f3d
439. Carr AJ, Hopkins WG, Gore CJ. Effects of acute alkalosis and acidosis on performance: a meta-analysis. *Sports Med*. Oct 2011;41(10):801–14. doi:10.2165/11591440-000000000-00000
440. Matson LG, Tran ZV. Effects of sodium bicarbonate ingestion on anaerobic performance: a meta-analytic review. *Int J Sport Nutr*. Mar 1993;3(1):2–28. doi:10.1123/ijsn.3.1.2
441. Grgic J, Pedisic Z, Saunders B, et al. International Society of Sports Nutrition position stand: sodium bicarbonate and exercise performance. *J Int Soc Sports Nutr*. Sep 2021;18(1):61. doi:10.1186/s12970-021-00458-w
442. Ducker KJ, Dawson B, Wallman KE. Effect of beta alanine and sodium bicarbonate supplementation on repeated-sprint performance. *J Strength Cond Res*. Dec 2013;27(12):3450–60. doi:10.1519/JSC.0b013e31828fd310
443. Hadzic M, Eckstein ML, Schugardt M. The impact of sodium bicarbonate on performance in response to exercise duration in athletes: a systematic review. *J Sports Sci Med*. Jun 2019;18(2):271–81.

444. Maughan RJ, Burke LM, Dvorak J, et al. IOC consensus statement: dietary supplements and the high-performance athlete. *Br J Sports Med*. Apr 2018;52(7):439–55. doi:10.1136/bjsports-2018-099027
445. McMahon NF, Leveritt MD, Pavey TG. The effect of dietary nitrate supplementation on endurance exercise performance in healthy adults: a systematic review and meta-analysis. *Sports Med*. Apr 2017;47(4):735–56. doi:10.1007/s40279-016-0617-7
446. Gao C, Gupta S, Adli T, et al. The effects of dietary nitrate supplementation on endurance exercise performance and cardiorespiratory measures in healthy adults: a systematic review and meta-analysis. *J Int Soc Sports Nutr*. Jul 2021;18(1):55. doi:10.1186/s12970-021-00450-4
447. Gallardo EJ, Coggan AR. What's in your beet juice? Nitrate and nitrite content of beet juice products marketed to athletes. *Int J Sport Nutr Exerc Metab*. Jul 2019;29(4):345–9. doi:10.1123/ijsnem.2018-0223
448. Clements WT, Lee SR, Bloomer RJ. Nitrate ingestion: a review of the health and physical performance effects. *Nutrients*. Nov 2014; 6(11):5224–64. doi:10.3390/nu6115224
449. Hord NG, Tang Y, Bryan NS. Food sources of nitrates and nitrites: the physiologic context for potential health benefits. *Am J Clin Nutr*. Jul 2009;90(1):1–10. doi:10.3945/ajcn.2008.27131
450. Larsen FJ, Schiffer TA, Ekblom B, et al. Dietary nitrate reduces resting metabolic rate: a randomized, crossover study in humans. *Am J Clin Nutr*. Apr 2014;99(4):843–50. doi:10.3945/ajcn.113.079491
451. Pawlak-Chaouch M, Boissière J, Gamelin FX, Cuvelier G, Berthoin S, Aucouturier J. Effect of dietary nitrate supplementation on metabolic rate during rest and exercise in human: a systematic review and a meta-analysis. *Nitric Oxide*. Feb 2016;53:65–76. doi:10.1016/j.niox.2016.01.001
452. Cappelletti S, Piacentino D, Daria P, Sani G, Aromatario M. Caffeine: cognitive and physical performance enhancer or psychoactive drug? *Curr Neuropharmacol*. Jan 2015;13(1):71–88. doi:10.2174/1570159X13666141210215655
453. Meredith SE, Juliano LM, Hughes JR, Griffiths RR. Caffeine use disorder: a comprehensive review and research agenda. *J Caffeine Res*. Sep 2013;3(3):114–30. doi:10.1089/jcr.2013.0016
454. Martins GL, Guilherme JPLF, Ferreira LHB, de Souza-Junior TP, Lancha AH. Caffeine and exercise performance: possible directions for definitive findings. *Front Sports Act Living*. Dec 2020;2:574854. doi:10.3389/fspor.2020.574854
455. Goldstein ER, Ziegenfuss T, Kalman D, et al. International Society of Sports Nutrition position stand: caffeine and performance. *J Int Soc Sports Nutr*. Jan 2010;7(1):5.

doi:10.1186/1550-2783-7-5

456. Grgic J, Trexler ET, Lazinica B, Pedisic Z. Effects of caffeine intake on muscle strength and power: a systematic review and meta-analysis. *J Int Soc Sports Nutr.* Mar 2018;15:11. doi:10.1186/s12970-018-0216-0
457. Grgic J, Grgic I, Pickering C, Schoenfeld BJ, Bishop DJ, Pedisic Z. Wake up and smell the coffee: caffeine supplementation and exercise performance—an umbrella review of 21 published meta-analyses. *Br J Sports Med.* Jun 2020;54(11):681–8. doi:10.1136/bjsports-2018-100278
458. Guest NS, VanDusseldorp TA, Nelson MT, et al. International Society of Sports Nutrition position stand: caffeine and exercise performance. *J Int Soc Sports Nutr.* Jan 2021;18(1):1. doi:10.1186/s12970-020-00383-4
459. Campbell B, Wilborn C, La Bounty P, et al. International Society of Sports Nutrition position stand: energy drinks. *J Int Soc Sports Nutr.* Jan 2013;10(1):1. doi:10.1186/1550-2783-10-1
460. Generali JA. Energy drinks: food, dietary supplement, or drug? *Hosp Pharm.* Jan 2013;48(1):5–9. doi:10.1310/hpj4801-5.test
461. Al-Shaar L, Vercammen K, Lu C, Richardson S, Tamez M, Mattei J. Health effects and public health concerns of energy drink consumption in the United States: a mini-review. *Front Public Health.* Aug 2017;5:225. doi:10.3389/fpubh.2017.00225
462. Satel S. Is caffeine addictive? A review of the literature. *Am J Drug Alcohol Abuse.* 2006;32(4): 493–502. doi:10.1080/00952990600918965
463. Kim Y, Je Y, Giovannucci E. Coffee consumption and all-cause and cause-specific mortality: a meta-analysis by potential modifiers. *Eur J Epidemiol.* Aug 2019;34(8):731–52. doi:10.1007/s10654-019-00524-3
464. Ruiz LD, Scherr RE. Risk of energy drink consumption to adolescent health. *Am J Lifestyle Med.* Jan–Feb 2019;13(1):22–5. doi:10.1177/1559827618803069
465. Poole R, Kennedy OJ, Roderick P, Fallowfield JA, Hayes PC, Parkes J. Coffee consumption and health: umbrella review of meta-analyses of multiple health outcomes. *BMJ.* Nov 2017; 359:j5024. doi:10.1136/bmj.j5024
466. Doepker C, Franke K, Myers E, et al. Key findings and implications of a recent systematic review of the potential adverse effects of caffeine consumption in healthy adults, pregnant women, adolescents, and children. *Nutrients.* Oct 2018; 10(10):1536. doi:10.3390/nu10101536
467. Higgins S, Straight CR, Lewis RD. The effects of preexercise caffeinated coffee ingestion on endurance performance: an evidence-based review. *Int J Sport Nutr Exerc Metab.* Jun 2016; 26(3):221–39. doi:10.1123/ijsnem.2015-0147

468. Grgic J, Pickering C, Del Coso J, Schoenfeld BJ, Mikulic P. CYP1A2 genotype and acute ergogenic effects of caffeine intake on exercise performance: a systematic review. *Eur J Nutr.* Apr 2021;60(3):1181–95. doi:10.1007/s00394-020-02427-6
469. Kouri EM, Pope HG, Katz DL, Oliva P. Fat-free mass index in users and nonusers of anabolic-androgenic steroids. *Clin J Sport Med.* Oct 1995;5(4):223–8. doi:10.1097/00042752-199510000-00003
470. Trexler ET, Smith-Ryan AE, Blue MNM, et al. Fat-free mass index in NCAA Division I and II collegiate American football players. *J Strength Cond Res.* Oct 2017;31(10):2719–27. doi:10.1519/JSC.0000000000001737
471. Hattori K, Kondo M, Abe T, Tanaka S, Fukunaga T. Hierarchical differences in body composition of professional sumo wrestlers. *Ann Hum Biol.* Mar–Apr 1999;26(2):179–84. doi:10.1080/030144699282886
472. Wilson JM, Lowery RP, Joy JM, et al. The effects of 12 weeks of beta-hydroxy-beta-methylbutyrate free acid supplementation on muscle mass, strength, and power in resistance-trained individuals: a randomized, double-blind, placebo-controlled study. *Eur J Appl Physiol.* Jun 2014;114(6):1217–27. doi:10.1007/s00421-014-2854-5
473. Kyle UG, Schutz Y, Dupertuis YM, Pichard C. Body composition interpretation. Contributions of the fat-free mass index and the body fat mass index. *Nutrition.* Jul–Aug 2003;19(7–8):597–604. doi:10.1016/s0899-9007(03)00061-3
474. van der Ploeg GE, Brooks AG, Withers RT, Dollman J, Leaney F, Chatterton BE. Body composition changes in female bodybuilders during preparation for competition. *Eur J Clin Nutr.* Apr 2001;55(4):268–77. doi:10.1038/sj.ejcn.1601154
475. Cureton KJ, Collins MA, Hill DW, McElhannon FM. Muscle hypertrophy in men and women. *Med Sci Sports Exerc.* Aug 1988;20(4):338–44. doi:10.1249/00005768-198808000-00003
476. Levine JA, Eberhardt NL, Jensen MD. Role of nonexercise activity thermogenesis in resistance to fat gain in humans. *Science.* Jan 1999;8;283(5399):212–4. doi:10.1126/science.283.5399.212
477. Gentil P, Steele J, Pereira MC, Castanheira RP, Paoli A, Bottaro M. Comparison of upper body strength gains between men and women after 10 weeks of resistance training. *PeerJ.* Feb 2016; 4:e1627. doi:10.7717/peerj.1627
478. Janssen I, Heymsfield SB, Wang ZM, Ross R. Skeletal muscle mass and distribution in 468 men and women aged 18–88 yr. *J Appl Physiol* (1985). Jul 2000;89(1):81–8. doi:10.1152/jappl.2000.89.1.81
479. Abe T, Bell ZW, Wong V, et al. Skeletal muscle size distribution in large-sized male and female athletes. *Am J Hum Biol.* Mar 2021;33(2):e23473. doi:10.1002/ajhb.23473

480. Norgan NG. The beneficial effects of body fat and adipose tissue in humans. *Int J Obes Relat Metab Disord*. Sep 1997;21(9):738–46. doi:10.1038/sj.ijo.0800473
481. El Ghoch M, Milanese C, Calugi S, Pellegrini M, Battistini NC, Dalle Grave R. Body composition, eating disorder psychopathology, and psychological distress in anorexia nervosa: a longitudinal study. *Am J Clin Nutr*. Apr 2014;99(4):771–8. doi:10.3945/ajcn.113.078816
482. Manuelli M, Blundell JE, Biino G, Cena H. Body composition and resting energy expenditure in women with anorexia nervosa: is hyperactivity a protecting factor? *Clin Nutr ESPEN*. Feb 2019;29:160–4. doi:10.1016/j.clnesp.2018.10.015
483. Abernathy RP, Black DR. Healthy body weights: an alternative perspective. *Am J Clin Nutr*. Mar 1996;63(3 Suppl):448S–51S. doi:10.1093/ajcn/63.3.448
484. Fleck SJ. Body composition of elite American athletes. *Am J Sports Med*. Nov–Dec 1983; 11(6):398–403. doi:10.1177/036354658301100604
485. Hulmi JJ, Isola V, Suonpää M, et al. The effects of intensive weight reduction on body composition and serum hormones in female fitness competitors. *Front Physiol*. Jan 2016;7:689. doi:10.3389/fphys.2016.00689
486. Rossow LM, Fukuda DH, Fahs CA, Loenneke JP, Stout JR. Natural bodybuilding competition preparation and recovery: a 12-month case study. *Int J Sports Physiol Perform*. Sep 2013;8(5):582–92. doi:10.1123/ijsp.8.5.582
487. Nackers L, Ross K, Perri M. The association between rate of initial weight loss and long-term success in obesity treatment: does slow and steady win the race? *Int J Behav Med*. Sep 2010;17(3):161–7. doi: 10.1007/s12529-010-9092-y
488. Garthe I, Raastad T, Refsnes P, Koivisto A, Sundgot-Borgen J. Effect of two different weight-loss rates on body composition and strength and power-related performance in elite athletes. *Int J Sport Nutr Exerc Metab*. Apr 2011;21(2):97–104. doi: 10.1123/ijsnem.21.2.97
489. Helms E, Aragon A, Fitschen P. Evidence-based recommendations for natural bodybuilding contest preparation: nutrition and supplementation. *J Int Soc Sports Nutr*. May 2014 12;11:20.
490. von Loeffelholz C, Birkenfeld A. The role of non-exercise activity thermogenesis in human obesity. 2018 Apr 9. In: Feingold KR, Anawalt B, Boyce A, Chrousos G, de Herder WW, Dhatariya K, Dungan K, Hershman JM, Hofland J, Kalra S, Kaltsas G, Koch C, Kopp P, Korbonits M, Kovacs CS, Kuohung W, Laferrère B, Levy M, McGee EA, McLachlan R, Morley JE, New M, Purnell J, Sahay R, Singer F, Sperling MA, Stratakis CA, Trencle DL, Wilson DP, editors. Endotext [Internet]. South Dartmouth (MA): MDText.com, Inc.; 2000–. PMID: 25905303.

491. Wing RR, Phelan S. Long-term weight loss maintenance. *Am J Clin Nutr.* Jul 2005;82(1 Suppl):222S–5S. doi:10.1093/ajcn/82.1.222S
492. Keesey RE, Boyle PC. Effects of quinine adulteration upon body weight of LH-lesioned and intact male rats. *J Comp Physiol Psychol.* Jul 1973;84(1):38–46. doi:10.1037/h0035016
493. Wirtshafter D, Davis JD. Set points, settling points, and the control of body weight. *Physiol Behav.* Jul 1977;19(1):75–8. doi:10.1016/0031-9384(77)90162-7
494. Fazzino TL, Rohde K, Sullivan DK. Hyper-palatable foods: development of a quantitative definition and application to the US Food System Database. *Obesity* (Silver Spring). Nov 2019;27(11):1761–8. doi:10.1002/oby.22639
495. Johnson F, Wardle J. Variety, palatability, and obesity. *Adv Nutr.* Nov 2014;5(6):851–9. doi:10.3945/an.114.007120
496. Hall KD. Did the food environment cause the obesity epidemic? *Obesity* (Silver Spring). Jan 2018;26(1):11–3. doi:10.1002/oby.22073
497. Müller MJ, Geisler C, Heymsfield SB, Bosy-Westphal A. Recent advances in understanding body weight homeostasis in humans. *F1000Res.* 2018;7. doi:10.12688/f1000research.14151.1
498. Sherman AM, Bowen DJ, Vitolins M, et al. Dietary adherence: characteristics and interventions. *Control Clin Trials.* Oct 2000;21(5 Suppl):206S–11S. doi:10.1016/s0197-2456(00)00080-5
499. Lemstra M, Bird Y, Nwankwo C, Rogers M, Moraros J. Weight loss intervention adherence and factors promoting adherence: a meta-analysis. *Patient Prefer Adherence.* Aug 2016;10:1547–59. doi:10.2147/PPA.S103649
500. Cruwys T, Norwood R, Chachay VS, Ntontis E, Sheffield J. “An important part of who I am”: the predictors of dietary adherence among weight-loss, vegetarian, vegan, Paleo, and gluten-free dietary groups. *Nutrients.* Apr 2020;12(4):970. doi:10.3390/nu12040970
501. Spreckley M, Seidell J, Halberstadt J. Perspectives into the experience of successful, substantial long-term weight-loss maintenance: a systematic review. *Int J Qual Stud Health Well-being.* Dec 2021;16(1):1862481. doi:10.1080/17482631.2020.1862481
502. Resnicow K, Page SE. Embracing chaos and complexity: a quantum change for public health. *Am J Public Health.* Aug 2008;98(8):1382–9. doi:10.2105/AJPH.2007.129460
503. Hall K. A review of the carbohydrate-insulin model of obesity. *Eur J Clin Nutr.* Mar 2017;71(3):323–6. doi: 10.1038/ejcn.2016.260
504. Hall KD, Guyenet SJ, Leibel RL. The carbohydrate-insulin model of obesity is difficult to reconcile with current evidence. *JAMA Intern Med.* Aug 2018;178(8):1103–5.

doi:10.1001/jamainternmed.2018.2920

505. Patrick H, Williams GC. Self-determination theory: its application to health behavior and complementarity with motivational interviewing. *Int J Behav Nutr Phys Act.* Mar 2012;9:18. doi:10.1186/1479-5868-9-18
506. Yancy WS, Mayer SB, Coffman CJ, et al. Effect of allowing choice of diet on weight loss: a randomized trial. *Ann Intern Med.* Jun 2015;162(12):805–14. doi:10.7326/M14-2358
507. McClain AD, Otten JJ, Hekler EB, Gardner CD. Adherence to a low-fat vs. low-carbohydrate diet differs by insulin resistance status. *Diabetes Obes Metab.* Jan 2013;15(1):87–90. doi:10.1111/j.1463-1326.2012.01668.x
508. Rosanoff A, Weaver CM, Rude RK. Suboptimal magnesium status in the United States: are the health consequences underestimated? *Nutr Rev.* Mar 2012;70(3):153–64. doi:10.1111/j.1753-4887.2011.00465.x
509. Cogswell ME, Zhang Z, Carriquiry AL, et al. Sodium and potassium intakes among US adults: NHANES 2003–2008. *Am J Clin Nutr.* Sep 2012;96(3):647–57. doi:10.3945/ajcn.112.034413
510. Vadiveloo M, Sacks FM, Champagne CM, Bray GA, Mattei J. Greater healthful dietary variety is associated with greater 2-year changes in weight and adiposity in the preventing overweight using novel dietary strategies (POUNDS lost) trial. *J Nutr.* Aug 2016;146(8):1552–9. doi:10.3945/jn.115.224683
511. Loria-Kohen V, Gómez-Candela C, Fernández-Fernández C, Pérez-Torres A, García-Puig J, Bermejo LM. Evaluation of the usefulness of a low-calorie diet with or without bread in the treatment of overweight/obesity. *Clin Nutr.* Aug 2012;31(4):455–61. doi:10.1016/j.clnu.2011.12.002
512. Farhangi MA, Jahangiry L. Dietary diversity score is associated with cardiovascular risk factors and serum adiponectin concentrations in patients with metabolic syndrome. *BMC Cardiovasc Disord.* Apr 2018;18(1):68. doi:10.1186/s12872-018-0807-3
513. Steinberg DM, Bennett GG, Askew S, Tate DF. Weighing every day matters: daily weighing improves weight loss and adoption of weight control behaviors. *J Acad Nutr Diet.* Apr 2015;115(4):511–8. doi:10.1016/j.jand.2014.12.011
514. Peterson ND, Middleton KR, Nackers LM, Medina KE, Milsom VA, Perri MG. Dietary self-monitoring and long-term success with weight management. *Obesity* (Silver Spring). Sep 2014;22(9):1962–7. doi:10.1002/oby.20807
515. Klos LA, Esser VE, Kessler MM. To weigh or not to weigh: the relationship between self-weighing behavior and body image among adults. *Body Image.* Sep 2012;9(4):551–4. doi:10.1016/j.bodyim.2012.07.004

516. Rohde P, Arigo D, Shaw H, Stice E. Relation of self-weighing to future weight gain and onset of disordered eating symptoms. *J Consult Clin Psychol*. Aug 2018;86(8):677–87. doi:10.1037/ccp0000325
517. Aragon A. How can we track body composition changes with minimal technology and resources? *AARR*, May 2020.
518. Macdiarmid J, Blundell J. Assessing dietary intake: who, what and why of under-reporting. *Nutr Res Rev*. Dec 1998;11(2):231–53. doi:10.1079/NRR19980017
519. Schwingshackl L, Zähringer J, Nitschke K, et al. Impact of intermittent energy restriction on anthropometric outcomes and intermediate disease markers in patients with overweight and obesity: systematic review and meta-analyses. *Crit Rev Food Sci Nutr*. 2021;61(8):1293–304. doi:10.1080/10408398.2020.1757616
520. Cui Y, Cai T, Zhou Z, et al. Health effects of alternate-day fasting in adults: a systematic review and meta-analysis. *Front Nutr*. Nov 2020;7:586036. doi:10.3389/fnut.2020.586036
521. Gabel K, Hoddy KK, Haggerty N, et al. Effects of 8-hour time restricted feeding on body weight and metabolic disease risk factors in obese adults: a pilot study. *Nutr Healthy Aging*. Jun 2018;4(4):345–53. doi:10.3233/NHA-170036
522. Lowe DA, Wu N, Rohdin-Bibby L, et al. Effects of time-restricted eating on weight loss and other metabolic parameters in women and men with overweight and obesity: the TREAT randomized clinical trial. *JAMA Intern Med*. Nov 2020;180(11):1491–9. doi:10.1001/jamainternmed.2020.4153
523. Headland ML, Clifton PM, Keogh JB. Effect of intermittent compared to continuous energy restriction on weight loss and weight maintenance after 12 months in healthy overweight or obese adults. *Int J Obes (Lond)*. Oct 2019;43(10):2028–36. doi:10.1038/s41366-018-0247-2
524. Conley M, Le Fevre L, Haywood C, Proietto J. Is two days of intermittent energy restriction per week a feasible weight loss approach in obese males? A randomised pilot study. *Nutr Diet*. Feb 2018;75(1):65–72. doi:10.1111/1747-0080.12372
525. Cioffi I, Evangelista A, Ponzio V, et al. Intermittent versus continuous energy restriction on weight loss and cardiometabolic outcomes: a systematic review and meta-analysis of randomized controlled trials. *J Transl Med*. Dec 2018;16(1):371. doi:10.1186/s12967-018-1748-4
526. Harris L, Hamilton S, Azevedo LB, et al. Intermittent fasting interventions for treatment of overweight and obesity in adults: a systematic review and meta-analysis. *JBIS Database System Rev Implement Rep*. Feb 2018;16(2):507–47. doi:10.11124/JBISRIR-2016-003248

527. Meng H, Zhu L, Kord-Varkaneh H, O Santos H, Tinsley GM, Fu P. Effects of intermittent fasting and energy-restricted diets on lipid profile: a systematic review and meta-analysis. *Nutrition*. Sept 2020;77:110801. doi:10.1016/j.nut.2020.110801
528. Headland M, Clifton PM, Carter S, Keogh JB. Weight-loss outcomes: a systematic review and meta-analysis of intermittent energy restriction trials lasting a minimum of 6 months. *Nutrients*. Jun 2016;8(6):354. doi:10.3390/nu8060354
529. Keenan S, Cooke MB, Belski R. The effects of intermittent fasting combined with resistance training on lean body mass: a systematic review of human studies. *Nutrients*. Aug 2020;12(8):2349. doi:10.3390/nu12082349
530. Seimon R, Roekenes J, Zibellini J, et al. Do intermittent diets provide physiological benefits over continuous diets for weight loss? A systematic review of clinical trials. *Mol Cell Endocrinol*. 2015;418(Pt 2):153–72. doi: 10.1016/j.mce.2015.09.014
531. Welton S, Minty R, O'Driscoll T, et al. Intermittent fasting and weight loss: systematic review. *Can Fam Physician*. Feb 2020;66(2):117–25.
532. Adafer R, Messaadi W, Meddahi M, et al. Food timing, circadian rhythm and chrononutrition: a systematic review of time-restricted eating's effects on human health. *Nutrients*. Dec 2020;12(12):3770. doi:10.3390/nu12123770
533. O'Connor SG, Boyd P, Bailey CP, et al. Perspective: time-restricted eating compared with caloric restriction: potential facilitators and barriers of long-term weight loss maintenance. *Adv Nutr*. Mar 2021;12(2):325–33. doi:10.1093/advances/nmaa168
534. Headland ML, Clifton PM, Keogh JB. Impact of intermittent vs. continuous energy restriction on weight and cardiometabolic factors: a 12-month follow-up. *Int J Obes (Lond)*. Jun 2020;44(6):1236–42. doi:10.1038/s41366-020-0525-7
535. Campbell BI, Aguilar D, Colenso-Semple LM, et al. Intermittent energy restriction attenuates the loss of fat free mass in resistance trained individuals. a randomized controlled trial. *J Funct Morphol Kinesiol*. Mar 2020;5(1):19. doi:10.3390/jfmk5010019
536. Peos JJ, Helms ER, Fournier PA, et al. Continuous versus intermittent dieting for fat loss and fat-free mass retention in resistance-trained adults: the ICECAP trial. *Med Sci Sports Exerc*. Aug 2021;53(8):1685–98. doi:10.1249/MSS.0000000000002636
537. Kysel P, Haluzíková D, Doležalová RP, et al. The influence of cyclical ketogenic reduction diet vs. nutritionally balanced reduction diet on body composition, strength, and endurance performance in healthy young males: a randomized controlled trial. *Nutrients*. Sep 2020;12(9):2832. doi:10.3390/nu12092832
538. Byrne NM, Sainsbury A, King NA, Hills AP, Wood RE. Intermittent energy restriction improves weight loss efficiency in obese men: the MATADOR study. *Int J Obes (Lond)*. Feb 2018;42(2):129–38. doi:10.1038/ijo.2017.206

539. Antonio J, Peacock C, Ellerbroek A, Fromhoff B, Silver T. The effects of consuming a high protein diet (4.4 g/kg/d) on body composition in resistance-trained individuals. *J Int Soc Sports Nutr*. May 2014;11:19. doi:10.1186/1550-2783-11-19
540. Wing RR, Jeffery RW. Prescribed “breaks” as a means to disrupt weight control efforts. *Obes Res*. Feb 2003;11(2):287–91. doi:10.1038/oby.2003.43
541. Peos JJ, Helms ER, Fournier PA, Krieger J, Sainsbury A. A 1-week diet break improves muscle endurance during an intermittent dieting regime in adult athletes: a pre-specified secondary analysis of the ICECAP trial. *PLoS One*. Feb 2021;16(2):e0247292. doi:10.1371/journal.pone.0247292
542. do Vale R, Pieters R, Zeelenberg M. The benefits of behaving badly on occasion: successful regulation by planned hedonic deviations. *Journal of Consumer Psychology*. Jan 2016;26(1):17–28. <https://doi.org/10.1016/j.jcps.2015.05.001>
543. Corney RA, Sunderland C, James LJ. Immediate pre-meal water ingestion decreases voluntary food intake in lean young males. *Eur J Nutr*. Mar 2016;55(2):815–9. doi:10.1007/s00394-015-0903-4
544. Dennis EA, Dengo AL, Comber DL, et al. Water consumption increases weight loss during a hypocaloric diet intervention in middle-aged and older adults. *Obesity* (Silver Spring). Feb 2010;18(2):300–7. doi:10.1038/oby.2009.235
545. Daniels MC, Popkin BM. Impact of water intake on energy intake and weight status: a systematic review. *Nutr Rev*. Sep 2010;68(9):505–21. doi:10.1111/j.1753-4887.2010.00311.x
546. National Institute on Alcohol Abuse and Alcoholism, National Institutes of Health. Drinking patterns and their definitions. *Alcohol Research: Current Reviews*. Jan 2018, Vol 39, Issue 1.
547. Golan R, Gepner Y, Shai I. Wine and health—new evidence. *Eur J Clin Nutr*. Jul 2019;72(Suppl 1): 55–59. doi:10.1038/s41430-018-0309-5
548. Chiva-Blanch G, Badimon L. Benefits and risks of moderate alcohol consumption on cardiovascular disease: current findings and controversies. *Nutrients*. Dec 2019;12(1):108. doi:10.3390/nu12010108
549. Castaldo L, Narváez A, Izzo L, et al. Red wine consumption and cardiovascular health. *Molecules*. Oct 2019;24(19):3626. doi:10.3390/molecules24193626
550. Estruch R, Hendriks HFJ. Associations between low to moderate consumption of alcoholic beverage types and health outcomes: a systematic review. *Alcohol Alcohol*. Mar 2022;57(2):176–84. doi:10.1093/alcalc/agab082
551. Pavlidou E, Mantzorou M, Fasoulas A, Tryfonos C, Petridis D, Giaginis C. Wine: An aspiring agent in promoting longevity and preventing chronic diseases. *Diseases*. Aug

2018;6(3):73. doi:10.3390/diseases6030073

552. Rehm J. The risks associated with alcohol use and alcoholism. *Alcohol Res Health*. 2011;34(2):135–43.
553. Dirlewanger M, di Vetta V, Guenat E, et al. Effects of short-term carbohydrate or fat overfeeding on energy expenditure and plasma leptin concentrations in healthy female subjects. *Int J Obes Relat Metab Disord*. Nov 2000;24(11):1413–8. doi:10.1038/sj.ijo.0801395
554. Soeliman FA, Azadbakht L. Weight loss maintenance: a review on dietary related strategies. *J Res Med Sci*. Mar 2014;19(3):268–75.
555. Jensen MD, Ryan DH, Apovian CM, et al. 2013 AHA/ACC/TOS guideline for the management of overweight and obesity in adults: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the Obesity Society. *Circulation*. Jun 2014; 129(25 Suppl 2):S102–38. doi:10.1161/01.cir.0000437739.71477.ee
556. Wing RR, Hill JO. Successful weight loss maintenance. *Annu Rev Nutr*. 2001;21:323–41. doi:10.1146/annurev.nutr.21.1.323
557. Ribeiro AS, Nunes JP, Schoenfeld BJ, Aguiar AF, Cyrino ES. Effects of different dietary energy intake following resistance training on muscle mass and body fat in bodybuilders: a pilot study. *J Hum Kinet*. Nov 2019;70:125–34. doi:10.2478/hukin-2019-0038
558. Lichtman S, Pisarska K, Berman E, et al. Discrepancy between self-reported and actual caloric intake and exercise in obese subjects. *N Engl J Med*. Dec 1992;327(27):1893–8. doi: 10.1056/NEJM199212313272701
559. Thomas DM, Martin CK, Redman LM, et al. Effect of dietary adherence on the body weight plateau: a mathematical model incorporating intermittent compliance with energy intake prescription. *Am J Clin Nutr*. Sep 2014;100(3):787–95. doi:10.3945/ajcn.113.079822
560. Townshend T, Lake A. Obesogenic environments: current evidence of the built and food environments. *Perspect Public Health*. Jan 2017;137(1):38–44. doi:10.1177/1757913916679860
561. Rosenbaum M, Leibel RL. Adaptive thermogenesis in humans. *Int J Obes (Lond)*. Oct 2010;34 Suppl 1:S47–55. doi:10.1038/ijo.2010.184
562. Clark J. Periodization of exercise induces long-term weight loss while focusing strictly on improvements in cardiovascular and musculoskeletal fitness for individuals who are overfat. *Sport Sciences for Health*. Apr 2018;14:517–30. <https://doi.org/10.1007/s11332-018-0450-5>

563. Aragon A. *The Cycle of Progress* (evolved version of what originally appeared in *Girth Control*, 2007). 2021.
564. Hahn SL, Kaciroti N, Eisenberg D, Weeks HM, Bauer KW, Sonnevile KR. Introducing dietary self-monitoring to undergraduate women via a calorie counting app has no effect on mental health or health behaviors: results from a randomized controlled trial. *J Acad Nutr Diet*. Dec 2021;121(12):2377–88. doi:10.1016/j.jand.2021.06.311
565. Levinson CA, Fewell L, Brosf LC. My Fitness Pal calorie tracker usage in the eating disorders. *Eat Behav*. Dec 2017;27:14–6. doi:10.1016/j.eatbeh.2017.08.003
566. Simpson CC, Mazzeo SE. Calorie counting and fitness tracking technology: associations with eating disorder symptomatology. *Eat Behav*. Aug 2017;26:89–92. doi:10.1016/j.eatbeh.2017.02.002
567. Eikey E. Effects of diet and fitness apps on eating disorder behaviours: qualitative study. *BJPsych Open*. Sept 2021;7(5):e176. doi:10.1192/bjo.2021.1011
568. Griffiths C, Harnack L, Pereira MA. Assessment of the accuracy of nutrient calculations of five popular nutrition tracking applications. *Public Health Nutr*. Jun 2018;21(8):1495–502. doi:10.1017/S1368980018000393
569. Passler S, Bohrer J, Blöchinger L, Senner V. Validity of wrist-worn activity trackers for estimating VO. *Int J Environ Res Public Health*. Aug 2019;16(17):3037. doi:10.3390/ijerph16173037